
229/ literature

E09739



PITMAN'S COMMON COMMODITIES AND INDUSTRIES SERIES

Each book in crown 8vo, illustrated. 3/- net

Acids, Alkalis, and Salts By G H I ADLAM Alcohol By C SIMMONDS Aluminium By G Mortimer Anthracite By A L Summers Anthracite By A L Summers
Asbestos By A L Summers Bookbinding Craft and Industry, The By T HARRISON Boot and Shoe Industry, The By J S HARDING Bread and Bread Baking By J STEWART Brushmaker, The By W KIDDIER Butter and Cheese By C W W TISDALE and J JONES
Button Industry, The ByW U JONES
Carpets By S BRINTON
Clays By B SEARLE Clocks and Watches By G OVERTON Clothing Industry. The By B W POOLE Cloth and the Cloth Trade By J A HUNTER Coal By H Wilson Coal Tar By A R WARNES Cocoa and the Chocolate Industry A W KNAPP Coffee By B B KEABLE Cold Storage and Ice-making B H Springett Βv Concrete and Reinforced Concrete
By W N TWELVETREFS
Copper By H K PICARD
Cordage and Cordage Hemp and Fibres
By T WOODHOUSE and P KILGOUR Corn Trade, The British. By A BARKER Cotton By R J Peake
Cotton Spinning By A S Wade
Cycle Industry, The By W Grew Drugs in Commerce By | HUMPHREY Drugs in Commerce by J Houperev Dyes By A J Hall Electric Lamp Industry The By G A Percual Electricity By R E Neale Engraving By T W Lascelles Explosives, Modern. By S I Levy Fertilizers By H CAVE Fertivizers By H CAVE
Film Industry, The By D BOUGHEY
Fishing Industry By W E GIBBS
Furnature By A E BINSTEAD
Furs and the Fur Trade By J C SACHS
Gas and Gas Making By W H Y WEBBER Glass and Glass Making By P MARSON Gloves and the Glove Trade By B L ELLIS Gold By B WHITE Gums and Resins By E J PARRY Incandescent Lighting By S I LEVY Ink. By C A MITCHELL Internal Combustion Engines. By J OKILL Iron and Steel By C Hoop

Ironfounding By B WHITELEY
Jute Industry, The By T Wood
HOUSE and P KILGOUR
Knitted Fabrics By J CHAMBERLAIN and J H QUILTER
Lead By J A SMYTHE
Leather By K J ADCOCK
Lunen By S MOORE
Locks and Lockmaking By F J BUTTER Match Industry, The By W DIXON Meat Industry, The By W WOOD Motor Boats By F STRICKLAND Motor Boats By F STRICKLAND
Motor Industry, The By H WYATT
Nickel, By B H WHITE
Oil Power By S H NORTH
Oils By C A MITCHELL
Paints and Varnishes By A S JENNINGS Paper By H A MADDOY
Patent Fuels By J A GREENE and M PERIIN Perfumery By E J Parry
Photography By W Gamble
Plano Player, The By D W WILSON
Platnum Metals By E A Smith
Pottery By C J Noke and H J PLANT Rice By C E Douglas Rubber By C BEADLE and H P STEVENS Salt By A F CALVERT Shipbuilding and the Shipbuilding
Industry By J Mitchell
Silk By L Hooper Silke By L HOOPER
Sliver By B WHITE
Soap By W H SIMMON'S
Sponges By E J J CRESSWELL
Starch and Starch Products By
H A AUDEN Stones and Quarries By J A Straw Hats By H INWARDS Sugar By G MARTINEAU Sulphur and Allied Products H A AUDEN Talking Machines By O MITCHELL Tea By A IBBETSON Telegraphy, Telephony, and Wireless By J POOLE Textile Bleaching By A E Timber By W Bullock By A B STEVEN Tin and the Tin Industry By A H MUNDEY
Tobacco By A E TANNER
Velvet and the Corduroy Industry
By J H COOKE
Wall Paper By G W WARD
Weaving By W P Crankshaw
Wheat By A MILLER
Wine and the Wine Trade By
A SIMON MUNDEY Wool By J A HUNTER
Worsted Industry, The
DUMVILLE and S KERSHAW Bv I Zine By T E Lones



Photo by Darius Kinsey, Seattle, Wash

A GIANT PINE, CALIFORNIA

(1460A)

PITMAN'S COMMON COMMODITIES AND INDUSTRIES

TIMBER

FROM THE FOREST TO ITS USE IN COMMERCE

WILLIAM BULLOCK



SECOND EDITION

LONDON
SIR ISAAC PITMAN & SONS, LTD.
PARKER STREET, KINGSWAY, W.C.2
BATH, MELBOURNE, TORONTO, NEW YORK

PREFACE

At the desire of the publishers I have attempted, in the following pages, to write some account of the timbers which enter so largely into the composition of many objects in our everyday life.

The literature relating to the subject is not extensive, and, with one or two exceptions, the books that have been published have been written more with a view to disseminate botanical or other scientific information than to give a practical knowledge of the woods in every-day use. As this book is intended for the general reader, I have endeavoured to make it as free from technical and scientific terms as possible, and have also, partly from the limits of the pages, strictly confined my remarks to the timbers which are at the present time dealt with in ordinary commerce, and of which I can speak with a practical knowledge gained in a rather lengthy experience in handling, buying and selling.

For some interesting statistics in reference to a few of the woods, I have to tender my thanks to the Editor of *The Timber Trades' Journal*, and I must also express my obligations for further records which were obtained from the well-known fitm of London Wood-brokers, Messrs. Churchill & Sim.

WILLIAM BULLOCK.

STOCKENS GREEN, KNEBWORTH, N.

CONTENTS

CH AP.	PREFACE	PAGE V
I.	INTRODUCTION	1
II.	NOTES ON THE HISTORY OF TIMBER AS CONNECTED WITH GREAT BRITAIN .	6
III.	THE CONIFEROUS TREES OF COMMERCE. EUROPEAN AND OTHER EASTERN SPECIES IN USE AT THE PRESENT TIME	20
IV.	THE CONIFEROUS TIMBERS OF CANADA AND OTHER COUNTRIES IN THE WESTERN HEMISPHERE	32
v.	THE HARDWOOD OR BROAD-LEAF SECTION OF TREES	45
VI.	THE MAHOGANIES OF COMMERCE	53
VII.	SOME ACCOUNT OF THE DIFFERENT VARIETIES OF MAHOGANY	59
VIII.	THE MAHOGANY PRODUCTS OF THE WEST COAST OF AFRICA	66
IX.	THE EUROPEAN VARIETIES OF HARDWOOD TIMBERS COMMONLY IN USE	74
x.	HARDWOOD TIMBERS FROM ASIATIC SOURCES	87
XI.	THE HARDWOOD TIMBERS OF JAPAN AND THE AUSTRALASIAN COLONIES	97
XII.	SOME ACCOUNT OF THE HARDWOOD TIMBERS OF CANADA AND THE UNITED STATES EXPORTED TO GREAT BRITAIN	106

TENTS
1

CHAP.		PAGE
XIII.	THE HARDWOOD TIMBERS OF CENTRAL AND	
	SOUTH AMERICA	114
XIV.	SOME NOTES ON THE EXTRACTION OF	
	TIMBER IN VARIOUS COUNTRIES	122
xv.	THE OUTLOOK FOR FUTURE SUPPLIES .	137
	APPENDIX: FIRE HAZARDS OF TIMBER	
	YARDS, SAWMILLS, AND JOINERY WORKS,	
	ETC., BY ROBERT TAYLOR, F.C.I.I	146
	INDEX	155

ILLUSTRATIONS

								PAGE
A GIANT PINE,	CALIF	ORNIA		•	•	Front	isį	biece
A DUTCH WIND	SAWN	MILL	•	•	•			13
DEAL YARDS, F	IGA	•		•				2 3
FIR TIMBER FR	OM NO	RTHE	RN FO	RESTS	;			25
TRANSPORT OF	тімве	R IN	AUSTI	RALIA		•		29
SHINGLE BOLTS	ON A	CALI	FORNL	AN RI	VER			35
A RUSSIAN WAI	NSCOT	OAK	LOG			•		47
FIGURED SAPEI	J MAH	IOGAN	Y		•			55
MAHOGANY LOC	S FOI	R SHI	PMEN1	, SEK	ONDI			71
THINNING HOR	NBEAM	woo	DS, EI	PING	FORE	ST		83
JARRAH .				•				98
SILKY OAK								101
HONEYSUCKLE						•		103
BLACK BEAN								104
TIMBER-HOISTIN								127
INITIAL OPERAT	•						Y	-
TREE .								135

CHAPTER I

INTRODUCTION

FEW products of nature are of more manifold utility than timber and few have such powers of adaptability; whether our outlook may be in the midst of cities, in the centre of agricultural districts or amid primitive civilization, we see on all sides convincing proof of its general use and necessity. It is with us in some form or another from the cradle all through life to the end of one's existence, and the most casual observer cannot fail to recognize its ever present and near relation to all the numerous commodities of everyday life.

It is therefore natural that a product with which we are all, to a more or less extent, so familiar should form an interesting subject to dilate upon, condensing information which has been gained by long and close connection with the material, in order to afford readers, who have perhaps had their interest centred in other channels, some knowledge of the many varieties of woods that exist, their varied qualities, their uses and the part they have played in the progress of the world.

The greater part of the globe at one time or another was covered with timber forests. The conditions were favourable for reproduction, and the result was vigorous regeneration by the creative power of the soil and climate. Gradually man and civilization

advanced and reckless attrition of these forests took place, by fires to clear the land for agricultural purposes, by unnecessary extravagance in supplying domestic requirements and other ways. This prodigal waste was rampant wherever civilization progressed, and gradually such tracts of country became denuded. This extinction of the forests which had protected the land led, especially in tropical countries, to radical alterations in the water supplies, to changes in the climate, to great erosion of land and, finally, to a transformation in the sylvan character of the country.

The position at the present time is that many countries are more or less devoid of timber, others by careful afforestation have kept up a moderate supply, while in several more, mostly undeveloped or which are in course of development by civilization, the reckless waste and non-provision for the future, as carried on in bygone times, is still more or less prevalent.

Statistics of the forest areas of many parts of the world at the present time can only be vaguely estimated. Those relating to Europe may however be taken as approximately correct, and Sir William Schlick estimated that in 1901 over 758,000,000 acres of land in Europe were more or less afforested, the figures giving a proportion of 31 per cent of the total area, and to the population 2 acres per head. The full figures in regard to the different countries in Europe are interesting and from the above author's Manual of Forestry the following details are quoted—

Russia	has	516,000,000	acres	afforested	40 per	cent	of the	total
Sweden	,,	48,000,000		,,	40	,,	,,	,,
AHungary	,,	46,410,000		,,	30	,,	,,	,,
France	**	23,530,000		,,	18	,,	,,	"
Spain	,,	20,960,000		"	17	"	"	99
Germany Norway	**	34,490,000 17,000,000		"	26 21	,,	"	,,
Norway		17.000.000			ZI			

Italy	has		acres	afforested	14	per cent	of	the total
Turkey	,,	6,180,000	,,	,,	8	- ,,	,,	**
G. Britain	,,	3,030,000	,,	"	4	"	,,	"
Switzerland	"	2,100,000	,,	"	20	"	"	"
Greece	"	2,030,000 777,000	,,	**	16 3	"	,,	"
Portugal Belgium	"	250,000	"	"	17	"	,,	**
Holland	"	570,000	"	"	17	"	"	,,
Denmark	"	600,000	"	"	6	"	**	"
Bulgaria and	ı"	000,000	,,	"	Ť	"	17	"
Herzegovin	a,,	10,650,000	11	••	45	"	,,	,,
Bosnia	"	6,790,000	**	"	53	1,	,,	,,
Servia	,,	2,390,000	1,	**	20	"	,,	1)
Rumania	,,	5,030,000	"	**	17	,,	,,	**

As to other countries in the Eastern hemisphere, the Siberian portions of Russian territory are known to be well afforested; Japan and Manchuria have also considerable resources, but little is known in regard to China. About a twelfth of the total area of India is under woodland, and estimates of the area on which marketable timber is growing in Australia give a total of over 1,000,000 acres. Little is known in a positive way in regard to the timber resources of the great continent of Africa, but extensive forests certainly exist in the central portion and along the Northern districts, principally in Algiers, where about 5,000,000 acres of forests are known to be under French control.

In the Western hemisphere Canada has large resources, but with the steady and rapid development of the country enormous inroads are being made on her supply, and unfortunately with no corresponding replacement on a commensurate scale. British Columbia is also a heavily-wooded country; but, fortunately perhaps, and up to the year 1914, this division of Canada had not been exploited to the same extent as other districts in the Dominion that were adjacent to the Atlantic seaboard, produce from the Pacific side, intended for European markets, having to be transported

CHAPTER II

NOTES ON THE HISTORY OF TIMBER AS CONNECTED WITH GREAT BRITAIN

A BRIEF and retrospective sketch of the history of timber, especially in reference to its uses and the important part it has played in the development of Great Britain, may perhaps be of interest and form a fitting introduction to the several chapters which it is intended to devote to a few of the principal woods which are in regular use.

It is on record that, at the time of the Conquest in 1066, England must have been of a densely afforested character, the Domesday Book of 1085 showing that in the five counties of Derbyshire, Kent, Sussex, Surrey and Yorkshire alone, no fewer than 1.033 woods and forests existed. The scattered but disappearing remnants of these forests at the present time are some little testimony to the past wooded character of the land. To mention only a few in the Midland and Southern Counties, we have Sherwood forest in Nottinghamshire, Charnwood in Leicestershire, a small and scattered portion of Shakespeare's great forest of Arden in Warwickshire, Whittlebury and Salcey in Northamptonshire, Needwood in Staffordshire, Ashdown in Sussex, Waltham or Epping forest in Essex, and the New Forest in Hampshire. Besides these may be added the several Chases and Warrens, such as Cannock, Malvern, Hatfield and Loxley in Yorkshire, and others which, formerly well-timbered lands, are now but partially wooded.

Supplies of oak, ash, wych elm, willow, yew and other trees must have been abundant in these forests,

the first mentioned wood doubtless largely predominating. With the rapidly increasing needs of a growing community these timber resources were freely and rapidly drawn upon up to the sixteenth century. Material for the construction of bridges was needed and for the making of galleys and, later, for the ships by which communication with oversea countries was obtained: much was also consumed for domestic uses, for the building of dwellings, for fuel and many other purposes. With a growing population there also arose a greater need for agricultural acreage, and a consequent clearance and grubbing up of much wooded land took place; moreover a large supply was needed for smelting, as the increasing use of iron began to arise.

England's naval supremacy, which at this time began to be asserted, was not only due to the inborn fighting qualities of her seamen, but was assisted by the capabilities of her shipbuilders and by the virtues of her native-grown oak. So far-famed were its qualities, that it is most authentically recorded that one of the instructions given to the Duke of Medina Sidonia, who commanded the great Spanish Armada fleet in 1588, was that he should, if he effected a landing in England, destroy the Forest of Dean area, oak from this locality being, it was understood, largely used in the building of English ships.

The increased use of this wood for shipbuilding and other purposes and the first felt difficulty of obtaining supplies were experienced about this time, and a great outcry arose in regard to the prodigal waste that was rampant respecting its use. It was prophesied that its extermination would bring about the ultimate downfall of the English nation, and, as early as 1531, an Act to arrest the depletion was put into force; another of more

important character, which was designed to enforce restrictions respecting the felling of trees and to prevent the conversion of afforested lands into agricultural acreage, being placed upon the Statue Book ten years later. Another enactment in 1558 was also passed, regulating and limiting the size in which wood could be utilized for smelting purposes, and in 1592 a further Act was instituted.

Under the rapid development of the country by the introduction of steam power and its application to the means of transit by land and water, the native supplies of timber became wholly inadequate; increased demands arose and, to fill these, timber from other European sources began to find its way into the country.

It is recorded by some authorities that, as early as the sixteenth century, fir timber, in partially squared condition or balks as they were called, was brought from the Baltic, probably from Dantzig or other Prussian ports, and used on the East coast for masts, spars and other purposes. It was not however until later that supplies increased, when, together with this fir,-red or yellow deal as it is called in our days-oak from the same ports began to relieve the difficulties of consumers in finding sufficient native-grown wood. The imports, both of the above mentioned fir timber and of the oak, grew largely, and then, it is understood, through the enterprise of Dutch merchants, additional supplies of Norwegian and Swedish fir began to arrive. Later, oak and other woods from the acquired Colonial Possessions in America were first brought over.

A new era in the history of the trade thus arrived: no longer was the community dependent on native woods, and, with the rapid development of the country, growing calls were forthcoming for the important material. From the outset all this foreign wood shipped to English ports was subject to a Government duty. These taxes were largely differential, the imposts having been greatly in favour of the Colonial products.

They were, however, between 1842 and 1851, gradually brought into unison, and in the latter mentioned year were made equal by the substitution of an all-round rate of 7s. 6d. and 10s. per load of 50 cubic ft. according to description. In 1860 they were again reduced to 1s. per load of hewn timber and 2s. 6d. per load of sawn and, finally, in 1866 they were altogether repealed.

As above noted, all this wood when first imported was in the nature of hewn balks, round tree trunks roughly squared by means of the adze, and to convert these into suitable dimensions for the convenience of consumers pit sawyers were employed. These, a sturdy race of men fitted for such arduous labour, had at this time and up to fifty or sixty years ago, a halcyon existence, and it was no doubt, in some measure, due to their continually growing independence, irregularity and neglect of the abundant work that was available, that the application of machinery for the conversion and manipulation of wood was brought about. Even to this day this now primitive method of converting timber may be occasionally met with in remote country districts where mechanical power is not available.

As is generally known, two men were employed at this method of sawing, and in connection with them allusion may be made to the old and popular expression "top sawyer," meaning one in the first rank or at the head, this referring to the man standing on the top of the log, who was in authority and guided the saw to the chalked line impressed on the top of the log.

The introduction of machinery into the country for the conversion of timber was followed by its use in many exporting countries, and gradually the receipt of wood in balks as before described was changed and timber sawn into what is popularly known as deals took its place. These methods of exporting the material grew especially in Sweden, Norway and Russia with the result that, at the present time, consumers receive timber cut into almost every size to suit their requirements, flooring-boards ready to lay down, match-lining ready to put up, and mouldings ready to plant on the work.

The importation of timber, and more especially that of the coniferous species suitable for building construction, grew by leaps and bounds, Swedish, Norwegian, Russian, Canadian and other afforested regions in all parts of the globe were laid under contribution, and its final growth up to the present day may be best brought to the reader's notice by the inclusion of the Board of Trade returns for the year 1927, just concluded.

STATISTICS OF THE IMPORT OF HEWN AND SAWN TIMBER OF ALL DESCRIPTIONS THAT ARRIVED AT PORTS IN THE UNITED KINGDOM DURING THE YEAR 1927, TOGETHER WITH ITS VALUE

	Quantity Loads	Value £
Hewn soft woods	319,949	1,243,165
Sawn	6,025,845	28,247,005
Planed and dressed .	688,616	4,038,867
Other descriptions, pit- props, staves, sleepers,	·	
etc	3,223,714	7,384,570
	10,258,124	£40,913,607

		Cub. Ft.	Value.
Hewn mahogany .		2,287,097	£596,260
Hewn hardwoods of o	other		
descriptions .		3,963,670	705,814
Sawn mahogany .		1,680,813	609,376
Sawn hardwoods of o	other		
descriptions .	•	26,469,037	6,845,562
		34,400,617	£8,757,012
	Grand	Total	
		Loads	
Soft woods		10,258,124	£40,913,607
	•	Cub. Ft.	2,,,
Hard woods		34,400,617	8,757,012
TIAIG WOODS	•	04,400,017	0,707,012
			£49,670,619

In the above short résumé of the history of timber. together with a slight account of the trade as carried on in Great Britain, while the remarks have been general, a more particular application has been directed to the coniferous section, or what is known as soft woods, and it may perhaps be convenient, in this preliminary chapter, to give a brief sketch of the history of two or three of the principal woods which hold an outstanding position in another section of the timber trade, namely, the hardwood branch. These, used in the manufacture of furniture, in boat and shipbuilding, in railway wagon and carriage construction, and in innumerable other industries, form an important part in timber commerce. The expansion in the import and consumption was perhaps not so rapid at first as in that of the coniferous woods, but during the last thirty or forty years, with fresh sources from which supplies are continually arriving, the import has been an increasingly progressive one and consumption has extended as the wealth and prosperity of the country have increased

In reference to oak, which has perhaps held up to the present time the most important position compared with other timbers which are classed as hardwoods, the early history of the native-grown species, its extensive use in early days, and, notwithstanding the efforts of the State, its gradual depletion have previously been noted. The first sources from which was obtained other wood to augment our failing supply were some districts in the Baltic, Dantzig being probably the first port to send wood. Later, exports were received from Stettin and Memel, and at a near period Russian shipments from Riga and also from Odessa in the Black Sea began to find their way to the markets. Towards 1861 American oak was first shipped to England, that from Maryland and supplies shipped from Baltimore being the first timber of this variety introduced.

For shipbuilding purposes iron had, however, now become established, and in this direction less oak was needed and little growth for a short time took place in the receipt of the above exports from the West.

The finer woods from Memel, Riga and Odessa were however largely used for furniture and building fitments, and those from Prussian ports for railway and rolling-stock purposes. About 1884 the United States began further to supply these markets, the timber they forwarded at this time being practically all in a converted form, usually known as lumber. For the first ten years or so there was a steadily increasing import of this manufactured wood, and later still further expansion took place, the supply during the last twenty-five years having formed a very large proportion of the total supplies of this timber that came to the market. The Slavonian forests of Austria and Hungary have also contributed to these markets during the last fifty years with



By permission of the "Timber Trades Journal."

A DUTCH WIND SAWMILL

a share of the fine timber that is produced in these localities, and consumers of the wood have also favoured the oak that is procured in Japan, the export of produce from these Islands commencing soon after the close of the Russo-Japanese War. Since the termination of the Great World War in 1918, conditions in regard to the supplies obtained from various parts of Europe have somewhat changed. New States and Republics have become established, and in these newly constituted countries active measures have developed for the more efficient exploitation of the forest resources of the various districts. There has thus been a considerable increase in the shipments of oak from the forest areas of Slavonia, an expansion in the imports from Poland. Latvia, Czecho-Slovakia, and Rumania, as well as from other adjacent localities.

The statistical tables on the opposite page give some little idea of the extent of the trade that is done in this timber and the varied sources from whence the supplies are procured. The figures, however, only relate to the import into the London market, and exclude the large additions which come forward during the same period to Liverpool, Glasgow, and other ports in the United Kingdom.

Mahogany, with which fine and popular wood all are familiar, is understood to have been first introduced into the country about the commencement of the eighteenth century, but it was evidently known among the West Indian Islands as a valuable wood as early as the sixteenth century, Sir Walter Raleigh having commented upon it as a valuable shipbuilding wood. It is generally supposed that the first arrivals came from the Spanish Islands of St. Domingo or Cuba, and even to this day mahogany of good quality of any origin is often described by the uninitiated as Spanish

STATISTICAL FIGURES RELATING TO THE IMPORT OF HEWN AND SAWN OAK THAT ARRIVED IN THE PORT OF LONDON DURING THE YEAR 1927

Source		Sawn Timber	Hewn Timber
		cub ft	cub ft
United States		4,329,163	42,675
Australia		20,788	
Austria		2,185	
Belgium		1,553	
Canada		2,568	
Czecho-Slovakia		5,815	
France.		11,950	
Germany		4,664	
Italy .		279,904	
Japan .		328,299	14,780
Jugo-Slavia		95,799	105
Latvia .		36,770	22,010
Poland		363,670	60,189
Russia.		8,259	
Other countries	•	8,452	87
		5,499,839	139,846

mahogany, although shipments from the first-mentioned Island practically ceased many years ago. The wood on its introduction was doubtless in great favour, and supplies from St. Domingo in considerable amounts regularly followed. Other districts in the West Indies and Central America in which varieties of the wood grew took up the export, and very soon this tropical product was being shipped from Mexico, Honduras and Cuba. Later, other countries in the same zone assisted in augmenting the supply until, at the present time, almost every district in Central America and adjacent countries helps, with wood of varying description, to fill the ever increasing demand which exists in very many countries.

A marked epoch in the history of this wood, as these Central American supplies began to show slight signs of exhaustion, was the discovery that, in the tropical

regions on the West Coast of Africa, lying somewhat in the same parallels of latitude, huge forests more or less timbered with species of mahogany and other trees were available for supplementing the world's demands. These enormous belts of forest land, lying roughly speaking at a distance of about forty miles from the coast, and extending in a more or less parallel direction to the sea-board, stretch approximately from the French Guinea possessions to within the country beyond the Congo, embracing in this extent Liberia, the French possessions on the Gold Coast, Nigeria, the Cameroons, the French Congo adjoining, and the Portuguese possessions south of the Congo. Various species of timber from these forests found their way to the markets in a desultory manner during the latter part of the nineteenth century, but no accurate statistics are available as to the quantity or description: there was probably. however, little, if any, mahogany among them, and it was not until about 1891 that any serious exploitation of the mahogany supplies of these districts was made. At first this mahogany was received in Great Britain with reserve, and for some time considerable prejudice hampered its sale when in competition with established Central American varieties. It rapidly grew in favour however and, assisted by a strong demand which sprang up for the wood in the United States, the import and volume of business which followed grew considerably.

Teak, another important hardwood that has held, and still holds, an almost unassailable position for various purposes may also be referred to. This invaluable timber, whose native habitat is East India, Siam and adjacent countries, came into general use, so far as records show, about the middle of the last century. Obtainable in long lengths and of fine dimensions, and being found moreover to possess the virtue of rendering

STATISTICS OF THE IMPORT OF MAHOGANY LOGS INTO THE PORTS OF LONDON AND LIVERPOOL DURING THE FIVE YEARS ENDING 1927

LONDON

Sources

Total	Tons 19,924 25,061 39,550 22,096 31,200
St Domingo	Tons 88 359 773 773 846
Cuba	Tons 923 1,468 1,743 1,171 1,752
Brazil	Tons 82 783 1,043
Colombia Venezuela	Tons 17 34 15
Costa Rica	Tons 169 184 276 108
Panama	Tons 17 —
Afrıca	Tons 14 290 18,367 28 418 11,492 19,268
Nicaragua Guatemala	Tons 8 135 53 841 785
Мехісо	Tons 295 657 39 639
Honduras	Tons 4,376 3,872 8,258 5,993 7,455
Year	1927 1926 1925 1924 1923

LIVERPOOL

Total	sup ft 15,835,000 16,348,000 17,398,000 18,449,000 14,150,000
Воглео	sup ft 909,000 1,519,000 314,000 324,000 236,000
Brazıl	sup ft 35,000 130,000 38,000 18,000 112,000
St Domingo	sup ft 6,000 22,000 2,000 88,000 17,000
Cuba	sup ft 4,000 27,000 10,000 110,000 34,000
Costa Rica	sup ft
Africa	sup ft 14,701,000 15,513 000 16,878 000 17,844 000 13,571,000
Nicaragua	sup ft 124,000 36,000 72,000 31,000 176,000
Мехісо	sup ft 9,000 101,000 1,000
Honduras	sup ft 47,000 43,000 35,000
Year	1927 1926 1925 1924 1923

iron, when in contact, immune from rust, Teak rapidly found favour among ship and boat builders and was often found to be valuable for railway work. It stands in a class by itself in Lloyd's list of shipbuilding woods and has well sustained its reputation throughout its career, no wood having yet been found to supplant it in its use for special purposes. Owing to difficulties of extraction and the care with which it is conserved by the Indian Forest Department in Burma and other parts of India, the supply has rarely exceeded the demand and it has, especially during later years, greatly appreciated in price, the value of the wood at the present time being far in advance of that of mahogany. Most of the supplies are obtained from Burma, but equally fine wood is shipped from Siam and small supplies of an inferior description are also exported from Java. More particular notes of the various descriptions and qualities of these varieties are given in a later chapter which deals with the supply of this and other woods from India and other Asiatic countries. Subjoined, however, are some statistics which give some idea of the import which has taken place during the last five years.

STATISTICS OF THE IMPORT OF TEAK THAT ARRIVED IN THE PORT OF LONDON FROM VARIOUS SOURCES DURING THE YEAR

1327				
Sıam	Rangoon	Java	Total	
Loads of 50 cub ft	Loads of 50 cub ft	Loads of 50 cub ft		
1,397	2,716	45	4,158	
678	3,384	92	4,154	
1,519	7,577	85	9,181	
1,689	5,611	54	7,354	
1,266	3,850	151	5,267	
	Loads of 50 cub ft 1,397 678 1,519 1,689	Loads of 50 cub ft 50 cub ft 1,397 2,716 678 3,384 1,519 7,577 1,689 5,611	S1am Rangoon Java Loads of 50 cub ft Loads of 50 cub ft 50 cub ft 1,397 2,716 45 678 3,384 92 1,519 7,577 85 1,689 5,611 54	

It must be remarked that these returns refer only to such wood as was actually landed in the London docks. They do not include other timber that arrived and was taken overside, such produce not figuring in the dock returns. Moreover, these statistics do not include other shipments that were received in Liverpool, Glasgow, and other ports.

In the foregoing brief outline of the history of timber a more particular narration of facts and events in regard to its connection with England has perhaps been observed. The history might have been given greater scope and enlarged more fully upon the forests and timber resources of other parts of the world, their size, methods of exportation and other interesting matter, but the limits of this small book preclude such an exhaustive survey, and the history has consequently been limited to the salient facts which relate more especially to the British Isles.

Following the preceding introductory review, the remaining part of the book has been separated into two divisions, one dealing with the coniferous or needle-leaf variety of trees, which are commonly known by the timber trade as "soft woods," the other giving some account of the broad-leaf description, most of which, in a general sort of way, are classed by the same authorities as "hardwoods."

In attempting to give some particulars of the woods in these two divisions, it would be impossible and at the same time unneedful to include every known or partly known wood. Large numbers are only recognized by native or falsely misleading names, many are unidentified and their value, if any, partially or altogether unknown. No mention of these has been made and attention was confined to a moderate list, which it is believed, however, comprises all, or practically all, the timbers which can be met with at the present day in use among consumers.

CHAPTER III

THE CONIFEROUS TREES OF COMMERCE. EUROPEAN AND OTHER EASTERN SPECIES IN USE AT THE PRESENT TIME

UNDER the name of Conifers or Cone-bearing trees are included the firs, pines, larches and cedars. The number of varieties of the different species is large, and the forests in which they grow, while considerably more extensive in the Northern hemisphere than in the Southern, are well distributed throughout the entire world, their area being probably greater than that covered by the broad-leaf section. They occupied a most prominent position in the area of forests in prehistoric times, as from fossil remains we learn that, besides the many species known to us at the present time, many additional members of the same family existed.

This wood is more generally used than any other, being the material most adapted for building purposes and use in almost every other branch of industry where wood is required. Records of its use in bygone times are plentiful: one instance as an example may be mentioned, the mummy cases in the Egyptian room, which attracts so many visitors at the British Museum, being constructed of one species of this family—the cedar of Lebanon.

Great Britain is by far the largest importer of these coniferous woods; and to gain some idea of the magnitude of this trade one has only to turn to the statistics of the Board of Trade which are here included. It is shown in these that Russia, Norway, Sweden, Finland, and other Northern Countries are the chief sources from

which the supplies are drawn, but others in the Western hemisphere also contribute to the total—Canada, the Southern States of America. British Columbia and other countries.

Considerable confusion has grown up and become established in very many countries in the nomenclature of this species of wood. They are all of the pine family, but names have been loosely applied, and for those not intimately associated with the buying, selling and use, much confusion is engendered. The popular conception in England is, however, to call most of them by the general name of deal, although even alternative names for the same wood are common, the wood, of the same description as the Scotch pine or fir, so largely imported from Northern Europe, being defined as yellow deal in the Southern parts of the Kingdom and red deal on the East Coast, in the Midlands and further North. As this is decidedly the most important of the coniferous woods, the opening notes on the various varieties may well be commenced with this timber.

Northern Pine,—Shipped as redwood from Russian, Finnish, Swedish and Norwegian ports, while similar timber from Prussia is defined as Baltic redwood. is the ordinary red or yellow deal of commerce, so much in use in the building trades and common everywhere in Europe. An allusion was made to this wood in the brief introductory retrospect, its history in Great Britain being traced from its first import from Prussian ports as spars and masts, the growth of the import from these Baltic ports and the development of fresh sources of supplies from Norway, Sweden, Finland and Russia.

Principally with this coniferous variety of wood the countries of Northern Europe are, as has

been noted, largely and densely afforested; and, although the consumption during the nineteenth century was exceedingly heavy, Norway and Sweden are the only two which show signs of exhaustion. Russia has, however, supplied increasing quantities, and the boundless expanse of this country, densely wooded and in many cases with virgin forests that still await the woodman's axe, warrants the belief that no shortage of this description of timber will occur for many years to come. There are, however, authorities who warn us that a limit of time for the producing capacities of this great country can be approximately fixed, and that the supply, while at present abundant, is by no means so large as is generally supposed. A drain on these timber resources, additional to those made by the United Kingdom, comes from France, Holland, Belgium, Germany and other European countries, and also from many British Colonies—Australia, Cape Colony, and others. The botanical name of the tree from which this commonly known wood is obtained is Pinus Sylvestris; and it is, as stated, identical with the Scotch fir. Grown, however, in dense forests it is straighter and cleaner in growth than those usually found in Scotland, the trees, grown in such close proximity, attaining a height of between 100 and 150 ft., frequently without a single branch from the base up to about 80 ft. or more.

The amount exported in the log or balks, as it first came to Great Britain, is at the present time exceedingly small—trivial—in comparison with that shipped in a converted state. Planks, deals, battens and boards, ranging from 4 in. thick and from 11 in. wide down to small sizes such as $\frac{3}{4}$ in. \times $1\frac{1}{2}$ in. or similar dimensions suitable for slating and other purposes, are exported in enormous quantities from the various ports, besides

By permission of the

DEAL YARDS, RIGA

much fully-dressed material, principally from Sweden, consisting of floor-boards, and match-lining ready for the carpenter's use, and mouldings of every description for the use of the joiner.


The timber is of yellow or yellowish-red colour; that with a more pronounced reddish tinge being grown, it is generally understood, on high land, and being of more resinous nature is more favoured for outdoor work where durability is an object.

In exposed, outside situations, the timber is durable when free from sap, and lasts fairly well when in contact with the earth. It is one of the strongest of the coniferous family and the principal timber used for roof timbers, joists, window-frames, doors and general joinery. Most of the best timber is shipped from Archangel and other ports in the White Sea, but deals and timber of almost equally good description are also supplied from Petrograd and some of the Swedish and Norwegian ports.

The wood, after chemical treatment, is also largely used in Great Britain for railway-sleepers, and large shipments for this purpose come, principally, from Baltic and Russian ports.

A large export of short lengths of the timber for pit props is also made, these goods being mostly directed to the North-East Coast of England to supply the wants of collieries in the Durham and Midland areas. A great export of deal and other short ends takes place, this wood being principally used for the making of small packing-cases and for firewood. Sweden also ships much timber in the form of poles, which are used for telegraph purposes and for builders' scaffolding.

White Pine.—This, another European member of the coniferous family, is commonly known as white deal or Baltic whitewood. It is one of the hardiest



READY FOR THE MILLS AT RIGA FIR TIMBER FROM NORTHERN FORESTS

conifers, and exists at a height of about 3,000 ft. above sea-level; the best specimens, however, attain their greatest size in the valleys. It is found in the same regions and shipped from the same ports in much about the same manner as the Northern Pine, excepting that the qualities exported are extremely limited in comparison with those of the latter species.

It is one of the loftiest of European trees, often growing to a height of between 80 and 100 ft.; it is, however, not so quick growing as the Scotch fir. Unlike this last-named variety, it has a development of its branches low down towards the base of the stem, assuming in its growth a somewhat pyramidal form.

The wood is of white or vellowish-white colour, tough and elastic in fibre, but not so strong as red deal. It works fairly well, having in good qualities a satiny lustre after the process of planing, and, although much of the timber has the defect of having numberless small live knots in its growth, it forms an excellent material for inside joinery, for which it is principally used. It holds, however, a greatly inferior position and is much less valuable than red deal owing to its want of durability when exposed to the weather. The best qualities are found in the shipments from Petrograd and Archangel, those from Riga and other Baltic ports being of somewhat coarse fibre. Besides its use in the building trade for inside purposes, it is in favour with the cabinet maker for kitchen table-tops, and to some extent for other purposes, owing to the great appreciation of late years in the price of Quebec pine. The poorer qualities are largely used in the packingcase trade, and there is a large export to Great Britain of floor-boards and match-lining which are principally used for cheap house-building. Great quantities are also used in the manufacture of paper pulp, the export

of which from the various countries, but principally from Sweden, shows an ever increasing volume. The thinnings of the woods are also exported and used for scaffold poles, pit-props, and other purposes.

Larch.—This is another species of the coniferous family, widely distributed in Northern Europe and also freely grown in Great Britain. A moderate amount of timber of this species is imported thither, principally from Russian ports, from whence the finest qualities are shipped, further supplies arriving from the Baltic.

Being grown in most districts of Great Britain the timber is well known. It is of a very resinous nature and one of the most durable of the fir or pine family, the better qualities even holding their own in competition with oak, where used in contact with the earth. The wood is of reddish-brown colour, clean and free from knots, but more difficult to work than red deal. Owing to its tough and durable qualities it is used for floors, stairs and other purposes where wear and tear is heavy, for boat-building, posts and rails, rustic work, small scaffold poles, and largely for pit-prop purposes.

Many other varieties of coniferous timbers that are grown in European countries might be mentioned, but they hold a relatively minor position in comparison with those given. One variety, however, may be alluded to, as a large amount of the wood of this species is imported into Great Britain in the shape of pit-props. This is the Cluster Pine, of which large and scientifically cultivated forests exist in the Landes and Gironde districts of France. The wood is used to some extent in carpentry work but is not of very much account, the chief value of the trees being the use which is made of them by the extraction of resin, from which the turpentine of commerce is obtained. A fairly large

industry is carried on in the above districts, and the trees after exhaustion and also the thinnings of the forests are largely exported, principally from Bordeaux for pit-props. The chief supplies for the coalfields of South Wales are drawn from this source.


From Eastern countries, many of which are practically untapped as regards coniferous timbers, there is but a small import of soft wood. Doubtless there are ample supplies, but while there are the European and Asiatic forests of Russia and the present resources of Canada, British Columbia and other countries comparatively near at hand to draw upon, the question of obtaining material from such distant regions as those in the East is hardly considered.

One failure of supply which is apparently in sight,—namely, the diversion of much of the pine wood of Canada to the nearer United States,—has been seized upon by the shippers as an opportune occasion to export the supplies of the forests of Eastern Siberia. Shipments of excellent pine, of capital specification and well converted, have reached the markets from the distant port of Vladivostock, and the wood, although perhaps not so mellow as the Canadian, is steadily growing in favour with consumers.

Although this is not in the Eastern hemisphere, a few New Zealand coniferous woods may, perhaps, be included in this chapter, since some of them, up to recent years, were in fair use in Great Britain.

Kauri Pine. —Although meeting with a poor reception when introduced into England from New Zealand, about 1888, this wood steadily grew in the estimation of users, and for a time was in constant consumption.

The tree from which the wood is obtained is, perhaps, the most important in the Islands, as, besides the useful timber, a gum which is exuded from the tree, and which



TRANSPORT OF TIMBER IN AUSTRALIA

is largely exported for the manufacture of varnishes, is produced and forms an important article of commerce.

The colony was doubtless heavily timbered with these great trees in its early days but, unfortunately, forest fires, many probably started with a view to clearing the land for settlement, and ruthless waste in other directions, have so depleted the country that. with a great demand springing up for this wood from Great Britain and the neighbouring sister colony of Australia, a visible exhaustion of the supplies came in sight. The New Zealand Government have, since the conclusion of the European war in 1918, wisely arrived at the conclusion that it was necessary to conserve their forest produce, for the benefit of their home consumption and for the conservation of their lands against climatic changes that would occur by devastating their forests. They have instituted replanting schemes and have, moreover, practically prohibited the export of their coniferous timbers. In consequence, the amount of Kauri and other New Zealand timbers that are now imported into this country at the present time is negligible.

The tree grows to admirable proportions, many butts in the shipment that first arrived—a sailing cargo of round logs—having been up to about 7 ft. in diameter. These, as noted, were unsquared logs, but all consignments since received have been in the form of converted planks or boards, exceedingly well sawn and of good specifications.

The wood is of whitish-brown colour, fine, smooth and silky in texture, and is notable for its even-wearing properties and—for a pine—its general durability. It is practically free from defects and highly esteemed as a material for many purposes, but particularly for the deck planks and fittings of yachts and other boats.

New Zealand Pine.—This, another wood of New Zealand growth, was introduced to the notice of consumers in the United Kingdom somewhere about 1900-1912. The tree is known as Kahikatea in the colony, grows to good proportions, and supplies a useful wood.

It is yellowish-white in colour, of soft but firm and even texture, splits very readily, and if not properly cut and seasoned is liable to warp, twist and become discoloured: it is moreover not at all durable for outside purposes.

Shipped in well-converted planks and boards, similar to the manner of Kauri, it is, when well seasoned, free from all defects and has found a fair number of consumers. It is largely used in the colonies for packing-case making, and the wood may be seen in use if the boxes, in which New Zealand butter reaches the British market, are examined.

CHAPTER IV

THE CONIFEROUS TIMBERS OF CANADA AND OTHER COUNTRIES IN THE WESTERN HEMISPHERE

Weymouth Pine.—A well-known and popular timber which is known as yellow or Quebec pine, has been exported from Canada since about the year 1705. It is one of the most important trees grown in Canada, and large areas of that country are covered with its growth. The nearer forests have, however, been greatly depleted by the large export trade that has been so long in existence, and the cost of exploiting the forests farther afield has considerably enhanced the value of the wood during the last ten years. It was also formerly plentiful within certain latitudes of the northern part of the United States, but that supply has rapidly reached an end by the demand of local and near con-Ornamental specimens of this tree may be seen in many districts in the British Isles, and growing to fine proportions both in height and girth of trunk it is one of the most attractive conifers that are grown.

The timber, when first brought into Great Britain at the beginning of the eighteenth century, was introduced in the shape of hewn logs and found much appreciation. It was used extensively for deck planking and interior fitments mostly among shipbuilders. The import of logs in this form has continued up to the present time, but to nothing like the extent as formerly, and, known as waney board pine, they are still used to some extent for similar purposes. The bulk of the trade however, after the introduction of machinery, developed in the same way as mentioned in the remarks concerning the changes in the imports from Northern Europe.

Converted timber, mostly cut to 3" by 11" and over, were exported, and a very extensive trade, principally with Great Britain, grew and expanded.

Up to about 1889 most of these sawn goods were floated down the rivers of Canada to the port of shipment in huge rafts, and it was customary to grade those planks or deals that had been immersed at the bottom of the pile as "floated goods," those at the top as "bright," a difference of 10s. per standard showing the estimate of their values. This system lapsed as other and better means became available to convert the logs nearer port of shipment. At an early period all these converted goods were graded into firsts, seconds, and thirds; later, when near forest supplies began to show signs of failure, fourth quality were added; and later still an intentional lowering of all grades by shippers was made. A period arrived about 1890, when the exhaustion of this timber in the northern part of America obliged the consumers in that country to have recourse to Canadian goods, and gradually these nearer markets attracted the Dominion wood. Imports to Britain then began to get scarce, a great appreciation in prices took place and consumption was greatly curtailed. Values have been on the up-grade for the last ten or fifteen years, being at the present time something like 50 per cent in advance of prices current about the year 1900.

The wood is of yellowish-white colour, turning somewhat brown with age and exposure under natural conditions. It is of soft but firm and even grain, fairly free from knots, works exceedingly well and will not, when free from heat, buckle or twist. It is not at all durable for outside work, neither is it a strong wood, but for interior joinery fitments, ground work for veneering on, coach panels or similar work, it is a favourite wood. It was formerly, when more moderate in

price, a staple wood for the pianoforte trade, and its non-casting character, mellowness and general reliability have always made it the ideal wood for the making of patterns.

Red Pine.—This is known as Norway Pine in Canada, and Yellow Pine in Nova Scotia, and is a conifer growing up to about 80 ft. in height and about 2 ft. in diameter. The wood is of reddish colour, generally clean in growth, and possesses good working qualities. It is durable and will stand well in outside positions, being, in most respects, similar to European red deal. Imported into England about the year 1756, in the shape of logs suitable for mast and spar purposes, it was much in favour for many years, but owing to the competition of European woods gradually lapsed in use. It is now, and has been for a long time, shipped in the form of planks and deals. Most of these imports arrive in the Thames, the wood having a limited sale otherwise than in the Metropolis and the southern parts of the Kingdom.

Spruce.—This is another cone-bearing tree from which is obtained timber bearing some resemblance to the white wood imported from Northern Europe, and of which some account has been given. It is abundant in the Canadian forests, and is exported in considerable quantities to very many markets.

In the Dominion and also in the States the timber is largely used for building purposes, but in England its use is principally confined to the packing-case trade, although in the Midlands and North-East a good proportion of the imports are used by builders for joists, rafters and other constructive parts of house-building.

The wood is an excellent material for floor-boards, and much used in the Midlands for that purpose where a strong rough floor is a necessity, as for instance in factories. A fair amount is used by the pianoforte

SHINGLE BOLTS ON A CALIFORNIAN RIVER

Darsus Kinsty, Seattle, Wash.

Photo by

trade, "bracings" being always constructed of this wood. It is generally imported in 3' by 9", 3' by 11" and smaller sizes, that shipped to the London market being generally in 12 ft. and 13 ft. lengths. The wood is white in colour, tough and strong, does not work very kindly, but planes well and leaves a clear satiny surface. It is durable both for outside and inside work, but is rather inclined to twist, and in the inferior qualities has, occasionally, many dead knots. The deals or planks exported are usually graded, those arriving for the London market being generally divided into four classes.

Columbian Pine.—Alternative names for this timber, as with many others, are common. It is known as Oregon Pine, Yellow Pine of Puget Sound, Douglas Fir, yellow or red fir in the United States, red fir or red pine in Canada. It is the chief tree of British Columbia, and from the heavily afforested valleys and hillsides of this far-away territory the largest exports are made from Vancouver and other Pacific ports. It is, however, also found in Canada and growing on the slopes of the Rocky Mountains in California, reaching its most perfect development in the coast regions of Washington, Oregon and British Columbia.

The tree is said to attain a height of between 200 ft. and 300 ft., with a diameter up to 8 ft. The wood is of strong nature, durable, somewhat coarse in texture, and difficult to work. With a tree of such fine growth, timber of excellent specifications can be converted, and the wood as a constructive material has a great future in view. It is held in high esteem for bridge building and similar work, for which it offers the combination of lightness, stiffness and strength, besides furnishing pieces of exceptional length. Squared planks or logs 24 in. in diameter and up to 100 ft. long

are procurable, and it is said can be obtained up to 200 ft. in length. The consumption has shown considerable increase in England. The fine proportions of the timber that can be obtained, combined with its strength, being desirable qualities that make it an efficient substitute for the pitch pine that is procured from the Southern States of America, more particularly so as the supplies of this latter have shown signal signs of falling away for many years past.

Sequoia.—Only two living species of this coniferous tree are now supposed to be existent; fossil remains, however, disclose that over forty additional species have at earlier periods been common in various parts of the world. Both the surviving members of the family are found in California, and particulars of their growth are so full of interest that a rather extended account may perhaps be given.

Dealing with the one commonly known as Red-wood, which is the variety in commercial use, it is understood that its growth is restricted to a belt of coastland bordering the Pacific, some 450 miles in length and about twenty miles in breadth. The trees reach their most perfect development in Humboldt County, where virgin forests, which may be traversed for over twenty miles, are monopolized by these great trees.

Said to be very fast growing for the first thirty or forty years, they add perhaps 2 ft. per year to their height during this period, while in their early age, between four and ten years, they possibly grow 2 ft. 6 in. per year. They attain, at mature age, a height of 100 to 340 ft.

The tree sometimes reproduces itself from seed, but more usually, and when growing in thick forests, by the growth of stump sprouts, this being the only coniferous tree which has this habit. Huge lateral roots spread

near the surface, and from these a second generation rises up. In some instances these have been cut and then another encircling generation has come into existence. One of these circles is about 50 ft. in diameter and contains forty-five trees, the growth of which ranges from 2 ft. to 6 ft. in girth: these are the third succession, and in the centre stands the parent trunk. This shaded enclosure affords sufficient sitting accommodation for a congregation of about 250 persons, and here Divine Service has been held.

Some idea of the amount of timber in these giants of the forest may be gained by the perusal of a book issued by the Red-wood Manufacturers Association. In this they mention that in some forest areas in the Humboldt districts 2,500,000 ft. board measure to the acre may be found, while from one tree only 480,000 ft., not including waste, has been obtained.

The wood extracted from these trees is soft in texture, very straight in the grain, and has easy working qualities. It is undoubtedly most durable, posts buried in the earth having been known to last thirty or more years, but its great and serious defect is its brittle nature and want of strength.

It has always been shipped to Great Britain in the shape of well-manufactured planks of extremely good dimensions, has been well tried for many purposes, but has not obtained any very large patronage owing to the defect of its lack of strength.

Big Tree.—This further species is rarely exported, and no shipment, so far as is known, has reached the English markets.

It grows to a height of from 150 ft. to 325 ft., and from 80 ft. to 225 ft. is reached before branches occur: in girth it attains a diameter of from 5 ft. to 30 ft. measured 6 ft. from the ground.

Restricted to definite localities called groves it grows at an extreme altitude of 7,500 ft. in regions where the average rainfall is 45 in. to 60 in. per annum, and where the snow lies from 2 ft. to 10 ft. deep during three to six months in the year.

As has been remarked, timber of this species has never been exported, the wood, besides being even more brittle than red-wood, is less readily worked.

A few notes relating to some of these Big Tree Groves, which are a great attraction to visitors to California and which, probably, rank high among the many wonderful sights to be seen in the United States, may perhaps be interesting.

In the Calaveras County, the grove bearing this name contains 101 trees, besides several fallen ones. Thirty trees in this collection, from actual measurement, range from 9 ft. to 19 ft. 6 in. in diameter at 6 ft. from the ground, and rise to a height of 237 ft. to 325 ft. One of the fallen trunks has been hollowed out by fire, and so huge is the tree that a mounted horseman can ride through this aperture.

The Tuolumne Grove is situated at an altitude of 5,800 ft. There are thirty trees in this stand, and an opening has been cut through one, under which the Yosemite stage-coach passes.

A third group—Mariposa Grove—contains the largest tree that is known; it measures 93 ft. 7 in. in circumference at the ground and 64 ft. 3 in. at 11 ft. above.

The estimate of the ages of some of these giants of the forest shows that many seasons have passed over their heads. A count of the rays has demonstrated that the adult trees have a growth of between 400 and 1,500 years, but one patriarch has been discovered whose annual rings show that 4,000 birthdays must be credited to him.

The excellent cross-section of one of these trees which, exhibited at the Natural History Museum at South Kensington, is so well known to frequenters, impresses one vividly with the idea of the age of these mighty trees. It shows that the tree from which it was obtained was cut down in 1892, its age at that time being 1,335 years. Notes on historical matters are made on this cross-section at the various periods of the tree's growth, and it may be observed that it came into existence about the commencement of the Middle Ages, was in the prime of life at the time of the accession of Alfred the Great, and continued through all the events and progress of civilization almost up to the end of the reign of Queen Victoria, when the woodman's axe brought the giant to an untimely end.

Sugar Pine.—An important Californian timber which is put to many uses, is obtained from a tree bearing this name. It is chiefly employed in the Western States however, comparatively little finding its way thence into other countries. It is most abundant on the western slope of the Sierra Nevada, growing at an altitude of from 2.000 ft. to 7.000 ft. The trees attain a height of between 80 ft. and 250 ft., with a girth of 2 ft. to 8 ft., and it is said that no other pine is so valuable for its wood or will show such a yield per acre. The demands on the forests for home consumption have been great, and the wood has steadily appreciated in value. It is light, soft, close-grained, and fairly strong, works easily and is fragrant in smell. Like Weymouth and other pine the wood, when converted, sweats and stains if packed together when green. It is said to have been discovered by D. Douglas, a noted botanical explorer, who named the species *Pinus Lambertiana* after his friend Lambert, a founder of the Linnean Society.

Port Orford Cedar.—This is another important tree of Western American origin; its acreage however is somewhat limited. It attains a height of from 125 ft. to 150 ft., and a diameter near the ground of 4 ft. to 12 ft. The wood is straight and close grained, soft, elastic, durable, and of a vellowish-white colour. It is used for flooring and similar work, and is held in much esteem by Californian consumers. Very little has been exported as yet to England. It was introduced into Europe in 1854, and is known, botanically, as Cupressus Lawsoniana, there being now, it is stated, not less than sixty-eight garden species under cultivation

Pencil or Red Cedar.—This is a species of Juniper tree, widely distributed in the United States, but growing more freely in the southern parts, especially in Florida. It is also met with in Canada but only in limited quantities. The tree is of moderate growth, and yields the wood which has such an extensive use among pencil manufacturers. For this purpose it is unequalled, being of fine, straight, silky grain, easily worked and fairly strong, and no efficient substitute has as yet been found in any part of the world to supplant it in its use for pencil-making. Enormous inroads have been made on the supplies to meet the ever-growing demands for the above purpose, and the exhaustion of the wood is understood to be well within sight. arrives in small, short logs, which, indicating the difficulty of procuring supplies, show yearly a deterioration in quality.

Pitch Pine.—A well-known timber that has been largely used in Great Britain during the last eighty or 100 years has next to be noted.

Known in the United States as Long Leaf Pine, the above-named timber is, perhaps, the most important

in the Southern States of America. Formerly, unsurpassed forests existed, a belt of country stretching some 150 miles parallel with the coast of the Southern parts of North America. Ruthless destruction has, however. laid waste much of this primitive forest, the damage not being due to the need for timber supplies, but to the exploitation of the turpentine industry. A large part of the turpentine of commerce is obtained from the resin extracted from the trees of these forests. British imports alone of this commodity amount in value to something like one million pounds sterling per annum. The trees are highly resinous, but under the severe tapping they are subjected to are quickly exhausted and fall to the woodman's axe: and at such a pace are clearances made that it is predicted that a total extinction of these vast forests is within measurable distance. The timber is principally shipped from ports in the Gulf of Mexico, Galveston, Mobile, Pensacola or New Orleans, and arrives in the shape of hewn and sawn-sided logs-mostly the latter, besides planks and boards.

It is largely used for any constructional work requiring strength, and for any purpose where a timber adaptable for use under entirely wet conditions, or alternating wet and dry, is required. It is not, however, a good material for entirely dry situations, becoming brittle in time. Having a handsome appearance when varnished it was commonly in use in former years for furniture, the fitments of offices and other joiner's work, but it was not an ideal wood for the purpose, being subject to shrinkage and expansion with alternations of the atmosphere. Formerly squared logs of 14 in. or more, and ranging up to 80 ft. or more in length, were common, but the specifications have largely declined of late years, and logs of even 60 ft. in length are not common.

The wood is in moderate use for flooring purposes in England, and in the States is used, with other timber of the same species, for street-paving purposes. The principal use, however, in European countries at the present time is for piles, beams, bridges, and other heavy constructional work.

Loblolly Pine.—This is a timber in many respects identical with the foregoing. It grows freely in the Southern States, forests being plentiful in Virginia, South Carolina and Texas. It is obtainable in better dimensions. but not in such long lengths as Pitch Pine, and is inferior in many respects, having much more sap-wood and being of a soft and coarse texture. Similar in general appearance and of less value, it is often substituted for Pitch Pine and also for the Short-Leaf Pine of Missouri and Arkansas, which is also known under the name of Carolina Pine. No shipments of the wood are made to Great Britain, but it is largely used in the Southern States for sleepers, bridges and piles. after chemical treatment

Carolina or Short-Leaf Pine.—Another timber of similar resinous nature, common in the Southern States of America, where it grows to a height of 80 ft. It is not the equal of Pitch Pine in strength, and is not so resinous, but in other respects it will bear com-Shipments were made to England some years ago in an attempt to establish a market, and it sold fairly well for a time, a moderate consumption taking place in the timber or converted boards which were sent. The demand however subsided, and it is now but seldom seen in the English markets.

Cypress.—A further timber from the Southern States of America, for which attempts have been made to secure a regular and established demand in Great Britain The tree is allied to the red-woods of

California and, together with those forests, occupied in former ages most of the hills and valleys which extended far north. Submerged forests of these trees have been found in the swamps of rivers running into the Gulf of Mexico, and specimen logs, with an estimated age of 10,000 years, have been discovered in the New Orleans Drainage Canal, 18 ft. below the present sea-level of the Gulf. It is essentially a swamp tree at the present time and grows, more or less, in water. In many respects it is similar to the red-wood of the West Coast, having, however, considerably more strength than that Californian wood.

Its chief qualities are its clean growth, durability, and the absence of any chemical in the wood that will impart odour or colour. Having these latter qualities, it is a good material for tanks, vats, etc., for which it is largely used in the States. The timber is shipped to market in well-converted planks and boards, but has not made very rapid progress as yet in the estimation of British consumers.

An abundant quantity of other coniferous species, of more or less value, which grow in Canada, the United States, Mexico, and other countries in the Western hemisphere, might be mentioned, but the limits of these pages preclude such a list, and attention has, therefore, been confined to those only which are imported and commercially dealt with in the English markets.

CHAPTER V

THE HARDWOOD OR BROAD-LEAF SECTION OF TREES

Among this extensive and widely-dispersed species of timber, the varieties of oak and mahogany are so numerous and important, that separate chapters are devoted to particulars regarding them, the observations on other woods being grouped under the heads of the several countries from which they are obtained.

In this present chapter the first-named timber, as one that is always regarded as typical of England and its breed of men, and which has played a not unimportant part in the foundation of her supremacy of the seas, will be considered.

Referring at the outset to English-grown wood, three species are said to exist. The divisions, however, are more botanical in their definitions than in any divergence in the quality of the timber. The wood certainly varies, but such differences depend more on soil, locality and other influences, than on any inherent distinctions in the variety.

The oak is indigenous to Great Britain and Northern latitudes, extending in fact as far north as 55 degrees. It is also found as far south as tropical Africa. In England it is so well known that it needs no long description. It grows preferably in rich, well-drained loam, and, probably, Sussex, Gloucester, and some parts of the Midland Counties produce the finest timber. As a hedgerow tree it develops many branches, and the timber, wanting in the length of the butt, grows very tough and knotty, and is difficult to work. It is, however, useful for many purposes, especially where sweeps

and bends are required, as for boat-knees and other purposes. The finest timber is developed when the trees are coppice-grown—straight, long, and clear trunks being the most advantageous form for general use. Unrivalled as are its qualities for durability and strength, and indispensable as it was in times past, it has not, during the last century, been so necessary to consumers owing to importations from other countries. These have partly taken its place, some for their better working qualities, others for their superior dimensions. but for durability and strength the British grown wood has not been equalled, either when wholly submerged in water or subjected to the alternations of wet and dry. Its use of late years has been principally confined to boat or barge-building, wheelwrights' use and, in a much less degree than formerly, for railwaywagon work. It is rarely used at the present day by the cabinet-maker, Russian, Austrian and American varieties, owing to their better working qualities, having quite superseded this native material.

What is known as brown oak is, however, a choice wood for the cabinet trade. The cause of this colouration is usually ascribed to the incipient decay of the trees, and the greater the age of such timber the richer the colour; there are, however, differences of opinion as to the cause of this production. The brown colour is frequently found in young, straight-grown, maiden trees. In many cases trees get pollarded, and in course of years develop burrs and excrescences from which the finest wood is generally obtained. These brown oak trees are not common, and owing to their value are much sought after. One instance, however, where the wood had evidently not been valued, came under the writer's notice some years ago: a good portion of a fair-sized park on the borders of Staffordshire and Derbyshire,



By permission of the "Timber Trades Journal."

A RUSSIAN WAINSCOT OAK LOG

having been fenced with cleft oak, remarkably rich in colour and figure and which would probably have been worth in the tree from five to six shillings per foot cube. These trees are mostly found in the Southern and more often in the Midland Counties, but are rare in the North, and only one instance of their having been found in Scotland appears to be known. Whether this beautiful wood is indigenous to Great Britain or not is an interesting question, but so far as is known it has never been found in other countries.

It is generally sawn into veneers, and high prices are obtainable when they are of good description,—the wood making remarkably handsome furniture. A fashion for its use obtained in the United States some twenty years ago, and some fairly large shipments left England for New York.

Stettin-Dantzig Oak.-Oak timber from these Prussian ports was the first that arrived in England to augment the failing supply of her native wood. Principally extracted from Polish forests this timber was formerly largely shipped in the form of planks and partly hewn logs. At the present time the small amount imported is practically all of the latter manufacture. The wood, although not equal in strength or toughness, and deficient in durability as compared with that grown in England, was largely used for naval purposes at the outset and continued in demand for shipbuilding up to about 1865, when iron began to take its place. Large amounts of the wood were however still shipped, its economical use in comparison with native wood for the building of railway rolling-stock being fully appreciated, until wood of the American variety began to supplant it for this purpose. The wood is somewhat yellow in colour, straight-grained, and has easier working qualities than the English, and

the few shipments that arrive in the markets at the present time are principally used for boat-building, wagon construction, and builders' purposes.

From Memel, another Prussian port, and from Riga and Libau, further oak of Russian and other extraction is shipped. Practically all this timber is exported in the shape of billets or wainscot logs, as they are termed. They are prepared by the squaring of two opposite sides of the fallen trunk, the tree being afterwards split through these squared sides right down the centre or heart. Ultimately these logs, when shipped and on reaching the consumers' hands, are converted into planks and boards, the wood constituting what is known as wainscot oak. A certain proportion of the boards and planks which are sawn from these billets are more or less covered with the silver grain or figure, which is so much esteemed. A greater quantity of this figured wood is, however, obtained by the American system of conversion, of which an account is given in the pages devoted to particulars of that variety of boow

These importations from Russian ports are of generally uniform colour, clean, and contain fine figure when properly sawn, and the wood is practically all used by builders for bank, office, and other superior work, as well as by the cabinet trade for the manufacture of the better-class type of fitments, dining-room and library furniture.

The finest wood is of Riga shipment, although formerly the best came from Memel. Of late years, however, Libau has taken the lead in the matter of amount shipped, but the general quality has been decidedly inferior. Shipments are also made from the Russian port of Odessa, in the Black Sea, and much fine wood has been received from this port.

An important trade from these sources is also done in staves for the making of barrels. These are obtained from some of the finest and straightest tree trunks, being cleft or split and afterwards hewn and cut into the various lengths and sizes fitted for the making of barrels of all descriptions. This business is extensive, and a large amount of the finest wood is so consumed.

Austrian Oak.—From the Slavonian and Crotian forests, oak of similarly excellent description to the foregoing is obtained and exported from the Adriatic ports of Fiume and Trieste. It is shipped in the shape of billets, in converted planks and boards, in the form of cleft staves and other ways, the chief markets being France, England and Belgium. It is held in great esteem in England for all purposes where high class oak is necessary, and by many is considered to be a superior wood to the Russian. The export, however, is not so extensive in amount as that of the northern wood, the supply showing some signs of exhaustion.

American White and Red Oak.—Very little of the latter mentioned variety is received in Great Britain, the wood being considered coarse, lacking in strength, and by the cabinet-makers as incapable of being "fumed." The first-named description was originally exported in logs, but this method was gradually superseded by the innovation of converting the same before shipment, and for the last thirty years this system has been generally common, the trade having been a progressively expansive one.

The wood, while not so strong or so durable as Englishgrown oak, is generally clean and straight and possesses good working qualities, although, owing to the method of quick seasoning which is the rule in the country of its origin, it is rendered hard and flinty to the workman's tools. It is largely used for railway-wagon work, for joiners' requirements, and for sills, floorboards, and other builders' uses: the cabinet-makers are also free consumers, generally using the cheapest grades for the manufacture of the poorer classes of furniture

As a rule, the boards and planks are fairly well sawn, and the manufacturers excel in their methods of extracting what is known as quartered and plain wood from the logs. To explain these terms it must be understood that all the silver grain or figure of oak lies on what Botanists call the medullary rays. These are rays emanating from the heart or centre of the log and diverging to the outside. They are to be observed in every tree, noticeably strong in the oak, beech, and other trees, but more or less indistinct in others. In sawing an oak tree, all boards or planks so cut that their face falls on these convergent rays, are figured, those sawn contra to these rays being devoid of figure on the face but having it on their edges.

Japanese Oak.—With this wood, the latest description introduced to the markets of the United Kingdom, the remarks on the various varieties of oak commonly in use in England will be concluded. The Japanese, it is well understood, have been conservators of their well-wooded lands for innumerable years, and at the close of the great war which the country had with Russia, began to exploit some of their forest lands. Fair-sized shipments of their oak were made to very many countries, and gradually their enterprise has resulted in the wood gaining a footing in the markets, The timber is shipped in every way that can further its establishment—in logs, in hewn and sawn timber, for railway sleepers, staves for the cooper's use, converted planks and boards, plain and quarter; sawn for the cabinet and builders' trade. The wood

is of uniform good colour, mild, and adapted for good work and is, when sent in a manufactured condition, well sawn. It is, however, not quartered in so efficient a way as the American wood, is not particularly well flowered or figured, and on the whole lacks the distinctive character of Russian and Austrian wood.

CHAPTER VI

THE MAHOGANIES OF COMMERCE

As Teak among hardwoods stands in a class by itself as representing the ideal wood for durability and strength, so mahogany holds the premier position in the same varieties of wood as a material for ornamental purposes. There are woods that are rarer, some few that are perhaps more beautiful, but none in the popular estimation which, for general all-round qualities, can compare with this wood. Its popularity has not been confined to recent years, for it was known and in good repute under the name of Cedra or Cedrella to the Spaniards when they first occupied the West Indian Islands and the coast of America. It continued under the above name for a number of years, being mentioned as an excellent wood for canoe or shipbuilding by Captain Dampier in 1681. Finding its way to England, probably from St. Domingo or some other West Indian Island, it became known as mahogany, being mentioned in 1730 under that name as an excellent wood for furniture. In 1750 Thomas Chippendale. with his beautiful but at times outrageous designs for furniture, put the seal upon its popularity and, with slight relapses, due to the ebb and flow of fashion, it has continued in favour until the present time. The consumption, in Great Britain and other countries, has shown an ever increasing expansion, and, while supplies have given out in some of the older districts, fresh areas have been found, not only in the Western hemisphere but in the Eastern, and the volume of trade which year by year takes place is extensive.

The number of varieties of this wood which are classed in commerce under the name of mahogany is considerable. From the old Puerto Plata wood from the Island of St. Domingo to the Gaboon wood brought from the French Congo on the West Coast of Africa, there is an extensive range which those in close familiarity can generally distinguish by their external appearance, by noting their texture, growth, colour, and other points of variation. Scientific experts, however, appear dubious as to any connection.

It is difficult to define what is and what is not mahogany. Many assert that no timbers can be classed as mahogany except those shipped from various sources in Central America from whence, undoubtedly, the first and original wood was procured. But produce, possessing the same colour, similar texture, and other characteristics, but widely diverging in botanical relationship, now arrive from all parts of the world and pass into consumption as mahogany. They are, however, sold, at any rate in the wholesale trade, with the prefix of their source of origin. They come forward from Brazil, British Guiana, Colombia, and other countries in the Western Hemisphere, as well as from the West Coast of Africa, from India, the Philippines, and even from Australia.

All the mahoganies noted later are recognized in commerce as mahogany, although, as remarked, there is no strict definition of the nomenclature of this word. Before commencing a few observations on the different varieties, a few remarks on the interesting subject of figure and figured logs may be given. One of the attractions of this fine wood for the manufacture of furniture and other uses is the beautiful figure which is occasionally to be met with in the logs; one may be what is termed "roey," another may contain "broken roe,"



FIGURED SAPELI MAHOGANY

another may be "mottled" or marked with what is known as "fiddle-back wood," a further log may be "ocean-waved," and yet another may be "plumfigured." Much skilful observation, gained by long experience, is at times necessary to detect signs of this figure in uncut logs, and considerable speculation is indulged in by those who wish to secure logs that show signs of figure.

These figured logs after being opened are, if found sufficiently fine, generally sawn into veneer for the use of the cabinet and other trades, about twelve veneers generally being cut from an inch thickness of wood, if sawn by the veneer saw, while about forty or more may be produced if peeled off by the knife. High prices are always obtained when these figured logs are offered for sale, and it may prove interesting to note several which are perhaps records for a few of the different varieties.

From facts given in the *Timber Trades' Journal* of various dates, we find that the record price for a figured log was that obtained for one of St. Domingo wood, sold at public auction at Liverpool in the year 1876. This log made 30s. per ft. in the inch. Another log, this of Cuban wood, sold in London in 1912, takes second place, the log realizing at public auction a sum of 22s. 6d. per ft. Yet another from the Island of Cuba, sold in the sale-room in the following year, realized 22s. per ft.

It is also on record that a log, probably from a Tobasco district, was purchased in the early days of the mahogany trade for 21s. per ft., the total cost of the log having been about £1,000. It was cut into veneers of five to the inch, and sold to Messrs. Broadwood, the celebrated pianoforte makers, a sample of the wood existing at the present time in the Museum

at Kew Gardens. There is an instance of an African log which, selling at Liverpool in 1903 at 12s. per ft., brought to the fortunate shipper a sum of £1,046 5s.; also in the same year, and in the same market, four logs realized 9s. 1d., 9s. 6d., 9s. 5d., and 9s. 6d., per ft. respectively. These latter prices for African wood were, however, eclipsed in 1913, when three logs—all parts of the same trunk—made 13s. 3d., 11s. 7d. and 3s. 6d. per ft. respectively, the total sum obtained for this West African monarch of the woods having been £4,010 12s.

The mahogany arrives from the various ports of shipment mostly in squared logs, in cargoes, or in parcels. Practically all these are directed to London or Liverpool, the latter port receiving the bulk of the West African shipments, the former the greater proportion of the other varieties. With few exceptions all the wood is passed into consumption through the medium of public auctions, brokers at the two ports holding on an average about five sales per month during the year. Very large quantities change hands at these sales, buyers from all parts of the kingdom and also from the Continent being present. These mahogany sales have been carried on for many years past, and interesting recollections of the auctions and how they sold the goods are told by some few old members of the mahogany trade. In London they were generally held, up to about the year 1820, at Garraway's Coffee House in the City and, not a great many years before this period, at the same place, the goods were announced for sale and sold "by light of candle." A pin was inserted in a candle just below the lighted wick, and the buyer whose bid was made as the pin fell out claimed the lot. This primitive custom of selling goods is still in existence, for, at occasionally

held English timber sales that take place in out-of-theway districts in Cornwall, this old-fashioned method is still observed. It is needless to say that catalogues were not large, probably between 100 and 150 lots. At present-day auctions, and in these times of hustle, close upon, and sometimes over, 1,000 are frequent, and a disposal of 200 lots per hour is usual.

CHAPTER VII

SOME ACCOUNT OF THE DIFFERENT VARIETIES OF MAHOGANY

St. Domingo.—Wood from this Island was probably the first mahogany to reach Great Britain. Shipments were fairly frequent up to about thirty or forty years ago, but since that time the Island has shown signs of exhaustion in regard to the supply, and only small parcels, mostly of inferior and crooked logs, have been shipped.

The wood is of distinctive character, and may be readily identified in the log by its rich and very dark colour, by its texture and, generally, by the peculiar adzing shown in the manufacture of the logs. It is highly esteemed for most work, but the sizes and make of the logs now sent render them, as a rule, only fit for chair-frames and other similar purposes.

Cuba.—This Island, like the last mentioned, a former possession of Spain, has always been noted for the fine mahogany which it produces. It has been a heavily afforested one, in which mahogany has been largely predominant, but with heavy demands on the wood for use in Great Britain, in America, and on the Continent, and in conjunction with the clearances of forest areas for sugar and tobacco planting, there are signs that, although shipments of late years have been fairly plentiful, this source of supply cannot be looked upon as one of long duration. The wood is highly esteemed, and is generally considered the ideal one for the manufacture of furniture, being of hard texture, fine colour, and with a finished surface which takes a

remarkably fine polish. Frequently figured, it always has an attractive and individual character, either when used for cabinet-making, in joinery and fitment work, or for any other purpose. As remarked, symptoms of a gradual exhaustion of the wood are not wanting, one sign being the increased amount of small and crooked wood which is shipped to the various markets, the only use for which is chair-making. In most of the cargoes this class of wood forms a large proportion, logs of 12 in. to 16 in. in width being, in any quantity, conspicuously absent. Most of the wood at the present time is shipped from Santa Cruz, but a proportion also arrives from Jucaro, and, occasionally, parcels are received from Santiago, Manzanillo, and other ports. Mention may also be made of the cedar which is abundant in the Island. America takes perhaps the largest share of this export, but Continental countries are also large consumers; no quantity of any importance is directed to Great Britain. This wood is practically all used for cigar box-making.

Mexican.—From this Central American Republic, mahogany, varying in description according to the districts from which it is extracted, is exported in fairly large quantities. Wood from the Tobasco district was one of the first mahoganies recognized in commerce, and in later times plentiful shipments from the Minatitlan and Tecolutla portions of the State were shipped. Most of the supplies from the first-mentioned place have of late years been directed to French and other Continental markets, the quantities arriving in Great Britain being quite negligible. Little also of the further descriptions is now sent to English markets, the plentiful supplies formerly received having been discontinued some twenty-five years. Practically all the wood extracted from this Minatitlan and adjacent

districts at the present time finds its way to the nearer and more convenient markets of the United States.

The Tobasco wood has always been held in high estimation, especially by French consumers. The logs exported are generally of good dimensions, sometimes exceeding 36 in. square, well manufactured, and more or less straight: the wood is firm in texture and of good, rich colour, and is fitted for most purposes where length, strength, and the further noted qualities are needed. The quality of the shipments of late years has not, however, been so good as formerly, a softer, more porous wood having taken the place of the crisp, firm, and harder wood which came earlier.

The Minatitlan and Tecolutla wood, common in the English market twenty-five or thirty years ago, was not comparable with the Tobasco in texture and firmness of grain, but was otherwise satisfactory. This wood, however, is now mostly directed to American markets.

A certain proportion of Cedar logs are generally comprised in the shipments of mahogany that arrive. For this wood there is a general good demand, such logs as are long, straight, and of even grain being much sought after for boat-building purposes, inferior logs selling for cigar box and other work.

Honduras.—The fine wood from this British possession was known, it is believed, as early as the year 1724. It was not until about the middle of the last century, however, that shipments of importance were regularly directed to the United Kingdom. Since then they have largely increased, and during the last fifty years have been one of the leading descriptions used by consumers.

Formerly, and up to about 1920, all the fine mahogany produce of this British possession was shipped to the London market, but since large and steadily increasing

quantities of the wood that has been extracted have found their way to the nearer markets of the United States, a large proportion, after being converted into planks and boards, being shipped to London and other markets in the United Kingdom.

For all-round qualities, whether for the cabinet trade, for builders' use, for the cutting of panels for railway or coach-builders, or for the obtaining of lengths for boat-builders and naval work, there are few other descriptions that are in any way equal. The logs are well manufactured at port of shipment, ranging up to long lengths and of large diameters; the characteristics of the wood are a good colour, a firm but not excessively hard texture, and an abundance of variety in its growth that fits it for most purposes.

It was formerly, and is occasionally at the present time, known as Bay-wood in Liverpool and the north of England, and was treated some forty or more years ago as a sort of inferior mahogany as compared with Tobasco and St. Domingo, which were then more popular. The name probably had its origin from the fact that the wood was, and still is, exported from the Bay of Belize.

From the adjoining Republic of Honduras, mahogany was formerly shipped in large quantities, especially from the Truxillo district. Not so satisfactory in all-round qualities as that from British Honduras, it yet had good features and was much esteemed, when supplies were regularly shipped, for its large dimensions, its good colour, and straight, mild growth. None from this district, and comparatively little from any other, has supplemented the English mahogany supplies for many years past.

Guatemalan.—The mahogany obtained from this central American State has many outstanding qualities

which place it almost on an equality with that from British Honduras. It is even better in colour than that wood, has a similar close, firm texture, and is available in good dimensions. It is not, however, so generally sound in condition, and is usually exported in lengths which, suitable for American consumers, are insufficient for the English markets. No regular supplies are received there, the limited amount that is consigned coming forward in parcels at irregular intervals.

Nicaragua.—Another variety which has certain outstanding features to distinguish it from others, even in adjoining States, has its location in this Republican country. An American firm, with concessions from the Government of the State, formerly operated in certain districts on the East Coast, and fairly large shipments of logs in the round and also of converted timber were shipped to the British markets. This concession has now, however, been annulled, and very little wood either from ports on the east or the west side reaches England.

The timber is obtainable in large dimensions, and the wood, besides being of good colour and of firm texture, is notable for its straight and even grain. It is, however, very brittle, and the wood, generally, has not the individuality about it that Honduras, Guatemalan, and other varieties possess.

Costa Rica.—A much appreciated mahogany is exported in limited amounts from this country, the wood being fairly hard and of good texture and colour. The timber is always shipped in a manufactured form, the squared logs which arrive in European markets being of moderate widths, rather short lengths, and generally in fairly sound condition. Shipments are made in moderate-sized parcels, but the supply on the whole is not large. Cedar of somewhat similar make and description is

also forwarded, but in still less quantities than the mahogany.

Panama.—An excellent mahogany is derived from this now famous isthmus. Intermittent shipments have been sent to Great Britain for many years, but no systematic exploitation of the mahogany or other woods of the country has yet taken place. mahogany is of very straight, even growth, firm and close in texture, and of uniform good colour. It has always been appreciated, but no system of manufacture, such as that practised in the case of the wood from Honduras, has apparently yet been applied, and the logs, mostly of good dimensions, that have been exported have been almost invariably in unsound and split condition. Mahogany-like woods from the same districts. one called Espave, the other Santa Maria, and said to be abundant, have been introduced to British markets. but with indifferent results.

Colombia.—A mahogany from this South American State is also known in the English markets. Two varieties are recognized, one from Cispata, the other from Santa Marta. The timber is extracted in large dimensions, the Cispata wood being generally exported in well-squared logs. The first-named variety is very straight-grained but somewhat soft in texture, deficient in colour, and rather liable to become stainy if not quickly converted. That from the latter district is of equally good dimensions, but somewhat coarse in texture and, both in this feature and in its dark colour, is very much akin to the Crabwood of British Guiana and other Central American districts. Cedar is also exported from this State, the wood, however, not being comparable with other Central American descriptions.

Brazil.—About the year 1918, and for five or six years after, considerable shipments of a mahogany-like wood,

chiefly forwarded in a squared form, were shipped to London and, in a minor way, to other ports in the United Kingdom. The wood was at first appreciated and considerable business passed, the product being of good colour and of fair but coarse texture; many logs, moreover, contained figure of more or less good character. The interest, however, declined, possibly due to the abundance at the time of other varieties and as freight was costly, its shipment having been made from Manaos—1,000 miles up the mighty Amazon—shippers found the business unremunerative and, since about 1925, no further receipts have occurred.

CHAPTER VIII

THE MAHOGANY PRODUCTS OF THE WEST COAST OF AFRICA

A LENGTHY chapter on the truly astonishing development in the consumption of the mahoganies of Western Africa could be written, but the limits of these pages must necessarily confine remarks to a few salient features in reference to the many varieties with which this wonderful coast enriches the markets of the world.

Little more than forty years have passed since several varieties of these mahoganies were first introduced; for some years they were received with anything but favour. Gradually, however, they established themselves, and a steady and progressive import took place. The statistics appended will show how rapid the increase has been, and what an extensive trade has developed in so short a space of time—the period being well within the memory of many. The expansion in the demand has not, however, been entirely due to an increased use of the wood in the United Kingdom—although that has been large—but to the steady appreciation which developed in the demand from the United States.

Practically all the import of this mahogany that is shipped to the United Kingdom is received in the Liverpool and London markets, the former receiving the larger proportion. The produce is usually sold at public sale at these centres and, to give some indication of the extent of the business, it may be mentioned that it has been a common occurrence for over 2,000,000 ft. of this wood to be sold in two auctions, generally held in the same week.

As stated, and before the year 1914, a very large share of the wood that was brought to auction was purchased by agents who acted for American consumers, and a large proportion of the entire imported, supply was, after its purchase, reshipped to the States. This business has, however, declined of late years by reason of American buyers filling their requirements by direct purchasing on the West Coast, the produce being shipped from ports on the coast to the States.

Coming from huge districts which practically stretch from the mouth of the River Gambia to the outlet of the River Congo, an approximate extent of coast-line measuring between 4,000 and 5,000 miles, it is not surprising that very great variety is found in the woods which are exported from the different districts, and which are marketed as mahogany.

Statistics showing the extent of the trade in this wood as indicated by the imports into the Port of Liverpool during the years 1919–1927, are as follow—

Year	Feet (super.)	Year	Feet (super.)
1919	5,648,000	1924	17,844,000
1920	20,269,000	1925	16,878,000
1921	12,437,000	1926	15,513,000
1922	14,170,000	1927	14,761,000
1923	13,571,000		• •

The above figures relate to wood received at the Port of Liverpool only, and do not include the large amount that is shipped to the London markets either direct or by transhipments from the Continent and other ports.

Speaking of the wood generally, it has not the high qualities which characterize the Central American descriptions. Very few of the varieties have the firm, close texture of the older mahoganies, the grain being longer, the wood much more porous. This latter

defect militates against a high polish being obtained, and for high-class cabinet work it is, therefore, not in favour. It has, however, many qualities which make it popular, supplies are invariably plentiful, it can be obtained in splendid dimensions, both in regard to lengths and diameters, most of the wood is readily worked, and some of the grades are marketed at a very low price: in addition, a good proportion of the wood is more or less well figured. This latter wood is always in demand, especially for the American markets, and some account of the high prices sometimes realized has been given in a previous chapter.

As before remarked, the approximate limits of the country from which these mahoganies are extracted extend as far north as the River Gambia, but, although the wood is known to exist in this locality, no great exploitation has taken place any farther than the French Ivory Coast possession. Most of the principal varieties are drawn from this colony, from ports on the Gold Coast and in Southern Nigeria, and others from shipping points in the French Congo. Following these few introductory remarks, some attempt at describing the varied characteristics of the several varieties may now be made.

Assinee Wood.—From a port bearing this name on the French Ivory Coast, this wood is largely exported. It is shipped in excellent dimensions and is practically all sold in the Liverpool market. The colour of the wood is good and the texture satisfactory, but it is not generally in favour otherwise than for the fine figured wood, which, more than in any other variety, is found in this timber.

Most of the African mahogany, it may be mentioned, is liable to be affected by what are known as thunder shakes or wind brakes, a cross-fracture of the timber

which it is often difficult, and at times impossible, to detect from the exterior of the log. The Assinee logs are peculiarly liable to this fatal fault, a defect that renders a log practically worthless when opened.

Grand Bassam.—This variety, also from the same coast, not only has of late years been the most abundant, but has occupied a leading position in the estimation of buyers. Generally shipped in well-made logs of good dimensions—many being over 48 in. in diameter—the wood is of firm texture, good, bright colour, and has excellent working qualities which are appreciated when the material is used for good-class joinery work

Sassandra.—A limited amount of the wood from this district, also in the French Colony, is shipped from the port of the same name. Notwithstanding the comparative nearness of this district to the area in which Grand Bassam and other varieties are obtained, the wood of this Sassandra variety is totally dissimilar, being fairly hard in texture and of brownish-red colour. The logs sent have been generally of good dimensions and the wood has been received with favour.

From Grand Lahou, shipments of wood of somewhat similar description to that of Assinee are made in fairly large quantities, and further supplies are also forthcoming from Half Assinee, Pontadoon, and other places in the same Colony.

Axim.—Formerly, from this port on the African Coast large supplies of mahogany were exported both to Liverpool and London. This export has, however, greatly declined of late years.


Sekondi.—A neighbouring port to the last mentioned. Large supplies are shipped from this centre, the wood being somewhat similar but rather softer than the Axim wood, and perhaps more porous. It

is, however, better manufactured, is shipped in logs of large dimensions, and has a good sale.

Lagos. — Shipped from Southern Nigeria, this mahogany, as formerly exported, was held in general estimation as the finest in all-round qualities of any of the West Coast varieties. In the plentiful shipments that arrived some years ago the logs were very unevenly and badly squared, but the wood was of excellent description and compared somewhat favourably with several central American varieties. During the last ten years or so shipments have fallen away and the logs, although rather better in manufacture than formerly, have not been equal in quality to those first exported. It is a distinctly favourite variety among consumers in Great Britain and also in America.

Benin.—From the same Nigerian Coast this wood is exported, the variety being perhaps in as great favour with consumers as the foregoing. It is exported in exceedingly well-squared logs, principally of large dimensions, and the wood is of straight, firm texture and of good colour, this rather inclining to a brownish or purplish red. It always finds ready buyers when offered on the market.

Sapele.—This variety, mostly shipped from the same port as the last mentioned, is not, to any extent, in favour in the English markets, neither is it appreciated in the United States. It is, however, in demand on the Continent, most of the supply being shipped to Hamburg and elsewhere. The wood is of a cedar-like character, even having somewhat of a cedar smell. It is hard in texture, rather more brown than red in colour, and has often a straight, stripy roe, which the German consumers favour for cross-banding veneer work in their piano case and cabinet-making. It has also found increasingly strong favour of late among



MAHOGANY IOGS READY FOR SHIPMENT, SEKONDI

consumers in this country for the same purposes. The logs exported range up to very large dimensions and are well squared, but are subject to bad ring-shakes.

Gaboon.—A distinct variety bearing this name is shipped from the French Congo, principally from the port of Libreville. It is of fairly soft and rather coarse texture, light in weight, light in colour—somewhat inclining to brown; has sometimes a strong, coarse, roey figure and, occasionally, one resembling figured birch. It works well as a rule but is sometimes exceedingly strong, and the wood is found at times, owing to its spongy or corky nature, quite to defy the tools of the workman and even the cutters of a machine.

The German consumer was first in realizing its use, finding in the wood a cheap and efficient substitute for the Cuba and other cedar which had been used for cigar box-making, those central American woods having become not only less abundant but more expensive. It was also found suitable as a substitute for other purposes, and a large trade developed, the wood being known on the Continent under its French name of Okumé.

Trial shipments were made to the English markets, but for some considerable time, although offered at low rates, it failed to obtain a footing. Its opportunity came when a shortage occurred in the receipts of other descriptions of mahogany with a consequent rise in values. Consumers then turned to this low-priced Gaboon wood, and a rapid increase in the demand ensued. It is a useful wood, but this expansion in the demand cannot be put down to any great qualities which it possesses, but rather to the low rates at which it can be placed upon the market. A large proportion is taken by the cabinet trades, but other industries also consume great quantities, notably the ply-wood

trade. Values of this wood have, however, mounted of recent years, owing to a steady appreciation that has developed in the demand from consumers in Germany and other markets on the Continent. The consumption in this country has consequently shown a substantial decline during the last few years.

Cape Lopez.—Another variety from ports in the French Congo Territory remains to be noticed. It is of generally good description, varying in quality, however, as might be expected from a wood that is obtained from different localities in so large a district. The best is of good colour, mild, and straight in texture and of fine grain—almost the equal of good Panama wood. The great defect, however, of the logs that are shipped is the worm-holes that are occasionally to be met with, these not being the incursions of small worms on the outside of the logs but borings of a sea-worm-probably the teredo-which works right through the log. Possibly, better means will soon be found by shippers to prevent this damage, which is doubtless caused by the logs remaining too long on the sea-board. They are exported in fairly well manufactured condition, although somewhat short in length, and the wood holds a favourable position in the estimation of buyers, its use being general in the cabinet and building trades and in other industries where mahogany is used.

CHAPTER IX

THE EUROPEAN VARIETIES OF HARDWOOD TIMBER COMMONLY IN USE

Walnut.—Three or four European varieties of this broad-leaf, or hardwood timber, are known in English and other markets, namely, that grown in England, and three more exported from France, Italy, and the Black Sea.

The timber is produced from a tree which is said to be indigenous to Southern Europe, and was introduced into England at an unknown date, being formerly much more plentiful than at the present time. It is supposed to be deficient in the power to reproduce itself from seed in Northern latitudes and, probably, this is one cause for the decrease in the supply. At the present time it is to be seen growing much more freely in the Southern and Midland portions of the Kingdom than in the Northern.

It attains to a lofty height, reaching, probably, 70 ft. or over, is of handsome growth with wide-spreading branches, and, in mature specimens, reaches a diameter at the butt of 36 in. or more. These large boles or butts are more esteemed than those of lesser growth, the wood gaining by age not only a closer texture but also more heart-wood with good colour and dark stripy markings. Such wood is usually found in the butt and principally at the base, even the rooty portions often containing fine figured pieces. This walnut was, formerly, largely used for gun-stocks, but at the present day, owing principally to its scarcity, is only used for high-class sporting rifles. When more plentiful, it was largely used by the cabinet trade, most

of the furniture at the end of the seventeenth and commencement of the eighteenth century, before the mahogany period set in, being made of this wood. There is an active demand in present times for the timber, and it realizes good prices, but it is scarce, and little beyond isolated specimens come into the market.

French Walnut.—This wood is of similar character to the English, but, while generally well-coloured, has not perhaps so much stripy figure as the English-grown at any rate that is the case in the wood exported, which consists of planks mostly cut from the upper part of the trunk.

Italian.—This perhaps shares, with the wood obtained from Circassia, the highest appreciation of consumers. A fashion prevailed about thirty-five years ago for this wood, great quantities being in demand for chair-frames and other work in the cabinet trades, and to fill this demand large exports of planks from Genoa and other Italian ports were received. They were mostly of narrow widths and contained much sap, but found a ready market, the wood being sold by weight. The fashion abated after some years, and the use of the wood was supplanted by American walnut and other woods. Occasionally, parcels of better-class planks reached the English markets before 1914, but since—after about 1920—the export of the wood from Italy has been prohibited by the Government.

Circassian.—Another fine wood is shipped from Batoum and other ports in the Black Sea, the wood being frequently known as Black Sea Walnut. It is extracted from the hillsides of the Circassian Mountains, and is shipped in hewn logs some 6 ft. to 10 ft. long, which are cut down close to the root to obtain the finest wood. These logs are sold in the English market by

weight, and a good proportion are cut into veneers for use in the pianoforte trade. There is also a large re-export trade transacted with buyers in America, the wood being, at the moment, in favour in that country. The burr walnut, that was so much in fashion about forty years ago, was also obtained from Circassian sources. French merchants were largely interested in this trade, and, in addition to parcels of burrs that came direct to these markets, others were shipped to Marseilles, from whence they were sent to Paris, sawn into veneers, and mostly sold to English buvers. Very high prices have been realized at times, and little wood otherwise was used by the pianoforte trade for veneering cases, a good proportion also being consumed by the cabinet trades. The wood in this burr form is quite out of date at the present day and is rarely seen.

Elm.—Several varieties of this tree are common to most European countries; two only will be mentioned, however, these, of native but indigenous growth, being known as Common Elm and Wych Elm. The first-named is too well known to need a lengthy description. Grown in hedgerows or in avenues, it is common in the Southern Counties of England, but is, perhaps, seen in more perfection in districts in Northamptonshire, Warwickshire and Worcestershire, where its picturesque growth attains to a height of 70 or more feet, with a girth of 7 or 8 ft.

African Walnut.—A further species of wood, botanically far apart from the walnut family, but commercially recognized as walnut, has a moderate consumption, and may, therefore, be mentioned. It is a product from the West Coast of Africa, and generally arrives at ports in this country among the mahogany shipments, principally from Nigerian ports. Possessing a good brown colour

and satisfactory working qualities, it passes as a walnut, even for mahogany, for it readily absorbs stain.

The wood obtained from these trees is of light-brown colour, much twisted in the grain, fairly hard, tough and porous. There is usually a good margin of clearly defined sap-wood which, however, is as durable as the heart-wood. It is difficult to split, and is exceedingly durable when placed in a constantly damp position, and equally so if kept in a perfectly dry one, but will not stand an alternate treatment. As an instance of its durability, an example is afforded by the conduits formerly employed by the now defunct New River Co. These are often found buried in the London Streets. simply trunks of timber bored from end to end, and spigotted one end into another. These are brought to light practically in as sound condition as when they were placed there, perhaps a hundred years ago. The wood, however, notwithstanding this virtue of durability, has not a great many users, it being inclined to twist and warp and, as remarked, is difficult to work. It is largely used for packing-case ends, for the bottoms and sides of wheelbarrows, for ships' blocks owing to its smooth wear, and especially for the making of coffins.

Wych Elm.—This is a variety that is supposed to be indigenous to Great Britain. It is rarely seen in the Southern Counties, but farther North and in Scotland it is common, being in fact sometimes known as Scotch Elm. It rarely, but occasionally, grows to the height of common Elm, and has a rather pendulous and more graceful habit in the disposition of its branches. The wood is of lighter and more uniform brown colour than the common variety, and is also much straighter and less contorted in the grain than the better known kind. It has good working qualities and, in addition

to its durability, has considerable longitudinal strength and much elasticity after steaming. The wood lends itself to bent work, and is esteemed by wheelwrights for hubs, felloes, and other work.

It has in many respects some resemblance to the Rock Elm of the Western States and Canada, on which remarks will be made in a further chapter dealing with the woods of the Western hemisphere.

Lime.—A well-known tree, that is common in all parts of Europe. Formerly the favourite for planting in the London streets and parks, the Lime has of late years been supplanted by the Eastern Plane. The tree produces a soft, yellowish-white wood which, lacking durability, is of no great value. It is, however, although soft in texture, very close-grained and, therefore, esteemed as a material on which leather may be cut, being in considerable use for this purpose by saddlers and other leather-workers. For use in the manufacture of pianoforte actions it is also in demand, principally for the foundations on which the ivory or celluloid facings are attached for the keys. It has besides always enjoyed a reputation as an efficient material for wood-carving, the work of Grinling Gibbons. in St. Paul's Cathedral and elsewhere, having been executed in this wood.

Ash.—This is a very widely distributed tree, being common to most parts of Europe and other Continents. Grown, more or less, in most parts of Great Britain, the tree produces perhaps an even more valuable wood at the present time than the oak. No variety from other countries can compare with it when well grown, either in toughness, strength, or other qualities, and it is regrettable that more endeavours are not made to supplement the supply by judicious planting. The tree is well known, the best localities for its growth

being moist valleys, where, planted in coppices as it should be grown, it develops straight, clean trunks, which are so much sought after. That grown in isolated positions, in hedgerows, produces timber of far less value. The wood is of greyish-white colour, close in grain, tough and elastic. It has considerable but not clearly defined, sap-wood, which, however, quite as usable as the heart-wood. There tendency to turn black in the centre when old, this feature being perhaps an indication of approaching decay. The tree has the habit of sprouting from the stools or roots after being cut down, and this second growth in some American varieties is supposed to be superior to the first. In certain districts of England the method is used for obtaining a supply of young shoots which may be used for crate, stick, and other purposes.

The uses for the wood are manifold; chiefly, however, it is employed in the construction of coaches, carts, motor-car bodies and other vehicles, and for general wheelwrights' use. It is also largely used in the manufacture of requisites for sports, for tool handles, for butchers' blocks and an infinite number of other purposes. The supply of British-grown timber is never equal to the demand, and has to be supplemented by wood from other sources, a large import arriving from America in the shape of unmanufactured butts and converted planks and boards, a fair amount from Russia, some little from the Hungarian forests, and from Japan.

How the needs of consumers in regard to their supplies of this timber are obtained, and the sources from which it is derived, may be gleaned from the following statistics. These give the import that arrived into the Port of London during 1927, without taking into account the further and almost equally large stocks

that were received during the same period in Liverpool and other ports in the United Kingdom—

Source	Hewn Timber	Sawn Timbe
	cub. ft.	cub. ft.
United States	76,561	1,159,387
France .	800	8,168
Irish Free State	58	4,029
Italy .	4.274	6,510
Japan .	29	5,707
Jugo-Slavia	13.749	41,113
Poland	258,523	45,127
Austria	,	5,006
Canada		5,693
Rumania		1,850
Other sources		2,168
	353,994	1,284,758

Plane.—Known as the Eastern Plane, this tree was introduced into England. In the Southern Counties it grows freely, but is practically unknown in the Midlands and farther North. It is a handsome tree when allowed free development, and is well known in London where it appears to thrive on the soot-laden atmosphere. The wood is of little value; it is smooth in grain, light-brown in colour, but not durable. When cut on the medullary rays it shows a pretty beech-like figure to which the Americans, when exporting their variety of Western Plane, attach the fancy name of Lacewood. Shipments of this Western Plane were made from the United States some years ago to Great Britain, in the shape of converted boards. Being a rather attractive wood it was tried by the cabinet trade, but, owing to its liability to twist and warp and its bad working qualities, had but a short season of success.

Poplar.—Three species of this tree are fairly plentiful in Great Britain and other European countries—the Black, Lombardy, and Aspen. They produce a grey-white.

soft, but tenacious wood, which, durable enough when kept dry, is not, however, held in any great esteem. Its chief uses are for cart-bottoms and similar purposes, where its non-splitting qualities are appreciated. Shipments of an American species have been occasionally received in the markets of the United Kingdom under the name of Cotton-wood, but with little encouragement; Germany, however, it is understood, consumes fairly large quantities.

Beech.—Said to be a native of Europe, but is not only abundant in this Continent but plentiful in Asia and Africa. It is of free growth in the United Kingdom, particularly favouring the chalk districts of Buckinghamshire, where the beech-woods are famous. It is one of the most attractive trees of the woodlands, with its lofty growth, sweeping branches, and beautiful spring and autumn-tinted foliage. The beech produces a whitish-brown wood, with a tinge of pink which appears after it is sawn. It has a silky grain, cleaves well, works satisfactorily, and has a pretty but small figure when the wood is quartered. It is durable under water or when kept dry, but not under varied conditions. Its uses are many, the first and foremost being for the manufacture of common chairs, and also for parts of the frames of better-class work. Being a hard, close-grained wood, it is largely used for turnery purposes, and is the material employed for what are known as wrest planks in the making of pianos. It is also largely used for the making of plane blocks and the handles of tools, besides an infinite number of other purposes which it is unnecessary to mention. native supply is about equal to the demand, but imported wood from Germany and other Continental sources where it abounds, in the shape of sawn planks, is received in small parcels from time to time.

Alder.—A small low-growing tree, common throughout Europe. It is generally found in low-lying, swampy places, seldom exceeding 40 ft. in height and of small diameter. The wood is of whitish-brown colour, changing to a redder shade on exposure to the air. It has a very fine and even grain, and is exceedingly durable when employed in water, but will not stand in alternate positions. It is not greatly used and is of comparatively little value, the chief uses being the making of clog soles, brush backs, and for turnery purposes.

Hornbeam.—This tree is supposed to be indigenous to Great Britain. Like the foregoing, it is one that does not attain to a great size, and is moreover not abundant. The wood is yellowish-white in colour, fairly heavy, extremely hard and close grained, and exceptionally strong when subjected to vertical pressure. It is an admirable material for turnery purposes and the making of wooden screws. It is largely used by engineers for cog-wheels, and a fair amount is consumed for the making of parts in pianoforte actions, as well as by boot-tree manufacturers. The small native supply is generally sufficient, but it is occasionally augmented by small parcels of French wood, which are shipped in the form of planks.

Sycamore.—This is a species of Maple which is found in most parts of Europe, being fairly common in Great Britain. The tree, which generally grows isolated, attains a moderate size and is not so abundant as might be desired. The wood is generally of fine white colour, especially that obtained from young trees, that from those of older growth being often of a brown tinge in the middle. It has a fine, close, and even texture and, occasionally, a handsome mottled figure, this latter wood being much used by makers of violin and other musical instruments. It is an admirable



THINNING HORNBEAM WOODS, EPPING FOREST

wood for the turner, and is much used for rollers of calico printing and wringing machines, also for bobbins and many other similar purposes. The supply of sizable timber is never in excess of the demand, and good prices have to be paid for the wood.

Willow.—From the osier and lower forms, many varieties of willow are abundant. Few, however, have any great commercial value, their growth being perhaps more useful for the retention of river banks than for their timber. The wood is somewhat similar to that of the Poplars, being soft, light in weight, and not splitting or splintering readily. It was formerly employed in the making of buffers of railway trucks, and is sometimes used for cart bottoms, but is chiefly esteemed for the cutting of shoots from the pollarded trees for making crates, hurdles, baskets, and other similar work. For the manufacture of cricket bats it is renowned, one species, the Huntingdon willow, being preferred for this purpose and realizing high prices when of good growth.

Many osiers are cut down from beds in low-lying river districts; the supply of these, however, not being sufficient to fill the demand, imports from Holland in large quantities take place.

Horse Chestnut.—This is a tree producing timber of no commercial value. It grows to fine dimensions, with dense foliage, and is notable for its handsome appearance, the avenues of these trees in Bushey Park, which form such an attraction when in bloom in the spring, being an example of their natural beauty. The wood is white in colour, soft, close and even in the grain, but twists and warps badly, and is altogether deficient in durable qualities.

Sweet or Spanish Chestnut.—This is found in abundance in Southern Europe, but is thinly scattered

throughout England. It attains very large dimensions, and is a stately and beautiful object when growing. The wood, however, is not in any great use. It is brown in colour, moderately heavy and hard, and has a straight, even and porous grain. It has a decided oak-like figure when cut on the medullary rays, and is sometimes used as a substitute for that wood. Very durable when submerged in water, it is consequently used for sluices, flood-gates, and similar work. It will not, however, stand in alternate wet and dry situations.

Olive Wood.—A tree that is well known in Mediterranean regions, and which grows to a medium size. It produces timber, from its contorted and twisted trunk, which is of no great use except for the making of fancy-turned articles and small pieces of cabinet ware. The wood obtained is of yellowish-brown colour, close-grained, and hard in texture. It has, usually, a fine stripy figure in its twisted growth, and its handsome appearance renders it fit for the above-named purpose.

Box Wood.—This is obtained from a tree of shrubby growth which is indigenous to a portion of Europe and parts of Asia. It is a slow growing, low, and bush-like tree that is occasionally to be met with in England, the timber produced being small and of comparatively little value: it may be frequently seen in an extremely low form, in many cottage and other gardens; where it is grown and trimmed for borders. In parts of Turkey and Persia, however, it grows more freely and attains a larger size, and it is from these localities, shipped from ports in the Black Sea, that we obtain the most appreciated qualities.

The wood is exported in small billets or sticks, generally about 2 to 3 ft, in length, and from about 1½ in. to

6 in. in diameter, most of the parcels being chiefly shipped to Liverpool, from whence it is distributed.

Light yellow in colour, it is extremely hard and close-grained, having a dry weight of something like 53½ lbs. to the cubic foot. It works and turns well, and has a silky lustre when finished from the tool.

Formerly, the chief demand for this timber emanated from the wood-engraving trade, the material having been used for the cutting of blocks for illustrative purposes since the fifteenth century. No other wood could be found with the same close, fine texture, so well adapted for the purpose, and high prices were for many years obtained. Of late years, however, the camera and other processes of obtaining illustrations have superseded this older method, and the consumption for this purpose has declined. The wood has still many miscellaneous uses, being largely employed in the manufacture of rules of all kinds, for turnery work of all descriptions, for the making of tools and tool handles, inlaying, and other work.

A further variety which is, however, not held in such high esteem, is shipped from Central America and Brazil. This wood is imported in straight, round logs, up to about 10 in. or more in diameter, is of greyish-yellow colour, perfectly straight in the grain, but has not the dense and horny character of the European varieties. Two other species are also exported from South Africa—Knysna and East London—both, like the above West Indian variety, being inferior to the Turkey or Persian wood.

Many additional woods are in use, such as Holly, Yew, Pear, and a few others, but so limited is their use that, except for this slight allusion, it is unnecessary to add further remarks.

CHAPTER X

HARDWOOD TIMBERS FROM ASIATIC SOURCES: INDIA—SIAM AND OTHER COUNTRIES

THE great East Indian Empire is richly afforested with fine timbers of almost innumerable varieties, about which exhaustive information is available in the publications of the Indian Forest Department. Most of the forests are under the control of this Department, the woods being exploited under their direction, schemes for systematic reproduction being formulated under their authority, and in addition they issue abundant information as above stated, covering the whole subject. There is apparently a great native consumption of these Indian woods, for out of an approximate total of 5,000 woody species which are said to exist in the country, and of which rather more than half are timber trees, not more than about a dozen are regularly supplied to the outside markets, and only one, namely, Teak, is shipped in any considerable quantity.

Satin Wood.—The introduction of this fine wood probably took place for the first time about the year 1880, when logs and more often planks, sawn into boards, were brought to the English market. Most of the wood was finely figured, and was readily sold, notwithstanding the difficulties of cutting these boards into veneers. Gradually, with the establishment of a regular demand, nothing but timber in the round was shipped. It now arrives in this natural condition, the logs mostly ranging from 10 to 20 ft. in length, and with a diameter of about 16 in. to 24 in. The wood is of yellow or yellowish-brown colour, very hard,

dense, and with a bright lustre. Many of the logs are finely figured with an attractive mottle, and high prices are secured for these, 5s. and 6s. per square foot not being uncommon.

The wood is largely used for brush backs, but much of the finest is bought for conversion into veneer for cabinet-makers' use. It is a difficult wood to work. however, not taking glue readily, and requiring very skilled workmanship, and is thus only seen in furniture of good grade for which a sufficient price can be realized to repay the cost of manufacture. It will not compare in colour with the fine satin woods of the West Indian Islands and has not, moreover, such bold and striking figure as some of those woods possess, but it is, nevertheless, when finely figured, a most attractive and beautiful wood. It is interesting to note its uses in India, compared with those elsewhere, among the many cited being building work, bridge construction, wharf piles, felloes, and is durable as a material for railway sleepers, but too valuable.

Rosewood.—Generally known as East Indian Rosewood, and sometimes in India as Bombay Blackwood. It grows in fair quantities in Central and Southern India and other parts, reaching its greatest size throughout the Western Ghats. It is rather plentifully exported to Great Britain, where it arrives in round logs ranging up to a diameter of about 36 in. or more. The wood is of dark reddish purple, with black marks, and has a hard but rather coarse and open texture. It is a handsome wood and valuable, being employed in limited quantities for cutting into veneers for the use of pianoforte makers and others: the greater proportion, however, is re-exported, a good demand being found for the wood on the Continent.

Padouk or Andaman Redwood.—This is a remarkably

handsome wood which is obtained from the Andaman Islands. A further species is found in Burma, but this is of inferior character. The wood was first put upon the market about twenty-five or thirty years ago, but, although intermittent shipments have from time to time been made, it has never obtained a very permanent footing. A good proportion, practically all, of the parcels received of late years in England have been transhipped to the United States, where there is an occasional demand.

Shipped in squared logs of large dimensions, the wood is of most striking appearance, being of a rich deep red colour, streaked with black, which, however, fades on exposure. It is hard, durable, seasons well, and takes a good polish, but is somewhat cross-grained and difficult to work. It is apparently used in a variety of ways in India, for the frame-work of ploughs, for carving, for the making of sticks, for railway sleepers, and in the construction of casks.

East Indian Walnut.—A large deciduous tree common in the Himalayas from Bhutan westwards, extending into Afghanistan. The wood produced is dark brown and fairly uniform in colour, hard and silky in texture, seasons and polishes well, and is understood to be fairly durable. Unlike other walnut woods, no great consumption is found for the wood in the European markets, but occasional shipments are made. Well-figured logs have also been shipped and have sold readily. Fine burrs are obtained from these trees; some few parcels have reached the London market, but the trade has been negligible, perhaps owing to the intermittent supplies that appear to be available.

Red Cedar, Moulmein Cedar (Toon).—Variously named, another large deciduous tree common in most parts of India has to be noticed. The wood is of bright

red colour, is soft, open, and even-grained, is easily worked, but rather brittle. Largely used in India, has not obtained much favour elsewhere, although shipped in well-squared logs of large dimensions. Has no cedar scent, and its too bright colour is perhaps an obstacle to its use for cigar box-making.

Gurjun.—The produce of a large tree, from which logs of excellent sizes are obtained; in the Andamans, squares of 24 in. diameter and with a length of 60 ft. can, it is understood, be extracted. The wood is of reddish-brown colour, soft to moderately hard in texture, rough, and not of particularly durable character. It is used in India for general ship and boat-building purposes, and is an inferior material for house-building. It was introduced into London as a likely wood for street-paving, its oily nature being urged as a merit for this purpose.

Macassar, Ceylon, and Andaman Marble Wood.—Among the varieties of ebony which are found in India the two first named are regularly exported, and samples of the latter have also been shipped. The Macassar is extracted in moderately long billets of good average size, occasionally ranging up to 24 in. or more in diameter.

The wood of these varieties is of generally hard, close and fine texture, and of a very heavy nature. Contrary to the popular conception of the colour of this wood as jet black, it is usually varied, the Macassar being of mingled shades of brown and black; the Ceylon, rich dark purple with black streaks; the Andaman Marble or Zebra wood being very finely striped with alternate but irregular streaks of grey and black. The two first described varieties have a moderate consumption, being principally used for the manufacture of walking sticks, for turnery purposes, and the making of fancy articles of cabinet ware. The Andaman Island wood has

scarcely been tried, but is by far the most handsome in appearance of the three descriptions.

Teak.—This valuable wood not only ranks as the most important among the many varieties of fine woods that are grown in India and Siam, but stands, in the estimation of consumers, in a premier position in regard to its use as a material for constructional purposes. It is so classed at Lloyd's, being placed in the list of shipbuilding timbers in a position alone, and above oak and every other wood.

It was a timber held in high estimation in India in the days of the old East India Company, and its good qualities were gradually brought to the notice of the naval authorities in England, by whom it was first used about a century ago. By degrees its qualifications as a wood for construction began to be appreciated in other directions, and upon the growth of the railway system and, later, of tramway means of locomotion, in this and other countries, it was found to be a material of admirable description for the construction of the vehicles used. It also found favour among architects, and large quantities, in the aggregate, are at the present time consumed by the building industries. The consumption has also greatly expanded since its introduction in Asiatic markets nearer to its source of extraction. the bulk of the output of India being shipped to other centres in the same country, and to markets in China and Japan.

The wood shipped from India is practically all obtained from forests in Burma, and from the districts of Malabar supplies were first distributed. Later, Rangoon in the same State came to the front and eclipsed, in the amount of timber she exported, the older port. Afterwards supplies of the same description of wood were exported from the neighbouring kingdom of Siam, and,

although at first the wood was held in less esteem than the older varieties, gradually established itself in favour, and large and regular shipments from the port of Bangkok followed.

In India the tree from which this fine timber is obtained is found growing in mixed forests in Central and South India and Bombay, but even in far larger quantities in the forests of Burma. As before mentioned, most of the afforested areas in India are under State control, and in the case of Teak rigorous measures are taken, not only in regard to the number and girth of the trees which are to be felled, but also in the perhaps more important question of replanting and establishing a continuity of supplies.

Such trees, for which State authority has been obtained for felling, are first girdled, a ring of the sap right down to the heart-wood being removed from near the base of the trunk. This, effectually performed, arrests the flow of sap and puts an end to the life of the tree. The trunk is then left standing for two years, the wood in that period partially drying, and so being reduced in weight that it will float on the rivers to destinations where it is manufactured into logs for export.

The transport of the great trunks from the forests to the rivers in proximity is a task of great magnitude. Frequently they have to be hauled long distances over rough and practically unmade roads through jungle and forest, the work being both arduous and expensive. Elephants are largely employed in this heavy work, and the sagacity and enormous strength of these animals largely alleviate the difficulties of the task.

On the rivers, swollen by season's rains, the trunks of these trees after being sufficiently reduced in weight to float—which they would not do when green—are brought down to mills adjacent to ports of shipment. Arrived here they are, by means of modern machinery, converted into logs, planks, boards and scantlings to suit the needs of consumers in the various markets for which the wood is destined.

Here again the elephant, the animal with the smallest brain, in comparison to its size, of all existing beasts, is brought into use, his uncanny intelligence and his great strength making him indispensable. Some facts from these localities in regard to the latter qualities possessed by the animal are interesting.

As regards strength, the elephants are reported as being able to lift on their tusks, with comparative ease, a log weighing half a ton, and to drag, when sufficient hold is obtained, a trunk weighing 3 tons. But to realize their power, of which they appear to be proud, one has, it is said, to see them at work in the jungles and creeks when launching the trees into the rivers. Here, sometimes, when elephant and log are buried in soft mud, the animal has a task which brings out his capabilities, and his qualities are seen to their best advantage. It is related that some years ago a tug of war was tried at Moulmein between an animal belonging to the Forest Department and Sepoys attached to a Madras regiment: it took, it is recorded, 130 men to hold the elephant.

With a mahout, or keeper, on his back he practically does all the heavy labour at the mills, picking up great logs with his trunk, conveying them to the machinery, and piling them afterwards as intelligently and effectually as a pile-stacker in a London dock. They are most regular and methodical in their habits, and in one respect similar to human labourers, it being said that, when the bell proclaiming the time for leaving work is heard, no temptation whatever will

induce them to continue, even if they are in the course of piling a log.

Teak is of fairly heavy weight, a cubic foot of seasoned wood having a reputed weight of 45 lbs. It is of uniform golden-brown colour, very occasionally in the Burmese varieties, having black streaks on its surface, and is still more rarely found with some little figure. Now and again it has also a greenish tinge when cut, this colour, however, disappearing on exposure to the air. The grain of the wood is open and slightly coarse, and, when planed or worked, a most unpleasant smell is emitted, which, however, like the green colour above mentioned, disappears with exposure. There is a gritty substance in the pores of the wood which blunts any edged tools, but, upon the whole, it has admirable working qualities. Its strength and durability is unequalled, especially in regard to the latter quality, even in the moist heat of the tropics the wood being practically imperishable. Its great and peculiar virtue. however, and that which first brought it into notice, in addition to its many other good qualities, is its possession of some oil or substance in its constitution that prevents the rusting and corrosion of iron when that metal is placed in contact with it, and, for this quality alone, it is highly esteemed in naval circles all over the world, no wood having yet been found that possesses similar features.

The timber can be obtained in excellent dimensions, both in regard to lengths and sizes. Formerly, all the wood received in England was in the form of squared timber, but, within the last thirty or forty years, much besides has been sent in the form of planks, boards, scantlings and other conversions. Almost since the naval authorities put their seal on its qualities, the finest logs in length, diameter and quality, have been

reserved by shippers for export, the selection being known as "Europe quality."

As before observed, while a great proportion of the supply is utilized for shipbuilders' work, the consumption for other purposes has grown considerably and, notwithstanding the efforts of the Indian Forest Department, the supply from these well-guarded and systematically arranged forests has rarely exceeded the demand. and the wood has shown, more particularly of late vears, an almost continuous appreciation in value. Prices have reached such a point during the last few years, especially for the higher grades of the wood, that its uses have been somewhat restricted where it has not been an absolute necessity. Many substitutes have been of late tried, but, although several with excellent qualities have been put upon the market, none has approached Teak in its all-round good qualities, particularly in reference to its adaptation for use with iron.

Two or three varieties of wood are at the present time being offered as substitutes: In or Eng wood, a product of Burma; Yang, another species of Eng, exported from Siam; and Krabark, a wood shipped from the latter country, but at present unidentified. These, all useful woods, are being slowly established, and, to a small extent, take the place of Teak in its minor uses.

Serayah.—An unidentified wood imported in the form of planks from Borneo and the Malay Peninsula. It is of uniform reddish colour, open grained, and strong, and, though inclined to twist and warp, is fairly workable; it does not, however, take a finish, being coarse and occasionally of woolly texture.

Amboyna—A scarce and valuable fancy wood obtained from one of the Molucca Islands bearing that name. The wood is received in the form of a burr,

this woody excrescence being produced from an unidentified tree, which is presumed to be of coniferous growth. These burrs are but rarely met with, and contain beautifully mottled wood, brown in colour. The burrs are cut into veneer and used for fancy cabinet work and for inlaying.

Thuya.—A very similar wood to the preceding and hardly distinguishable. This is also the burr of a coniferous tree which is found in Algiers and Morocco. It has a fragrant odour, is finely mottled, and is used in a similar way and for the same purposes as Amboyna.

CHAPTER XI

THE HARDWOOD TIMBERS OF JAPAN AND THE AUSTRALASIAN COLONIES

MANY varieties of timber, principally of the hardwood division, and mostly fitted for heavy constructional work, are grown in the Australasian Colonies. Most of them belong to the Eucalyptus family, the Continent being richer in this genus than in any other. They are chiefly strong, heavy and durable woods, fitted for the above-mentioned work, and of them about six or more varieties are exported in more or less quantities to the English and other markets. Some few descriptive notes may be given in regard to these, and also to a few further woods which, suitable for more decorative work, are occasionally shipped to Great Britain.

Jarrah.—This timber and Karri are perhaps the most important that are grown in Western Australia. The tree from which it is obtained grows to a height of 90 to 120 ft., the trunks often showing a length of 50 to 60 ft. to the first branch, and being from 3 to 5 ft. in diameter. The wood is of deep red colour, hard and dense in texture, its weight, when fresh, being about 70 lbs. to the cubic foot, and, when seasoned, about 10 lbs. less. It is largely used in England for street-paving purposes, and in Australia, Cape Colony and other countries, for piles, jetties, bridge building and railway sleepers. It is exported, cut to fine dimensions, and is pre-eminent, not only for strength and durability but as being impervious to sea-worms.

Karri.—One of the largest timber trees of Australia, which frequently attains to a height of 200 or more feet; its straight symmetrical bole towers upright and

overtops all other eucalypts in its vicinity. The wood is, in its main characteristics, similar to the Jarrah, but is understood to be less durable, although, in some respects as a paving material, it is superior.

Ironbark.—This further species of the Eucalyptus family is another timber which holds an important position among the timbers of Australia. There are four varieties, three of them being of especial value, fitted as they are for bridge work, beams, railway sleepers and other similar work. The trees attain a height of 100 to 150 ft., with a diameter of 2 to 5 ft., and the timber, hard, tough and extremely difficult to work, is no less than 73 lbs. to the cubic foot in weight. The wood from these varieties differs in colour, the three most in favour varying from white to grey, the further one being of a reddish colour.

Blackbutt.—A tree growing from 50 to 150 ft. in height, and with a diameter of 2 to 4 ft., is also one of the most valuable and esteemed of the Eucalyptus family, being adapted for similar purposes to the Ironbark. The wood varies somewhat in colour, but is generally of a greyish brown. It is most difficult to work either with saw or plane.

Blue Gum.—Another similar wood of durable character, produced from a fine, shapely tree, whose symmetrical growth attains a considerable height. It is largely used for similar constructional work to the foregoing.

Tallow Wood.—Is so called because of its greasy nature. It is a wood that, after Blackbutt, ranks next in general excellence. It is strong and durable, and, having good working qualities, is in favour for building purposes. It is of pale brown colour, difficult to split, and is reported in Australia as being an admirable wood for street-paving purposes; very little of this wood has, however, been exported to English markets.

Red, or Forest, Mahogany.—Is a handsome timber which is loosely called a mahogany, the timber being really of the same Eucalyptus family as the Australian woods already noted. A fair quantity of this timber, generally in a converted form, reaches the London market. The wood is of deep brownish-red colour, hard, dense and heavy in weight, has fair working qualities, but the grain is occasionally rather twisted.

Silky Oak.—No true oak is found in the Colonies, but to this timber (*Grevillia Robusta*) the above fancy name is applied. It is a handsome wood of light colour, with a fine oak-like grain, and with blotched oak-like figure. It is largely used by the cabinet trade in the Colonies, and has been introduced into Great Britain, although with no very encouraging results.

Black Bean.—Has some resemblance to very dark walnut, and is a fine-grained wood that takes a high polish. Occasionally it shows fine figure, and is much used in the making of Colonial furniture, but it is said to absorb glue unreadily owing to its greasy nature. This wood, like the preceding, has had an introduction at sundry times to the English markets.

Myall.—Is an intensely hard, heavy and dark-coloured wood with a scent of violets. The tree does not attain any large size, seldom exceeding 30 or 40 ft. in height, with a diameter of 12 in. to 18 in. It is much used for turning purposes, and was at one time, and is now to a limited extent, used for the making of tobacco pipes. It has been used by the Ordnance Department for the manufacture of spokes for gun carriages, and is a wood of the Acacia species.

Red Cedar.—This is identical with the Toon of East India and other Asiatic countries, of which a short description has been given in the chapter devoted to Indian woods. It is reported as being plentiful in the

Colonies, and is largely used for various purposes. It has not, however, when tried in the United Kingdom, found much favour in competition with old-established varieties from Central America.

From further Asiatic countries other varieties of hardwoods, in more or less limited quantities, are shipped to Great Britain. Japan, in addition to the supplies of oak, an account of which has been given in a previous chapter, sends to the English and other markets consignments of ash. This timber is shipped in squared logs, somewhat short in average lengths, but of good diameter, and the wood, although not comparable with English or American for toughness and strength, has found some favour. It is lighter in weight than the English wood, of straight, clean grain, and possesses good working qualities. It is perhaps more fitted for furniture making than for the uses to which ash timber is generally put, and, should a recurrence of a fashion for this wood, as a material for furniture, again occur, would probably be in great demand.

From Borneo several woods are exported, the principal being a cedar, which, under the name of Borneo Cedar, has a moderate sale in the English markets. In addition, camphor wood is shipped, and one or two further varieties.

From the Dutch possessions of Java a regular export of Teak wood takes place. This variety, under the name of Java Teak, is a regular article of commerce both in the English and Continental markets. It is not comparable, however, with the timbers of Burma and Siam, and realizes very inferior prices compared with those made for the superior kinds. It is generally exported in short logs and flitches, mostly of hewn manufacture.

The arboreal wealth of the Philippine Islands is, under the restless activity of American exporters, being

rapidly developed. A large number of species-about 2,500 it is said—have been discovered, and many, of more or less value, have been marketed in the States. One or two woods in a converted form have reached the English markets of late. They somewhat resemble a coarse mahogany, but are perhaps more similar to the crab-wood of British Guiana. As vet no definite result in regard to their appreciation by consumers has been attained.

CHAPTER XII

SOME ACCOUNT OF THE HARDWOOD TIMBERS OF CANADA AND THE UNITED STATES EXPORTED TO GREAT BRITAIN

THE coniferous timbers of these two Western Countries have already been dealt with in a former chapter, and it now remains to allude to the abundant wealth of the further hardwood section, confining the remarks to such varieties as are commonly met with in present-day commerce of the United Kingdom.

While the supplies of the broad-leaf timbers received from Canada are negligible in quantity, compared with the large shipments of soft woods, those shipped from the United States are abundant in comparison with the lesser quantity of coniferous woods exported.

Ash.—In the United States alone there are said to be no less than sixteen species of this wood, more or less valuable, and in the Canadian Dominions there are also many more. Only two, however, of this number are exported.

Large supplies of what is known as American white ash are received in Great Britain from the States and used by consumers to supplement a deficiency in the supply of the native-grown wood. The timber is similar in quality, but has not the toughness of the all-round good qualities of English wood. It is imported in straight-grown round butts of moderate girth, and also in converted planks and boards, and is largely used for motor-body and wheelwrights' work, requisites for sports, such as hockey-sticks, tennis rackets and other articles. The tree, when cut down,

has the habit of re-growth from the stool, and this second-growth wood is esteemed by some consumers as superior to the first.

From the Dominion of Canada a species of rather different character and known there as Black Ash, and in the United Kingdom as Quebec White Ash, was formerly largely shipped in squared logs, ranging from about 12 in. to 24 in. in diameter. There was a good demand at the time, as the wood was fashionable as a material for the cabinet-maker, being principally used in the manufacture of bedroom furniture. It was generally of clean growth, white in colour, and had, in good qualities when fresh felled, a silky grain which was greatly appreciated when used for the above purpose. The wood, however, did not retain its white appearance for any length of time after use, becoming brown with age, and gradually the fashion, after being dominant for a good few years, died away. The wood is lighter in weight than most species of ash, and is also less strong and tough. It possesses excellent working qualities, but except for the above purpose has been little used. Shipments at the present time are practically stopped.

Hickory.—There are said to be about a dozen species of this wood, mostly growing in a range of territory extending from the St. Lawrence to Mexico. The trees produce a generally strong, tough and elastic wood, which is largely used in the States. One species only, the Shag Bark Hickory—perhaps the most valuable—is shipped to Great Britain. The wood is of coarse, open grain, brown in colour, strong, fairly heavy and very elastic. It is used for the same purposes as ash, and is the wood generally employed for the handles of golf-sticks and, occasionally, for fishing-rods and similar purposes. It is generally exported in the form of round

logs, but sometimes in converted planks, and the second growth, as with the ash, is more appreciated by some consumers than the first.

Walnut, Black or American.—The value of this fine wood was recognized as early as the seventeenth century. when large tracts of land were afforested with the trees. It has since then been recklessly exploited, and total extinction would be now well in sight but for slight schemes of re-planting which are taking place. The tree is of handsome growth, and attains a height of 100 to 150 ft., with a diameter in well-grown specimens of 4 ft. and over. The wood produced is of more or less dark brown colour, even and uniform in texture, and has exceedingly good working and polishing qualities. Formerly, the wood was shipped in moderately squared logs, but during the last thirty years a continuous development in the export of square-edged, converted planks and boards has taken place. It was at one time extremely favoured for the making of bedroom suites, dining-room and library furniture, the fashion having been retained for many years, but, with a marked deterioration in quality and continual rise in value, its place was taken for these purposes by mahogany, oak, and other woods. Besides its use in the cabinet trade it was also employed by builders for shop and office fittings, and for many other purposes.

The tree was also fairly abundant in certain parts of Canada, and regular supplies of an even better wood than the American at one time reached Great Britain, under the name of Quebec Walnut. It was superior in texture and colour, having a somewhat darker purplish tinge as compared with the American. It commanded a higher price, but the supply was apparently not large, and very little has been seen during the last ten years or more.

Whitewood.—Generally known in the States as Poplar, and in the United Kingdom as Whitewood or Canary Whitewood, the timber is really the produce of a Tulip tree, one of the most handsome and valuable that grow in the United States. It is, or rather was—for the supply shows unmistakable signs of exhaustion—plentiful in most of the Eastern States, growing to a height of 150 to 190 ft., with a clear bole, in exceptional specimens, of 80 ft., free of branches.

The wood was first shipped to British markets about the year 1878 in the shape of squared logs of extremely large dimensions, and quickly found appreciation, the trade developing, as in the case of most American woods. into the export of the material in a converted form, much of the supply in early times being, moreover, dressed or planed on both sides. The wood is in most cases, and when of the best quality, of clear bright yellow colour, but varies, being sometimes of a brown shade and often of a greyish white. It is a clean, straight-grained wood, moderately hard, and works, stains, and polishes exceedingly well. It is not, however, durable, decaying rapidly when exposed or in a damp position, but is an admirable wood for indoor use, and popular with cabinet and pianoforte-makers, joiners and others who desire a cheap, easily worked wood that does not warp or twist. and that can be obtained in good dimensions.

Satin Walnut.—Known in the States as Red Gum, Sweet Gum, and Busted, but marketed in Britain under the name of Satin Walnut. This tree has its habitat in a somewhat similar area of country to that of the Tulip tree, but extends farther into Texas, along the Gulf of Orleans. It is also, like that tree, of somewhat similar ornamental appearance and of equal size.

The wood is of fine, close, and even texture,

greyish-brown in colour with darker stripy streaks. It warps and twists badly, and is most susceptible to decay when in damp places. It has, however, been tried for street-paving purposes, but with poor results, and is used for the cheapest class of furniture making, but is not popular, the low price at which it is placed on the market being its only attraction. The timber has much sapwood; this also is marketed, being known under the name of Hazel Pine.

Bass Wood.—This is identical with the Lime or Linden tree of England. Small parcels of this American and Canadian-grown timber, in converted boards and planks, are occasionally shipped to Great Britain. The consumption, however, is trivial, the principal users being the pianoforte action-makers.

Tupelo.—This timber is procured from a tree which passes in America under the name of Cotton Gum or Tupelo Gum, and is grown in swampy and occasionally water-logged districts in the Southern States. The wood is of greyish-white colour, close grained, clean and somewhat heavier than Whitewood. It is fairly workable, but is not durable in damp positions, and is inclined to twist and warp. A few shipments of converted boards are occasionally imported to the United Kingdom, but, although a low-priced wood, the consumption is extremely limited.

Maple.—This is known in the States and Canada as Sugar Maple, Hard or Rock Maple, and also when figured as Bird's-eye Maple. The tree is largely grown in Canada and also, to a much less extent, in the United States, and produces an important and useful timber. It attains a height of about 100 ft., its trunk developing a diameter of 3 to 5 ft. The wood is of yellowish or greyish-brown colour, is extremely hard and close grained in texture, and heavy in weight. It works well and finishes

with a satiny surface. A moderate quantity is imported into Great Britain principally in converted planks and in the form of floor-boards, ready dressed and prepared for laying down. The chief use of the wood is for this flooring purpose, and most of the skating-rinks which sprang into existence, in former years, were covered with this fine hard wood. A fair amount is also used for turnery purposes, and some little of the wood in the making of printers' joinery. The timber is sometimes of figured character, so well known as Bird's-eye Maple. This is supposed to be some freak in the development of individual trees, probably arising, it is surmised, from the suppression of dormant buds. Large quantities of the wood were formerly used in the shape of veneer, for picture-mouldings and other decorative work, but beyond a few logs occasionally shipped comparatively little is used at the present time.

Cotton Wood, or Carolina Poplar.—This tree, the largest representative of the genus, is more or less well distributed over the Eastern States of America. It is stately in appearance, surpassing in many cases 100 ft. in height, and producing a light, soft, willow-like wood that can be extracted in large dimensions. Occasional parcels of the wood have been tried in the English markets, but no great use has been found for it. On the Continent, however, principally in Germany, it is in some favour.

Persimmon.—The Ebony of America. In its growth, this tree attains a height of 40 or 50 ft., but specimens in favoured localities in Indiana and Illinois reach greater heights, and grow to a diameter of from 2 to 3 ft. The wood is heavy, dense, and close-grained, the heart-wood of old specimens showing a dark, almost black colour. Most of the wood exported, however, is sap-wood of a greyish-brown colour. The limited amount that

is exported, principally received in the Liverpool market, is used for shuttle-making, turnery, and other purposes.

Rock Elm.—A valuable tree, which in some respects is akin to Scottish and English Wych Elm, is principally found in Canada and the Northern parts of the United States. Growing to a height of 80 to 100 ft., with a trunk of 3 to 4 ft. in diameter, it inhabits the upland portions of the country, preferring rocky ridges and slopes. The wood is heavy, very fine and close in texture, and of a light-brown colour. It works well, and is greatly appreciated for its strength, toughness and flexibility. Like most Elms, it is not liable to split, and is exceedingly durable when in wet situations. Principally exported in squared logs, it is largely used by boat and ship builders, and also for the construction of bent-work for wheelwrights.

Orham.—This is an unidentified species of Elm which is exported in small quantities, and principally used for coffin construction and wheelwright purposes.

Birch.—Seventeen varieties of this wood are said to have their habitation in Canada and the United States. Practically only one, however, is exported, being principally shipped from Quebec and other Canadian ports. The tree from which this timber is produced reaches a height of 70 or 80 ft., and has a trunk diameter of from 2 to 5 ft.; the best specimens are obtained from well-drained, upland localities. The wood is of light brown or light reddish-brown colour; is hard, fine and close in texture, heavy and strong. It is not durable in damp situations, and, although working well on the whole, is occasionally very cross-grained. A large import has taken place for many years to Great Britain, principally in the form of squared logs, and also of late years in the shape of converted planks

and boards. It has many uses; formerly it was fashionable for the manufacture of the cheaper classes of furniture, but the consumption at the present time is principally for turnery purposes, chair-frame making coach-building, and many further minor uses.

CHAPTER XIII

THE HARDWOOD TIMBERS OF CENTRAL AND SOUTH AMERICA

A RICH wealth of valuable woods is to be found in the above regions. Large areas, notably Brazil and some of the Northern parts of South America, are practically unexploited in this respect, and, although a fair number of specimens are well known, many more still remain that are awaiting recognition. Over 400 species in Brazil alone are said to be known at the present time, most of them, however, being unidentified. Previous mention has been made in a separate chapter of the mahoganies with which the districts of Central America are so richly afforested, and it now only remains to make some few observations on the further species of timber which are obtained from these tropical districts, and also from the further areas of South America.

Satin Woods.—From most of the West Indian Islands this beautiful wood is obtained in more or less quantities and in varying qualities; the finest, however, is shipped from St. Domingo and Puerto Rico. The wood is of a clear, bright yellow colour, dense, hard and heavy, and at times is beautifully figured. It has for many years past been held in high estimation as a material for cabinet-making, and some of the much sought-after pieces of furniture of the latter part of the eighteenth century were partly, or wholly, veneered with wood which doubtless had its origin in the Island of St. Domingo. A fair supply is still shipped from this Island in squared logs up to about 15 or 16 in. square

but figured specimens are scarce among the number. Such logs always command high prices, especially when of finely figured quality, and there is a record of one making 21s. per foot in public sale in London some few years ago. The figured logs are still used by the cabinet trades, but to less extent than formerly, the bulk of the total imported into the United Kingdom at the present day passing into the hands of brushmakers, for the making of the backs of expensive hair-brushes. The wood found in the adjacent Island of Puerto Rico is held perhaps in greater estimation than the St. Domingo wood, being of a brighter and richer colour. Unfortunately, however, this supply has become practically exhausted, and very little besides roots and rough stumps of trees is shipped at the present time. Even these are in demand, notwithstanding the large amount of waste that occurs in their conversion. Pieces have been known to sell at £110 per ton, the usual price, however, being about an average of £10 to £30 per ton.

Lignum Vitae.—This is a wood which is common to several of the West Indian Islands, the tree from which it is obtained growing perhaps more freely in St. Domingo and Cuba than in the other islands. It is the heaviest wood in existence, its dry weight being approximately 80 lbs. to the cubic foot; even a piece of its thin covering of bark will sink when immersed in water. Its great weight indicates its extremely dense character, it being perhaps one of the hardest woods existing. In colour it is of a dark brown, streaked with black, the sap-wood, of equal value to the heart-wood, being yellow and of very narrow proportions. The wood is of close texture, and is largely impregnated with a sticky resinous or gummy substance. It is exported in short lengths and of generally small dimensions,

rarely exceeding 10 in.; occasionally larger pieces are shipped, but they are almost invariably subject to cup shakes which spoil their value. The wood is principally used for ship-blocks, also to some extent for rollers, for the making of bowls, and for turnery and other miscellaneous purposes.

Quassia.—This wood is the product of a tree which has a fairly wide distribution in the West Indian Islands, Brazil, and other parts of South America. It is a rather soft and stringy-grained wood of light yellowish colour, and, beyond the extremely bitter taste which it possesses, has no other feature to distinguish it. Small parcels of rough unmanufactured pieces of this wood are, from time to time, exported, the consumption being mostly for medicinal purposes and for the making of extracts for spraying hops and other horticultural produce.

Lance Wood.—From Cuba, Jamaica, and other Central American districts, but principally from the first mentioned Island, supplies of this wood are obtained. It is a heavy, dense, close-textured wood of yellowish colour, its chief characteristic being its extreme elasticity and toughness. It is rarely seen of large size, and, shipped in what are known as spars—lengths of about 12 to 16 ft., and about 6 in. to 8 in. in diameter—finds its chief users among benders of timber for shafts of vehicles and other purposes in coach and wheelwright work. It was formerly rather extensively used for fishing-rod making, but has now been altogether superseded by green-heart for that purpose.

Degame.—A quite distinct variety of the same wood as the above. It is similar in most respects to the foregoing, shipped from the same sources, exported in the same fashion, but in rather larger spars, and is used for identical purposes.

Blue Mahoe.—This timber has a fairly wide distribution

in the West Indian Islands and in adjacent countries. The wood is of greyish-brown colour and, otherwise than for colour, might be compared in weight, strength and flexibility with English Ash. A few logs in squared form are occasionally met with, principally exported from Cuba, but the consumption is quite negligible.

Washiba.—This is another timber of the same tough and elastic character as the foregoing, and is obtained from Guiana and other sources in South America. It is reported as obtainable in long lengths and of large dimensions, but is somewhat scarce. No great amount has been shipped at any time. The wood is of reddish-brown colour, hard, heavy, strong, and very flexible.

Tulip Wood.—A beautiful fancy wood of small growth which is obtained from the forests of Brazil, is known under this name. The wood is fairly heavy, hard and close textured; its striped appearance bears some resemblance to a pink and yellow-striped tulip, hence its name. It is not at all common, the small amount exported being principally used for the making of bandings in marquetry work and for fancy turnery purposes.

Partridge Wood.—This is another fancy wood obtained from the same source as the Tulip wood. It is extremely heavy, hard and dense, of a very dark-brown colour with darker markings, and is used for similar purposes as the above. In appearance it is somewhat similar to Cocus wood, of which an account follows, and is often mistaken for that wood.

Cocus Wood.—Also known as West Indian, Brown, Jamaica Ebony, and by other names. This wood is well distributed in America and the West Indies. It is an even heavier wood than the foregoing, ranging from 77 to 87 lbs. per cubic foot; compares with Ebony in hardness, and is of a rich, dark-brown colour.

It is exported in small pieces of about 6 ft. to 8 ft. long, and from 3 in. to 6 in. in diameter, which have exterior sap-wood of about $\frac{3}{4}$ of an inch in thickness, and is used for the manufacture of flutes and other musical instruments, small cabinet work, and turnery purposes.

Purple-heart.—This is a Demerara fancy wood occasionally met with, and is obtained from a tree which grows to large dimensions, both in height and girth. The wood is hard, heavy and strong, and its appreciation is due to its colour, which, brown when first cut, afterwards turns to a decided purple. This rarity of colour renders it an acquisition to marquetry cutters and to the cabinet-makers.

Sabicu.—A Cuban wood which is in favour for its strength and durability among naval shipbuilders, ranking high in Lloyd's list. It was formerly largely used in Government work, but is now little required, the use of iron, and alterations in methods of construction, having rendered its use a thing of the past. The wood is of rather dark-brown colour and is fairly hard and heavy, and, exported in squared logs of similar size and make to mahogany, is sometimes used in place of that wood. It is also often finely figured like mahogany, having, but for its brown colour, a very similar appearance.

Crabwood.—Another hardwood which is principally supplied from British Guiana, but which is obtainable in other adjacent countries. This is a moderately hard wood, somewhat coarse in the grain, and of reddish-brown colour. It is extracted in large squares and of long lengths, but the export of late years has been principally in the form of converted planks and boards. It is shipped as a probable substitute for the cheaper kinds of mahogany, but, although selling fairly well when the regular descriptions are scarce or their price high, is not appreciated to any great extent

Green-heart.—This wood is a native of British Guiana and species are found in adjacent parts of South America and in the West Indian Islands. It is an invaluable wood for many purposes, and ranks as first-class in Lloyd's list of shipbuilding timbers. It has a recorded dry weight of 64 to 75 lbs. to the cubic foot, and is of a brown colour, with an occasional greyish-green cast. It is extremely strong-one of the strongest in existence—and is unequalled in its flexibility. The chief virtue, however, which it possesses is its resistance to the teredo worm when used for piles and other work in sea-water, being unsurpassed in this particular by any other wood. It is exported principally in the form of moderately squared logs, which range up to extreme lengths, and is largely used for the abovementioned sea-coast work, and also in the building of bridges and for other constructional purposes where durability and strength are needful. A minor use is the manufacture of fishing-rods, the flexibility of the wood making it an ideal material for the making of fly-rods.

Mora.—Another fine wood from British Guiana, which is produced from one of the most valuable and also one of the largest trees which exist in that possession. It has been at times largely used in ship construction, being rated like Green-heart as first-class. Unlike that wood, however, it will not resist the teredo worm. It is obtainable in large dimensions and the wood, dark, reddish-brown in colour, is heavy, hard, strong and most durable. It is said to have poor working qualities, and is only fit for heavy constructional purposes. Very little has been used since iron took its permanent place for the building of ships.

Snakewood.—A choice tropical wood principally obtained from British Guiana. This is one of the most

appreciated woods for stick-making that are known. The wood is of fine, close grain, and of rich brown colour, mottled in a curious way with black rings. Extremely high prices have been paid for this wood at times, and owing to its scarcity it commands high rates at the present time, when, perhaps, not so much in fashion.

Rosewoods.—Besides the East Indian variety of this wood, which is mentioned in a former chapter, two further species are extracted from Brazil and Honduras respectively, and shipped to European markets. Others, besides, are found in various districts of Central America. but are only rarely seen. The Brazilian variety is the finest and the one which was chiefly employed when this wood was fashionable for the manufacture of furniture some forty or fifty years ago. It is usually shipped in rough pieces, more often in the form of a trunk, roughly cleared of sap and split down the centre. The wood is very hard, heavy, close-grained, and of a rich and very dark purplish brown; the best is that shipped from Rio de Janeiro, being finely marked with black or very dark-brown stripes. Further wood of a similarly good character is also exported from Bahia. Honduras wood is principally exported from British Honduras in short, round billets of about 10 in. to 15 in. in diameter. This wood is almost as dense as the Brazilian variety, and is of nut-brown colour, streaked with black stripes. Both woods are much less used than formerly, there being very little demand for them from the cabinet trades, as the wood for that purpose is quite out of fashion; it is also little used for piano casemaking at the present time, but some amount, in the shape of veneer, is still consumed.

Log Wood.—An important dye-wood which is extracted from most Central American districts. The

principal source of the supplies however, are British Honduras and ports on the Eastern Coast of Mexico. It is shipped in irregular and ugly-shaped pieces of root and branches, from which are obtained red and black dyes. In alcohol it gives a beautiful greenish-vellow colour which turns to an intense crimson on the addition of potash. A solution in water gives a port-wine colour, and it is a matter for conjecture as to whether there is any connection between this and the "wine from the wood" which the wine merchant recommends: if so, the fact is never acknowledged. is said to be used extensively in the making of ink as well as for many other dyeing purposes.

Fustic.—Another dye-wood which is exported from Central America and Brazil. This wood is of fairly hard description, having a fine, satiny texture, and being of vellow or vellowish-green colour. Occasionally, logs of small size are to be seen, but generally the wood is shipped in small pieces of irregular and rooty growth. The timber is used in Great Britain solely as a dye-wood.

CHAPTER XIV

SOME NOTES ON THE EXTRACTION OF TIMBER IN VARIOUS COUNTRIES

THERE are few perhaps who realize, on looking around on the different varieties of wood that surround us, the amount of labour that has been expended on the production or the vicissitudes through which these timbers have passed in the long journey from their native forests to their present location. They probably have no conception of the far away forests, sometimes hundreds of miles from the confines of civilization, from whence the timber is obtained, nor of the arduous tasks of felling and transporting it by various means to shipping points; they know little about how the latter work is effected, sometimes under conditions of almost Arctic severity, and at other times in tropical latitudes. where from dense-tangled jungles, practically impenetrable even to sunlight, the stifling and moisture-laden heat is almost unbearable to any but native labour.

From the simple and primitive means of extracting the trifling amount of timber which is obtained from English woodlands to the methods in vogue in America, Canada and other countries, there is an extensive range, and a brief account of one or two may be of interest.

In most countries the natural and first-used means of transporting the timber from the forests to more convenient places for conversion and shipment is by the utilization of the waterways. Areas of forest land contiguous to the main streams are first exploited, and, as these become exhausted, farther and farther afield do the timbermen have to travel, until tributary

streams, sub-tributary and waterways of all kinds are brought into use, water having to be impounded in many of the latter to provide sufficient current when needful at certain seasons.

In the vast Dominions of Canada, which have yet to be covered with a network of railways, this natural and economical method of bringing the timber nearer to the coast is universal, and the subject of the arduous tasks of the lumbermen in felling the timber in the woods in the depths of winter, the manipulation of the drives in the snow-flooded streams in the Spring, and the life led by these lumbermen, have formed material for much picturesque writing by various authors.

The camps are formed in the late autumn months, some fifty or sixty men, mostly French Canadians, being included according to the area of the "stand" which is to be operated upon. Shacks are erected. and stores of all kinds needful for the men's subsistence during the ensuing months are provided. Through the depths of the winter, far away at most times from civilization, with snow lying around to the depth of six or more feet, and with the thermometer registering ten, twenty, or even thirty degrees below zero, the work of felling the trees in the silent woods is carried on. The trunks, after being felled and branded with a hammer-mark to identify their ownership when they arrive later at the mills, are then skidded down the hill-sides or drawn by horses over the frozen snow to the banks of the waterways, where they are piled in dumps in readiness for the awakening of Spring.

After completing their arduous spell of winter's work the men, who are not notorious for their peaceable habits or the steadiness of their lives, are paid off and return to civilization in the populated centres of Ottawa,

Montreal and other districts. Like the common habit—or formerly common habit it may be written—of seamen to dissipate their well-earned wages on returning from a voyage, these lumbermen by reckless dissipation, or what is popularly known among them as "Blowing it on," quickly rid themselves of their plentiful stores of hard-earned money.

In the early months of the year, or at a period when the grip of winter shows signs of relaxing, another gang, whose business is to see to the floating and driving of the logs, is formed and proceeds to the woods. Of all the operations connected with lumbering, from the first cutting of the timber to its arrival at the mills, no part is so full of anxiety to the extractors as this. The flooded streams have to be utilized while they are in this condition, or there is a certainty of logs being hung up, with a consequent loss of timber, loss in expenditure on labour, and a shortage of supplies to keep the mills at constant work.

The huge piles, or dumps, on the river banks are broken up, a tool called a pelvie being largely used for this purpose. The Canadian dollar bill has on its face an illustration of lumbermen at work, the men having this tool in use. Frequently, at the commencement of the driving season, the huge dumps are so firmly frozen together that human efforts are unavailing, and recourse is made to the use of small charges of dynamite to break them up. This done, they are tumbled into the ice-filled streams and started on their voyage towards the sea.

As previously mentioned, some of these tributary waterways or creeks that are connected with main rivers or lakes do not hold sufficient water to secure a passage for the logs, even in flood time, and dams are constructed to hold up the water. At these spots gangs of men are usually located, guiding and steering

the logs as they collect down the sluices and slides into the rapids below, so that no obstacle shall cause a jam. The work, especially in breaking up any jams that occasionally occur, is most arduous and risky, carried out as it is in strong-flowing streams at an icy temperature. To see these men at work, jumping on and manipulating ice-covered logs in turbulent rapids and strong streams, is a sight worth going a long way to see. It is an exhibition which shows a high development of nerve, skill, agility, and daring; the risks are great, however, and many accidents occur that occasionally lead to fatal results.

The winter-piled dumps are gradually cleared, and a general sweep up of the watercourse takes place after the great mass of the logs has gone down. Stray logs, hung up in bends and creeks, are diverted into their proper onward course, and by the commencement of summer the work is so far completed.

The labour of felling the lumber in the winter, and the further handling of the logs in the icy Spring waters, is trying enough, but is preferable, if we can believe the stories of many who have had experience, to the work which is completed in the early months of the Summer, when the thermometer is said to rise even to 150 degrees above zero. The fly season then commences. According to the above authorities no mortal can adequately picture the systematic and methodical way in which these insects torment and make miserable the life of man. There are black-flies. sand-flies, deer-flies, and mosquitoes, and they work, day and night, with monotonous perseverance in their onslaughts. They appear to have some system in their assaults, the different species working in regular day and night-shifts, not in forcible frontal attacks, but in stealthy guerilla assaults which leave their victims

covered with a mass of clotted blood marks. The mosquito is described as rather harmless and gentle in disposition in comparison with the sand-fly, whose bite is represented as similar to the thrust of a red-hot needle—clothes, blankets and rugs being non-impervious to this insect's attack.

From the tributary streams the winter-felled logs find their way on the currents to main rivers, where, under the guidance of the drivers, they are taken down towards the mouths where mills are situated. Here the driving gang are paid off, and the men, who may be described as picturesque in the abstract, commence to "blow their wages" in a similar manner to those first employed.

Many of the most important mills are established at Ottawa, this town being undoubtedly the metropolis of the Canadian timber trade. From the great watershed of the Ottawa river vast quantities of pine and spruce are annually brought down to these mills, where they are sorted for the different owners, converted into planks, deals, boards and other sizes by modern machinery, principally worked by the power of the fine falls which exist on the river, and are then transferred on the St. Lawrence to Quebec for shipment to the different markets of the world. As showing the extent of the trade, it may be mentioned that the output from the mills at Ottawa and the neighbouring town of Hull on the other side of the river, is estimated at about 300,000,000 ft. of timber per annum.

The network of railways that intersect the United States, after a longer period of development, makes the method of extracting timber in that country somewhat different from that which obtains in the neighbouring Dominion of Canada. The active hustling enterprise of the Americans is seen on all sides, even in this industry.

TIMED TO TESTINE

TIMEDE LINETING CATTENDATA

Up-to-date machinery is taken to the woods, if the stands are sufficiently extensive, and logging is here carried on under altogether advanced conditions. Roadways are made, metals are laid down for trucks and locomotives, and aerial wire transporters are largely used. Generally, the logs are converted into lumber, dressed, dried and prepared for market on the spot, the goods being transported to the nearest railway for conveyance to home markets or to the coast for shipment to other countries.

In some districts of the country, however, where railway systems have not so fully developed, other methods of extraction are employed, and an interesting one that works a district on the Western slopes of the Rocky Mountains in California is worth noting.

The timber from a large district on the steep sides of these mountains is brought down to mills near to points of exportation by means of what is known as a The work of constructing this shute, or flume as it is sometimes called, is said to be a fine example of engineering skill, traversing, as it does, hill-sides, ravines, valleys, streams and other obstacles in its course, which, including side-branches, is 125 miles in length, and is still being continually extended. It is built of wood in the form of a trough which, starting at the top of the mountain, is carried in various directions convenient to the timber which has to be transported. The trough. or gutter, is laid at a varied gradient, and the logs are placed inside, water being turned in from a reservoir at the head of the shute. On this current the timber is transferred at a velocity which varies with the gradient, at some places rushing along at 20 miles per hour. At various stations, chiefly where side-tracks join the main flume, men are stationed to prevent jams and to keep the course free of obstacles. To show the extent

of this undertaking, and the amount of timber that is brought down, it may be stated that the actual cost of erecting this shute was over £1,000 per mile, and the company who work the concern handle an output of something like 575 million cubic feet of wood annually.

It may be here noted that the original idea of the water-shutes that were at one time popular in America as a pastime and, subsequently, in other countries, was taken from this method of transporting timber.

After the few remarks as to how the Canadian forests are exploited, and the methods in force for transporting the timbers to the mills, there is little to add in regard to the system by which the vast quantities of coniferous timbers that are obtained from the forests of Russia and other Northern European countries are prepared and shipped to markets. The methods are practically identical; both railways and roadways are inadequate, especially in Russia, and, as in Canada, the waterways are largely used. On the currents of the rivers the logs are transported to the mills, which are placed at ready points in the Baltic, Gulf of Bothnia and the White Sea. These mills are equipped with up-to-date machinery suitable for converting the timber into dimensions required by different markets. Most of the ports in these regions are, however, ice-bound during certain months of the year and, consequently, exports are only made during the open-water season.

Various other interesting means of producing timber from its native source, in relatively small quantities for native consumption, obtain in various parts of Europe. In some districts of Austria and Germany, where the configuration of the land admits, slides with more or less steep gradients are common. These slides, or sledges, are either drawn by horse-power or worked by men, and are constructed of two horizontal pieces

of wood turned up at the front and shod with iron throughout their length, cross-pieces connecting the two shafts. On this frame the logs are placed crossways, and with an efficient brake to control the speed the man in front can bring down, it is said, a load of 55 to 70 cubic feet, the gradients of the track being from 1 in 14 to 1 in 4. Short lengths of timber, suitable for pit-props and other work, are generally transported by this manual labour, but longer lengths are moved by horse-power on more gradual slopes.

A high development in the use of the waterways has taken place in these latitudes, principally extending from the Black Forest eastward to the Bavarian Alps in Austria. Extensive schemes for rendering the small tributaries adaptable for floating the logs have been undertaken, so that it may be possible for the timber to pass down these mountain streams to the broader rivers. Here they are formed into huge rafts, some of those to be seen on the Rhine being frequently 600 ft. in length, and with a breadth of 100 to 150 ft. Steered with long sweeps, similar to those in use on the Thames lighters, or by rudders when they are towed on slowmoving currents, these rafts convey the timber in an economical way to many markets along the course of the rivers. Huts erected on the logs accommodate the small crew, the raft being also used for the transport of bulky and raw produce of all descriptions. In the Hungarian portion of the Austrian Empire very modern means of exploiting the forests are used, most of the coniferous wood shipped from Galatz being transported from the mountainous forest slopes before conversion, by cable lines, funicular railways and other up-to-date means of transportation.

The subject of the extraction of hardwoods from tropical countries is perhaps as interesting as that

relating to the production of coniferous woods from more temperate latitudes. In these countries approaching the Equator, Mahogany and Teak are the principal woods obtained, and of the latter mentioned some observations have been made in the chapter devoted to Asiatic woods.

Most of the countries from which Mahogany is obtained are in no very advanced stage of development, and there is, therefore, a lack of means of transport, Consequently, in the absence of roads and railways, waterways have to be utilized, rivers, full with seasonal rains, and much native labour, being necessary to exploit the forests.

In Central American districts where Mahogany is found, somewhat primitive means are employed for its extraction. A few, however, are being exploited under the restless energy of American firms, but, generally, they are worked under similar conditions to those that have been in use from the first. Practically all the labour is done by natives, chiefly by negroes, who, in addition to the task of getting the timber from forest to stream, are also employed in squaring the logs for market. In many districts of Central America, but especially in British Honduras and Mexico, they have attained a high degree of efficiency in this latter work, straightening and squaring huge tree-trunks into most shapely and well-made squares, the work being simply performed with axe and adze. The floating of the logs to the mouths of the rivers during the wet season in June or July depends upon the amount of rain that falls. and. should there be a deficiency, many logs are sometimes held up in the by-ways of the river, there to await better conditions during the following season's rains. As in these moist, humid, tropical countries, decomposition is rapid, the effect is sometimes shown on the wood, at times

by its appearance, at others, by the attacks of small worms; with a consequent depreciation in its value.

Interesting as this work is in the Central American districts, it is perhaps more so in regard to the extraction of this wood from the dark and comparatively little known forests of the West Coast of Africa. There is a mysterious glamour about these forest regions which attracts interest, for little is known about them owing to their vast extent, the wonderful wealth of woods they contain, and the short period of time since a dark space marked their locality in our atlases.

Those who come in contact with the wood from these regions, whether in the log as it has been shipped; in a converted form as it reaches the consumer; or as furniture in the office or household, have little conception of the amount of labour entailed nor the many vicissitudes through which the wood has passed since it grew in lordly pride as a monarch perhaps among other huge trees in some dense, dark, and little trodden forest. Very often the tree from which a log has been produced has grown hundreds of miles from the coast, perhaps two or three miles from a waterway, and as the transport has to be performed entirely by human labour, and the logs weigh up to about 5 tons, it may be imagined the amount of toil and endurance which has to be expended in this steaming tropical climate before the log reaches the first stage of its journey to the various markets of the world.

Europeans of English and French nationality, and also one American firm, are principally interested in the outget of this wood, and have their agencies at many places which serve as ports along this great extent of territory. All the labour in the forests, however, is done by native "boys" with, in many cases, white superintendents over them.

In the British possessions in Southern Nigeria, most of the forests are fortunately under the jurisdiction of a Government Forest Department, and on a concession being obtained for cutting the wood in a certain area the lessee binds himself to certain conditions—the size of the trees to be felled, and the replanting of others to take their place being important provisions. This licence being granted, the trees have to be located, and as Mahogany does not grow in stances or clumps, but scattered to an extent of sometimes a quarter of a mile apart, this difficulty in a dense, almost impenetrable jungle, is met with at the onset; moreover, in accordance with the Government regulations, no trees must be felled that do not reach a circumference of 12 ft. at 10 ft. from the ground, any offence against this condition being punishable with a fine. The trees located on the area are marked, and after a government supervisor has inspected and a felling charge has been paid—a part of which goes to the paramount chief of the locality—a further permit to fell these special trees is granted. These mighty trees, often towering to a height of 200 or more feet, and occasionally with a girth of 36 ft., have usually at the base, to support their growth, natural buttress-like projections which extend from 6 to 12 ft. upwards. A rough stage is erected by the natives over this supporting growth, and then commences the labour of felling the tree. It is entirely done by axe work, as many "boys" as can be got to work on both sides of the trunk being employed. If the tree is an upright one in its growth, the chopping continues until only a few inches of the wood is left in the centre of the tree, when one last blow or a gust of wind upsets its equilibrium, and with a crash that makes the earth tremble for a distance of 200 or 300 feet. and which brings down other trees of less substantial

growth, the monarch of the woods is laid low. The trunk is then measured into suitable lengths, mostly from 12 to 24 ft., and in most instances logs are also obtained from the branches of the tree, it not being an unusual occurrence to get ten out of one tree, although four is about the average number. The sections of the tree are then squared, with one end tapered or shaped to facilitate hauling; and after numbers and marks have been painted on each log, and a Government pass-mark likewise imposed, the logs are ready for transport to the rivers. Roads are cut through the bush to the nearest creeks or waterways, and on this path small round trunks of trees to act as rollers are placed. A wire rope is passed round the log, and to this is attached a further length having, at intervals of about 3 ft. apart, pegs of wood inserted. With a hold on these the gang of perhaps 80 or 100 men commence with a sing-song chant their task of hauling these logs, with an average weight of perhaps 3 tons, to the water-Here, if they are in creeks where there is little water, they have to await the rainy season, and on the flooded currents they find their way into the · larger streams and, ultimately, to the coast.

Very few of the so-called ports along the West Coast have good loading facilities, owing to the nature of the seaboard, and the logs are therefore, in many cases, towed out to the boats that lie off the coast, being lifted by the special and powerful appliances these vessels possess, straight out of the water into the holds. A further stage in the history of the logs follows. They are transported by these vessels to a port—probably Liverpool—where they are first yarded, then included in a catalogue with many others, and afterwards sold by public auction. They may possibly be purchased for re-transportation over the Atlantic to American



By permission of the "Timber Trades Journal."

INITIAL OPERATIONS ON A BUTTRESSED MAHOGANY TREE

10—(1460A)

consumers, or they may be bought for home requirements, the merchant who has purchased re-selling them to yard-keepers, who convert them, and, after keeping them many months for seasoning purposes, eventually sell them to manufacturers, by whom they are used in making the many articles that are to be seen around us.

CHAPTER XV

THE OUTLOOK FOR FUTURE SUPPLIES OF TIMBER

With the advent of iron, particularly in its adoption for shipbuilding, in its use for girders and framings for buildings, and for innumerable other purposes, it was long ago foretold that timber would not be necessary to the same extent in future, and the foreboding was again freely expressed, but in a somewhat less positive manner, on the introduction of re-inforced concrete as a constructive material. Notwithstanding all these prophecies, however, timber has emerged triumphantly; it has withstood all competition, and, although the demand has fallen away, or lapsed entirely in some directions, other channels for its uses have been discovered, and the volume of consumption has grown year by year in magnitude, in all countries where civilization has progressed.

As showing this growth in the demand it is estimated, on good authority, that, in England and the United States alone, the consumption has doubled during the last half century.

The question therefore arises how this ever-increasing demand can be supplied. A timber famine has been talked about in a casual way for years past, but little heed is paid to the matter, the subject being a sort of perennial one that springs up from time to time when a shortage occurs. Varieties at intervals fail to meet the demand, and gradually cease to arrive on the markets, but others are found to take their place, and in time become established; and although there are fluctuations in the imports, due to labour disturbances, weather conditions, and other extraneous

circumstances, no pronounced lack of timber has as yet occurred.

The pressure of this demand is, however, increasing and becoming more widespread year by year. Exporting countries have relapsed, or are on their way to become importing countries, and there is, consequently, a continuously increasing drain, with no corresponding augmentation in the estimated supplies.

The position in regard to Europe, as shown from statistics that cover an average of five years, and which are given on the authority of Sir William Schlich, is that only five countries on the Continent exported timber namely—

		lons
Rumania		60,000
Norway		1,040,000
Austria and Hungary		3,670,000
Sweden		4,460,000
Russia and Finland		5,900,000

While thirteen others imported—

Great Britain	9,290,000
Germany	4,600,000
France	1,230,000
Belgium	1,020,000
Denmark	470,000
Italy	420,000
Spain	210,000
Holland	180,000
Switzerland	170,000
Portugal	60,000
Bulgaria	50,000
Greece	35,000
Servia	15,000

These figures yield a net import into Europe of 2,620,000 tons.

Other countries in all parts of the world are also more or less importers, a few having a total absence of native supplies; others, while exporting some varieties, import others in greater quantities—principally timbers

of coniferous growth for building purposes; among those who entirely import are-

				lons
Egypt				200,000
Cape of	Good	Hope		150,000
Natal		. *		50,000
Mauritiu	S			20,000
China	•			50,000

While among those that export some varieties, but import others in larger quantities, are-

				Tons
South Am	erica	•		330,000
Australia				160,000
Ceylon				10,000
Japan				5,000

The following countries export entirely, or their exports are in large excess of their imports—

West In	dies, M	exic	o, Hor	ıduras	, etc.	Tons 13,000
West Co	oast of	Afr	ica.		٠.	28,000
India						55,000
United S	States					1.020,000
Canada	and N	ewfo	undla	nd		2.144,000

It may be gathered from these few statistics that there is a constant drain upon timber resources in progress in all parts of the world.

Areas of forest lands in close proximity to ports of shipment have long since been exhausted, and farther and still farther afield the exploiter has to go to obtain his supplies, the cost of extracting these growing with the extended radius. Values have consequently been on the up-grade for many years past, data showing that in the United Kingdom, in the period between 1550-1750, the cost of timber quadrupled, and has since shown a continuous and progressive advance. In the whole of Europe statistics reveal that between 1894-1902 values appreciated no less than 20 per cent, and that in Russia,

notwithstanding her vast native supplies, a proportionate rise took place. Sweden and Norway, also with supplies at their doors, experienced similar conditions, an appreciation of 15 to 20 per cent having taken place during thirty-five years in the value of their native woods.

The effects of the great onslaughts that have been made on the virgin forests of the world, without any serious attempt at re-afforestation, are gradually being felt, and, as the conditions of an increased demand and a perceptibly diminishing supply continue, the outlook is certainly not one that can be regarded as satisfactory.

Another result of the clearance of forest areas which is in progress all over the world is the marked influence effected on natural conditions. As is well known, the woods mitigate extremes of temperature; have a marked effect in regulating the water supply—more especially by insuring the sustained feeding of springs and thus rendering the flow of waters in rivers more continuous, and in tending to reduce the danger of violent floods: they assist, by the action of the roots and stems of the trees, in preventing landslips, the erosion of hill-sides, and arrest the progress of shifting sands; they, moreover, act as wind-breaks for the protection of agricultural areas and other necessary uses which are more perhaps to be noticed in tropical regions. Many countries that have been more or less cleared of woodlands have become sterile and arid wastes as a result of altered natural conditions.

Some of the West Indian Islands have slightly felt the result of denuding their forest lands, an instance of which may be mentioned. The State authorities that were in power some years ago in the Island of Jamaica were of the opinion that conservation of their abundant forests was unnecessary, as timber could be imported at very cheap rates from the United States. They found, however, after the woodlands of the Island had been practically exhausted, that some of the conditions above stated began to prevail. Their water supply began to be interfered with, there was no storage for the copious season's rain, rivers at times became torrents, with agricultural lands in the valleys submerged, while at others the river beds contained but a mere trickle of water.

Feeble attempts have been made in various countries to make some provision for the future in regard to timber supplies, but the efforts generally have been trivial and altogether incommensurate with the ravages that are being made on existing supplies.

Comparatively little has been done in the way of afforestation in Europe: Germany leads the way with a scientific and well-organized system that provides her consumers with a good proportion of their needs: France, too, has a systematic cultivation of forest lands. and the excellent results which she has attained in the planting of large areas of sand dunes and waste spaces in the Landes is an object lesson in economic providence. These formerly arid wastes are thickly planted with the Cluster or Maritime Pine, which, besides finding employment for many people, provides resin, from which most of the turpentine used in France is extracted; the trees, moreover, when exhausted by tapping, are felled, and with the thinnings and loppings are shipped to South Wales, where they provide a large proportion of the props used in the mines of that great coal centre. With the exception of these two above-mentioned countries, there is practically no other in Europe that conserves on any extensive or efficient scale.

In the East, the great Empire of India has, under the able management of an Indian Forestry Department,

established a most efficient control over the present forest resources of that country, the systematic felling and control of the timber, and the organization of replanting with a view to a continuity of future supplies being an example of State management which might well be followed in other countries.

Japan has an excellent and old-established system of State regulation of her forests, but few other countries in the East have taken the question in hand.

Slight attempts have been made from time to time in the various divisions of Australia to arrest the depletion of woodlands, but on no scale of importance, and in New Zealand, until recently, there has been little movement in that direction.

On the African continent, France conserves much forest land in Algiers and Morocco, the area being reported as something like 5,000,000 acres, and controls, it is understood, the timber in her possessions on the Ivory Coast and in the Congo Territory.

On the same West Coast the Southern Nigerian possessions have been placed under the control of an experienced Forest Conservator, with the object of securing reports on the forest resources of the country; and to prevent excessive exploitation with a view to continuous supplies. Doubtless the valuable mahogany and other timbers of this locality will now be secure from reckless cutting, and replanting will systematically replace the timber that is exported.

In the great districts of the southern parts of Africa—Cape Colony, the Transvaal, Natal and other divisions, there is a lack of timber, especially of that suitable for general building purposes. Very large quantities might be grown for the use of the community and for the benefit of agricultural areas, but little interest apparently is ever taken in such a question.

Turning to the Western hemisphere, attempts are being made in British Guiana to preserve some of the valuable woods of that country, and probably the timbers of the French possession in the same locality are efficiently looked after. Nothing, however, is heard of any attempt being made to control the outputs of other States and possessions in Central America, beyond some little regulation in regard to the cutting of Mahogany in British Honduras.

The treatment of the forest wealth of the United States is one long example of prodigal waste. Practically covered with virgin forests at the onset, the country has, by reckless exploitation and the cutting of every stick that was marketable, been rapidly brought to a position where her remaining resources can be fairly well gauged. No serious attempts at preserving her forest wealth have been made, present commercial gain being her first consideration; and already she has to import from other sources continually increasing supplies to meet her native demands.

The Canadian Dominions, with a boundless expanse of forest land, also appear improvident of their wealth. No great amount of replanting or conservation is made, and already districts near to ports of shipment are denuded. The shipment of over £10,000,000 worth of timber annually, which is said to be the value of the Canadian export, cannot be extracted without having a pronounced effect, and already, great as are her resources, there are warning voices heard. Moreover, another cause of the exhaustion of these forests is to be taken into account, the forest fires that so frequently occur being held responsible for an enormous waste of timber, the value, perhaps largely exaggerated, being reported as equal to the amount of the annual export.

The geographical position of England so facilitates the import of timber from all parts of the globe, that no serious dearth of wood has ever been experienced. although a steady and continuous rise in the values of the imported material has occurred. Consequently, in common with other countries, England has in the first place prodigally dissipated her native forests and, later, neglected to replace the same, with the result that she is, as the statistics show, the largest importer of timber in the world, the annual value of which reaches to about £30,000,000 sterling per annum. Practically all her wants are supplied by the shipments that reach the ports, it being estimated that from the afforested land in the United Kingdom-4 per cent of the entire areaa percentage lower than that of any other European country with the exception of Portugal—only the insignificant amount of \$\footnote{1}500,000\$ worth of timber is drawn

The Kingdom, possessing only the above-mentioned and trifling amount of afforested land, has an estimated area of waste and uncultivated soil, principally mountain and heath land, which amounts to 15,000,000 acres. the greater part of which, it is stated on the best of authority, is ideal land for the growth of many varieties of timber trees. Comparatively little has been done in the way of afforestation in the past. The occurrence of the Great War, however, forcibly brought home to the Government the need for the maintenance of certain home-grown supplies that are essential in many basic industries, especially timber for mining purposes. Commissions were appointed, money was apportioned, and since a certain amount of development has taken place in the planting of areas that were denuded during the war and the afforestation of others. But it has all been on an incommensurate scale. The demand for

timber exists, and will continue to increase; supplies from other countries are steadily declining; there is land unused; there is labour that should be employed in such pursuits, yet neither by private enterprise, by continued effort, nor by any serious attention from the State is anything done to evolve some system of the regeneration of native-grown timber. It is a weak spot in the national economy, and one which the State might well take radical measures to improve.

That timber of certain sorts can be grown has been abundantly proved; the native-grown Ash is incomparable for the purposes for which it is used, there is an ever-crying need for Sycamore, for Oak, as also for such coniferous woods as Larch, Spruce and other descriptions which grow freely. None of these, however, are grown in any quantity or in a systematic way.

The question of this being done on a profitable basis is often raised, and the results in other countries abundantly prove that a direct return can be made if carried out upon an organized and business-like plan. From statistics of State Forestry carried out in Saxony, it appears that on an area of 430,000 acres an expenditure of £330,000 was made, and from an income of £781,000, a net profit of £451,000 or 21s. per acre was realized. The rental was maintained each year, as was the capital, less timber being cut annually than was produced.

No statistics are available in reference to the reclaimed sand dunes of the Landes in the South-West of France. to which reference has been made before, but the results must be most satisfactory, the growth of the pines in these formerly waste spaces finding employment for much labour, supplying the country with a spirit which is indispensable in many industries, and practically filling the demand for pit-props in the Welsh mining areas

APPENDIX

FIRE HAZARDS OF TIMBER YARDS, SAWMILLS AND JOINERY WORKS, ETC.

By Robert Taylor, F.C.I.I.

IT would be impossible within the compass of this Appendix to deal with all the fire hazards of the timber industry from the growth of the timber in the forest to its conversion to the many and varied uses to which it is put—already sketched in the introduction to this book. Attention is therefore directed chiefly to the "Fire Hazards of Timber Yards and of Sawmills and Joinery Works," but as far as space permits the fire hazards of other classes of wood-working risks will also receive attention.

The most important consideration from the fire risk point of view in regard to a timber yard is its situation—whether it is in an open or in a confined situation; if in an open situation, whether it is enclosed by fences or hoarding, or whether the public have free access to it; or if in a confined situation near dwelling-houses, whether children make it a playground or men resort there for card playing, with the consequent hazard of matches struck in play by the children or by the men smoking. These dangers also exist (particularly the latter) even where the situation is open if the public have right of access over the land, as in the case of the Citadel Estate, Hull, the scene of more than one serious fire some years ago.

Other special hazards of a timber yard may arise from-

- 1. A sawmill attached to the timber yard.
- 2. A portable saw bench, power driven. Or even
- 3. A hand-saw. Or from
- 4. Locomotives traversing the yard. Or
- 5. A crane (power driven) operating on rails or overhead for hoisting the timber.

The hazard of the sawmill attached to a timber yard is much the same as that of the sawmill with timber yard attached, except that in the former the sawmill often is of a flimsy character, no planing or moulding as a rule is done, and the boiler may be inside the mill or in a building communicating, whereas in the latter the sawmill will usually be of substantial construction and often a joinery works as well. Consideration of the hazards of the sawmill may therefore stand over until those specially relating to the timber yard have been dealt with.

The points to be noted in reference to the hazards enumerated above other than the sawmill are—

- 2. (a) If the portable saw bench is electrically driven, the motor and switches should be enclosed in sheet metal boxes with no openings through which sparks can fall on anything inflammable, and the plug connections in buildings or on posts with overhead conductors should be inspected regularly.
- (b) If the power is derived from an oil or petrol engine, attention must be paid to the storage of the oil or spirit, particularly as regards the latter.
- 3. Refuse may be even more distributed from the hand-saw than from the power-driven saw bench, and the need for clearing away chips and other refuse should be emphasized.
 - 4. Spark arresters should be fitted to the locomotives

and metal receptacles should be provided for spent ashes, with a place set apart for emptying them.

5. Rules such as those of the Liverpool Salvage Association for such risks should be enforced as far as possible—these deal with the position and equipment of the engine and boiler, the funnel, the manner of exhausting the steam, the fuel, the water supply and control, in addition to the provisions mentioned under (4) in regard to ashes.

The timber trade divide woods into two divisions, namely, "Soft Woods" and "Hard Woods." An insurance man might divide them into light or heavy, the former open-grained, with many air-filled pores and easily ignited by sparks, the latter closer grained and having fewer air-filled pores. Or he might class the timber as coniferous or non-coniferous—the former, being resinous with solutions of resins in essential oil such as turpentine, burns readily.

Timber may be in log or balk (i.e. the squared log), or it may be in deals, battens, boards, planks, and even laths. Balk timber will burn only slowly and probably show a good salvage, but where seasoning is being done, each block of timber being separated from the other by small fillets so that all four sides of the timber are exposed to the air, the timber will burn much more quickly, particularly if of small size. Round timbers over 24 in. in circumference, known as spars or poles also burn quickly, their shapes permitting free access of air.

Timber may be stacked in the open or covered with matting or fibre or corrugated iron, or if specially valuable be stored in open sheds with weather-boarding and roofs of slate, wood, or corrugated iron.

If drying is done, it is generally done in a drying-room heated by steam or hot-air pipes—the timber should,

of course, be kept clear of the pipes, particularly if steam is used, because of its desiccation by steam heat.

If creosoting—a method of preserving timber—is done in buildings or tanks at the timber yard, the process constitutes a real hazard in itself, besides increasing the hazard in respect of the timber. Creosote is a product of the process of the distillation of wood tar, and burns readily with a smoky flame.

Other preserving methods, such as Haskinizing or vulcanizing, seem to retard the burning quality of the wood treated.

Certain of the hard woods of Australia have fireresisting properties, and other woods of this country have been made "non-flammable" under conditions tested by the British Fire Preventive Committee, and a timber yard containing in the main such woods, would be less hazardous than one where the woods were mainly pine, say planks, deals, battens, and boards, not to speak of fully-dressed material, consisting of floor boards, match-lining ready for the use of the carpenter, and mouldings for the use of the joiner.

The timber yard may contain huts used by employees as mess-rooms, and if these are heated by stoves, care should be taken to have the stoves securely erected.

Conflagration hazards are very real in the London district, where large areas in confined districts devoted to the storage of timber have stacks of considerable height, so that there is an enormous aggregation of value which may be menaced, apart from hazards already named, by a fire breaking out in a neighbouring factory.

The provision of adequate appliances in such a district, or even in other districts where the conflagration hazard is not so acute is very desirable, so that any incipient fires can be checked if possible.

It has been already pointed out that the sawmill attached to a timber yard will mostly be of insubstantial construction, if not actually ramshackle, and that the sawmill and joinery works with timber yard attached will often be of more substantial construction. Sometimes, however, the building may be of corrugated iron or timber construction, so that, looking to the heavy character of the internal risk, apart from the construction, the risk altogether would by many be regarded as so inferior as to be uninsurable, but there has been at least one fire underwriter who has made a speciality of insuring such risks when protected by an automatic sprinkler installation with a single supply, and made the risks pay, but of course the moral hazard must be non-existent, and the sawmills were as a rule country mills. In the more substantial risks the shed building is most usual, but if the building is of more than one storey every care must be taken to ensure stability, especially if there is heavy machinery on upper floors, and if the building is of fire-proof construction, all supporting girders and pillars should be protected with a layer of concrete, to prevent collapse of the building in the event of a fire.

Apart from construction, all fire hazards arising from the internal arrangements of a sawmill might be summed up under the single word—management, whether these relate to processes of manufacture, power, lubrication, storage of oils, lighting, heating, drying or waste.

Processes of Manufacture, Lubrication, Waste. In a mill which is a sawmill only, all the machines are saws, and used for the reducing of the timber, but if joinery work or other wood-working is done, then there will also be machines for finishing and shaping, the more important from the point of view of hazard being the planing and moulding machines, and the sanding

machine. Among the saws the frame-saw or log-mill and the deal frame-saw are most hazardous, because of the difficulty in lubricating the bearings, the former specially so, because it is set partly below the mill floor. Difficulty also exists in the lubrication of the planing and moulding machines. If any of the shafting is run underground in channels there may be insufficient lubrication, setting up an overheated bearing, with the risk of inflammable material being fired. Bearings underground may also become surrounded by sawdust or shavings, which if soaked with oil are liable to ignite spontaneously. These underground passages should have brick walls and preferably a fireproof ceiling. Special attention is necessary to see that the passages are kept clear, as unless this is done there may be a trail of shavings and other refuse from the mill to the boiler house, and if a fire breaks out in the boiler house there is a train ready laid by which the fire may be carried to the mill. Sanding machines create considerable fine wood-dust which is liable to explode if in the neighbourhood of any naked light. The waste from the saws and other machinery named consists of sawdust, chips, and shavings. The two last-mentioned, particularly the shavings, are distinctly inflammable. It is essential, therefore, that all waste from every process should be cleared regularly at least once a day. In some cases the waste should be cleared as circumstances require several times during each day. This may be done by human agency or by mechanical agency, such as fans and suction pipes, or by combined mechanical and human agency through hoppers and bags to the basement and thence by human agency. If steam power is in use the shavings and other refuse will in the main be used in the boiler fire, but if other power is used a destructor may be required which should of course not

II---(I460A)

be within risk of the mill. Oily waste should have metal receptacles, and the stores of oil for lubricating purposes or for power as after-mentioned should be kept outside or well away from the wood-working.

Power. Power may be steam or oil or gas-engine or electrical. If steam power is used, the boiler-house should be well separated from the mill. If oil or gas-engines are used, exhaust boxes and pipes should be kept clear of woodwork, and the gas bags of gas-engines protected with metal. If the power is electrical and motors (usually one to each machine) are of the open type, they should be enclosed in metal covers as complete as possible or in wooden covers lined with asbestos.

Lighting. Lighting may be by gas or by electricity. If the former, care requires to be exercised in lighting up, swing gas brackets should be made secure, and there should be no light in use near a sanding machine; if the latter, the regulations of the Institution of Electrical Engineers should be observed.

Heating. Heating should be by hot water, steam, or hot-air pipes, and care taken that all pipes or ducts are kept clear of anything inflammable.

Drying. This should be external to the mill if the drying is by steam or hot water or hot air or kiln. Whatever system is in use, the essential thing from the point of view of fire hazard is to see that the timber is not in contact with any of the heating pipes, and that these and the drying chamber generally are cleared regularly from dust and other refuse. Sometimes drying is done in a compartment with a trellised floor over the boiler. Attention to cleanliness is still more necessary here, so that dust and refuse will not fall through to the boiler compartment. Drying by steam heat is quicker than other forms of drying, and where it is by live steam

the risk of desiccation of the timber is increased, and attention should be directed to the boiler pressure. Drying of timber over or against the boiler should be strictly prohibited. Seasoning or atmospheric drying may be done on an upper floor of the mill having louvre windows.

Appliances. The minimum provision should be a requisite number of buckets or extincteurs for immediate use in the early stages of a fire. The buckets should be examined daily to see that they are filled with water and not being used for other purposes, and both they and the extincteurs should be kept free from dust.

One further feature of management requires special attention. One would suppose that it should not be necessary to emphasize that smoking should not be allowed in a wood-working risk, but surveyors will tell you of occasions when visiting a risk during the meal hour, they have found workmen smoking at a bench or in a drying-room. Smoking should not be allowed where wood-working or drying is done, but might be permitted in a messroom.

It is interesting to note that the problem of the fire hazards of wood-working risks presents much the same features on the other side of the world, e.g. in the Dominion of Australia, as it does here. In a paper read before the Insurance Institute of Victoria, which appears in Vol. XXIV of the Journal of the Chartered Insurance Institute, dealing with sawmills and other wood-working risks, there is the same broad classification which has been adopted in this Appendix, that is, the sawmills and joinery works have been dealt with separately and other classes of wood-working risks, eleven in number, in the main very much as set out in the succeeding paragraph, are reviewed, and reference is made to the local sawmills tariff. The details given show that extras are imposed

on the normal rate in respect of a number of the hazards which have been reviewed in this Appendix. It is curious to find the question of smoking is dealt with under the heading of "Discipline of Employees."

Space will not permit more than the naming of other wood-working risks such as coach-builders, piano factories, turners, upholsterers and wheelwrights. Appropriate articles will be found in Pitman's *Dictionary of Fire Insurance*, and reference may also be made to the articles on "Timber Yards," "Sawmills" and "Hull" risks. Even walking-stick makers have an article dealing with the fire hazards of their trade!

The fire hazards of growing timber are not very evident in this country, but in a dry season experience has shown that in parts of Scotland at least they may be very real, and have probably been due to sparks from locomotives or from carelessness on the part of campers.

As an addendum to the illustrations in this book, reference might be made to illustrations of sawmill machinery and of creosoting and wood-preserving plants, etc., and timber yards, in Vols. V and VI of the *Journal* of the Chartered Insurance Institute.

INDEX

AFFORESTED Areas in the World, 2, 3, 4, 5 Alder, 82 Amboyna, 95, 96 Areas in England formerly afforested, 6 Ash timber, American, 106, 107	Cocus Wood, 117, 118 Columbian Pine, 36, 37 Confusion in nomenclature, 21 Cotton Wood, 111 Crabwood, 118 Cypress, 43, 44 Deals, 21
——, British, 78, 79, 80 ——, Canadian, 107 Australian timbers—	Degame Lancewood, 116 Depletion of English forest- lands, 7
Black Bean, 100	Duties on timber, 9
—— Blackbutt, 98 —— Blue Gum, 98 —— Ironbark, 98	EBONY, Ceylon, 90 ——, Macassar, 90
—— Jarrah, 97 —— Karri, 97, 98	—, Marble, 90 Eng, 95
— Karri, 97, 98 — Mahogany, 100 — Myall, 100	Extraction of Timber in Canada, 123, 124, 125, 126
—— Red Cedar, 100, 102	Central America, 131
—— Silky Oak, 100 —— Tallow Wood, 98, 100	—— Russia, 129 —— West Africa, 132, 133, 134, 136
Bass wood, 110	— – on the Continent,
Beech, 80 Birch, 112, 113	129, 130
Blue Mahoe, 117 Borneo Woods, 102	——— in the United States, 126, 127
Box, 85, 86	FIGURED Mahogany, 54, 56, 57
O	Fir timber, its introduction
Carolina Pine, 43 Cedar—	into England, 8, 9 Fire Hazards, 146
—, Cuba, 60	Former methods of converting
—, Honduras, 61	timber, 8
, Moulmein, 89, 90	Fustic, 121
, Red, 89, 100, 102	Future supplies of timber—
, Toon, 89, 90	—— Denudation of forests,
, Tobasco, 61	137, 138, 139, 140
—, Pencil, 41	Increase of demand, 137,
Chestnut, Horse and Sweet, 84, 85	141, 142, 143, 144 —— Lack of re-afforestation,
Cluster Pine, 27, 141, 145	145

Greenheart, 119	Mahogany, Assinee, 68, 69
Gurjun, 90	, Australian, 100
,,,	—, Axım, 69
HARD and soft wood divisions,	, Benin, 70
18, 19	, Brazilian, 64, 65
Hickory, 107, 108	——, Cape Lopez, 73
Holly, 86	Costo Pres 62 64
Hornbean, 81	, Costa Rica, 63, 64
Hormbean, or	, Columbian, 64
Inputation of Mahagany	, Cuba, 59, 60
IDENTIFICATION of Mahogany,	, Gaboon, 72, 73
54	, Grand Bassam, 69
Import of timber into the	Guatemaian, 62, 63
United Kingdom, 10, 11	Honduras, 61, 62
Indian Empire, its timbers, 87	Lagos. 70
Introduction of machinery	, Mexican, 60, 61
into England for the con-	, Nicaraguan, 63
version of timber, 9, 10	, Panama, 64
Ironbark, 98	- Philippine, 105
	—, Sapele, 70, 72
JAPANESE Ash, 102	, Sassandra, 69
Oak, 51	, Sekondi, 68
Forestry, 137	Ct Domingo 50
Joinery Works' Fire Hazards	—, St Domingo, 58
146	Maple, 110, 111
	Mora, 119
Kahikatea, 31	Myall, 100
Karrı, 97, 98	
Kauri Pine, 28, 30 31	New Zealand Pine, 31
Krabark, 95	Northern Pine, 20, 22, 23, 24, 25
·	
Lance Wood, 116	OAK, History in reference to
Larch, 27	its use in England, 12, 13
Lignum Vitae, 115	, American, 12, 13, 50
Lime, 78	, Austrian, 50
Loblolly Pine, 43	, Brown, 46, 48
Log Wood, 120, 121	——. Dantzig. 48, 49
208 11000, 120, 121	—, Dantzig, 48, 49 —, English, 7, 45
MAHOE Blue, 117	, Japanese, 14, 51, 52
Mahogany, its history, 14	, Russian, 12, 48
—, its introduction, 53	, Silky, 100
—, The Identification of	Stattin 48 40
vometres 54	, Stettin, 48, 49
varieties, 54	Olive Wood, 85
, Statistics relating to	Orham, 112
import, 17	D 00 00
, Statistics relating to the	PADOUK, 88, 89
growth of the African	Partridge Wood, 117
import, 67	Pear, 86
, Figure, 53, 54, 56, 57	Persimmon, 111, 112
, Public sales, 56, 57	Philippine Woods, 105

157

Done stee meet and small-tree	C 24 90
Pine, its uses and qualities,	Spruce, 34, 36
22, 23, 24, 26	Statistics, Imports into UK,
, Carolina, 43	10, 11 —— of Oak, 15
—, Cluster, 27, 141 —, Columbian, 36, 37	of Mahagany into
, Columbian, 30, 37	of Mahogany into
, Cypress, 43, 44	London and Liver-
, Kauri, 28, 30	pool, 17
, Loblolly, 43	of Teak into Lon-
, New Zealand, 31	don, 18
, Northern, 20, 22, 23, 24,	World's Imports and
26	Exports, 138, 139
, Pitch, 41, 42, 43	— of Forest areas, 2, 3
, Quebec, 32, 33, 34	Sugar Pine, 40
, Red, 34	Sycamore, 82, 84
, Sugar, 40	Tallow Wood, 98, 100
——, Weymouth, 32, 33, 34	Teak, its history, 15, 17
, Yellow, 32, 33, 34	, Indian and Siamese, 91,
Plane, Eastern, 80	92, 93, 94, 95
—, Western, 80	
Poplar, American, 109	——, Java, 102 ——, Statistics, 17
, Aspen, 80	Thuya, 96
, Black, 80, 81	Timber imports into United
—, Lombardy, 80	Kingdom, 10
Port Orford Cedar, 41	Timber Yards' Fire Hazards,
Quassia, 116	146
Quassia, 110	Tulip Wood, 117
RED Pine, 34	Tupelo, 110
Wood, Russian and	Tupelo, 110
Baltic, 20, 22, 23	WAINUT, African, 76
— Gum, 109, 110	—, American, 108
Rock Elm, 112	Satın. 109, 110
Rosewood, Brazilian, 120	, Circassian, 75, 76
, East Indian, 88	, East Indian, 89
—, Honduras, 120	—, English, 74, 75
,	French 75
Sabicu, 118	——, Italian, 75
Sawmills, Fire Hazards, 146	, Quebec, 108
Satın, Wood, East Indian,	Washiba, 117
87, 88	Weymouth Pine, 32, 33, 34
, Puerto Rico, 114, 115	White Pine, 24, 26, 27
, St Domingo, 114, 115	Whitewood, American, 109
Scotch Fir, 20, 22	, European, 23, 24, 26
Sequoia, 37, 38, 39, 40	Willow, 84
Seravah, 95	•
Silky Oak, 100	YANG, 95
Snakewood, 119, 120	Yew, 86

A SELECTION FROM THE LIST OF

COMMERCIAL HANDBOOKS

PUBLISHED BY

SIR ISAAC PITMAN & SONS, LTD.

The following Catalogues will be sent post free on application: COMMERCIAL, EDUCATIONAL, TECHNICAL, SHORTHAND, FOREIGN LANGUAGES, and ABT.

Obtainable through any Bookseller or direct from the Publishers

LONDON: PARKER STREET, KINGSWAY, W.C.2
BATH: The Pitman Press. MELBOURNE: The Righto, Collins Street.
NEW YORK: 2 West 45th Street. TORONTO: 70 Bond Street.
INDIA: A. H. Wheeler & Co., Hornby Road, Bombay; 11 Clive Street,
Calcutta; and 15 Elgin Road, Allahabad.

The Prices contained in this List apply only to Great Britain.

CONTENTS

	PAGE		PAGE
Advertising and Comme	в- 20-21	ENGLISH AND COMMERCIA CORRESPONDENCE .	AL . 8-9
Arithmetic, etc	. 2	FOREIGN LANGUAGES .	. 29
"ART AND LIFE SERIES"	. 28	GEOGRAPHY AND HISTORY	
BANKING AND FINANCE	11-12	INCOME TAX	. 15
_	_	INDUSTRIAL ADMINISTRATIO	
BOOK-KEEPING AND ACCOUN	. 3–5	INSURANCE	17–18 13–14
BUSINESS ORGANIZATION AN		LAW	23-25
MANAGEMENT	18-19	MUNICIPAL WORK	19-20
CAREERS, ETC	. 6	REFERENCE BOOKS	25-27
CIVIL SERVICE	. 6	SALESMANSHIP .	21-22
COMMERCE, ETC	. 7	SECRETARIAL WORK	. 16
COMMON COMMODITIES AN	Œ	Shipping	. 15
Industries	31-32	SHORTHAND .	. 30
"Economic Series".	27-28	TRANSPORT .	22 -23
ECONOMICS	. 10	TYPEWRITING .	. 80

ARITHMETIC, ETC.

4 14 4 17 1 1						PRICI
Arithmetic and Book-keep						
By Thos. Brown, F.S.S., and	VINC	ENT	Е. С	OLLI		0/6
A.C.I.S. In two parts. Part I	•	•	•	•	\mathbf{Net}	2/6
Arithmetic Class Book						0.0
By W. R. BARHAM	•	•	•	•	•	2/6
Arithmetic Class Book						0.4
Advanced. By W. R. BARHAM	•	•	•	•	•	3/6
Arithmetic of Commerce						_
By P. W. Norris, M.A., B.Sc.	(Hon	ıs.)		•	\mathbf{Net}	4/-
Business Calculations						
By F. Heelis	•			•	•	2/-
Commercial Invoicing						
By Max M. Kay					Net	1/0
Commercial Mathematics						
By L. H. L. DAVIES, B.A., and H	G. G.	н. н	ABAK	KUK		5/-
Complete Business Arithm						4/
Answers			:	·	Net	$\bar{2}/6$
Complete Mercantile Arith	mat	io	•	•		, -
					Net	6/-
By H. P. GREEN, F.C.Sp.T. (W			4		Men	0/-
Concise Senior Commercia	I AI	unn	neuc	;		A /
By W. CHANIN, M.R.S.T.	•	•		•	•	4/-
Elements of Commercial A	rith	met	ic			
By Thomas Brown .	•	•	•	•	\mathbf{Net}	2/-
Logarithms in Commerce						
By W. CHANIN, M.R.S.T		•				2/6
Logarithms Simplified						
By ERNEST CARD, B.Sc., an	d A	. C.	PAI	RKIN	SON.	
A.C.P	•			•	Net	2/-
Practical Commercial Arith	ıme	tic				
By H. WATSON, B.Sc. (Econ.)		•			Net	6/-
Principles and Practice of		mai	rial			
Arithmetic	UUII	IIIICI	CIUI			
By P. W. Norris, M.A., B.Sc.					Net	7/6
	. •	•	•	•	1460	1/0
Rapid Methods in Arithmet				~		
By John Johnston. Revised	and	Edit	ed b	y G		1,
BUCKNALL, A.C.I.S.	•	٠	· .	•	Net	1/-
Slide Rule Applied to Com			Cald	cula		
tions, The By R. M. Shire	EBY	•	•	•	Net	2/6
Smaller Commercial Arithm	meti	ic				
By C. W. CROOK, B.A., B.Sc.		•			Net	2/-
Answers			-		Net	1/8

BOOK-KEEPING AND ACCOUNTANCY

PRICE
67/6
·
5/-
7/6
20/-
·
2/6
6/-
4/6
10/6
4/-
20/-
ion)
,
30/-
2/-
₩,-
2/-
2/6
4/-
-,
3/-
3/6

Book-keeping and Accountancy—contd.

Desiron Assessed and Di						PRICE
Business Accounts and Fi					NT.4	1,
By W. CAMPBELL, Chartered S	ecrevar	y	•	•	Net	1/-
Business Book-keeping By J. ROUTLEY					Net	3/6
		•	•	•	7400	0/0
Key to Business Book-kee By R. A. GOODMAN.	:bmg				Net	8/6
Club Accounts	•	•	•	•	Men	0/0
By C. A. HOLLIDAY, A.S.A.A.					Net	3/6
Commercial Goodwill	•	•	•	•	1400	0 /0
By P. D. LEAKE, F.C.A.					Net	15/-
Company Accounts	•	•	•	•	1100	10/-
By ARTHUR COLES. Revised	by W	C. V	Voon.			
A.C.I.S.					Net	7/6
Consignments, Account S	ales,	and	Acc	oui	nts	
Current	•					
By E. J. HAMMOND					Net	5/-
Cost Accounting, The Fund	dame	ntals	of P	ro	cess	
By L. A. WIGHT					Net	7/6
Cost Accounts in Principle	e and	Pra	ctice	}		·
By A. CLIFFORD RIDGWAY, F.					Net	5/-
Cost Accounts for the Met	tal In	dust	ry			
By H. E. PARKES, M.Com., A			•		Net	10/6
Cost Accounts in Rubber			ic Tı	rad	les	
By T. W. FAZAKERLEY .					Net	5/
Costing and Price Fixing						
By J. M. SCOTT MAXWELL, B.	Sc., F.	c.w.	A.		Net	6/-
Costing, A Primer of						
By R. J. H. RYALL .	•				Net	5/-
Costing, Dictionary of						
By R. J. H. RYALL .	•				Net	10/6
Costing, Theory and Prac	tice o	f				
By E. W. NEWMAN, F.C.A.					Net	8/6
Costs for Manufacturers						
By C. SMITH					Net	5/-
Currency Accounts in Ster	ling	Root		•	_,,,,	٠,
By C. RALPH CURTIS, Fellow				ı.f		
Bankers	•	. 17000	•		Net	5/-
Depreciation and Wasting	Asse	ts				-,
By P. D. LEAKE, F.C.A.	. 1000			_	Net	15/-
Dictionary of Book-keepin	16		-	•		,
By R. J. Porters, F.C.R.A.	5	_	_		Net	7/6
my at at a contents to corporate	•	•	•	•	_100	•,0

4

Book-keeping and Accountancy—contd.

	PRICE
Estimating. By T. H. HARGRAVE Net	7/6
Full Course in Book-keeping	
By H. W. PORRITT and W. NICKLIN, A.S.A.A. Net	5/-
Graded Book-keeping Exercises for Commercial Schools	
By A. J. FAVELL, B.Sc., A.C.I.S	2/-
Higher Book-keeping and Accounts	•
By H. W. PORRITT and W. Nicklin, A.S.A.A. Net	5/-
Holding Companies	
By A. J. SIMONS, A.C.A. (Hons.) Net	10/6
Hotel Book-keeping	
By M. E. PITCHER Net	2/6
Investigations: Accountancy and Financial	
By J. H. BURTON Net	5/-
Manual of Cost Accounts	
By H. JULIUS LUNT, F.C.A., F.C.I.S., F.C.W.A. Net	7/6
Modern Methods of Stock Control	
By N. GERARD SMITH, M.I.P.E Net	3/6
Notes of Lessons on Book-keeping	-,-
By J. ROUTLEY Net	3/6
Practical Auditing	-,-
By E. E. SPICER, F.C.A., and E. C. PEGLER, F.C.A. Net	21/-
Practical Book-keeping and Commercial	,
Knowledge	
By E. E. SPICER, F.C.A., and E. C. PEGLER, F.C.A. Net	7/6
Principles of Accounts	
By J. Stephenson, M.A., M.Com., D.Sc Part I	3/6
Part II	5/-
Principles of Auditing	
By F. R. M. DE PAULA, O.B.E., F.C.A Net	7/6
Railway Accounts	4
By C. H. NEWTON, F.A.A Net	10/6
Secretarial Book-keeping and Accounts	
By H. E. Colesworthy, A.C.A., A.S.A.A Net	7/6
Sharles's Elementary Book-keeping	0.0
By F. F. Sharles, F.S.A.A., F.C.I.S.	3/6
Shopkeepers' Accounts Simplified	97
By C. D. Cornell Net	2/-
Sinking Funds, Reserve Funds, and Deprecia-	0.0
tion By J. H. Burton Net	3/8

CAREERS, ETC.

		PRICE
Authorship and Journalism		
By Albert E. Bull	Net	3/6
Banking as a Career		
By F. A. WILLMAN, Cert. A.I.B	Net	3/6
Flying as a Career		
By Major O. Stewart, M.C., A.F.C	Net	3/6
Game of Commerce, The		-,-
By Herbert Kendrick	Net	3/6
Hotel and Restaurant Careers for Women		-, -
By Ernest M. Porter	Net	5/-
How to Become an Auctioneer and Estate		-,
Agent		
By W. F. Nokes, F.A.I. Revised by D. McIntyre,		
B.A., LL.B	Net	3/6
How to Become a Company Secretary		-, -
By E. J. HAMMOND	Net	3/6
How to Become a Private Secretary		-,-
By J. E. McLachlan, F.I.P.S. (Hons.)	Net	3/6
How to Become a Qualified Accountant		•,•
By R. A. Witty, F.S.A.A.	Net	3/6
How to Choose Your Career		-,-
By W. LESLIE IVEY, M.C., M.S.M.A	Net	3/6
How to Secure a Good Job		-, -
By W. Leslie Ivey, M.C., M.S.M.A.	Net	3/6
Insurance as a Career. By F. H. Sherriff	Net	3/6
Journalism as a Career		•
Edited by W. T. CRANFIELD	Net	5/-
Stage as a Career, The		
By Donovan Maule	\mathbf{Net}	3/6
CIVIL SERVICE		
Arithmetic for Civil Service Students		
By T. H. TEARE, B.Sc., and F. W. TEARE, B.Sc.		4/
Civil Service Essay Writing		
By W. J. Addis, M.A.	Net	2/6
Civil Service Guide		•
By A. J. LAWFORD JONES	Net	2/6
Copying Manuscript, Orthography, Hand-		
writing, etc. By A. J. LAWFORD JONES .	Net	3/6
Elementary Précis Writing		
By Walter Shawcross, B.A	Net	2/-
English for Civil Servants		•
By Walter Shawcross	Net	2/6
Guide to Indexing and Précis Writing		, -
By W. J. WESTON, M.A., B.Sc., and E. BOWKER	Net	2/-

COMMERCE, ETC.

			PRICE
Business Handwriting. By W. Burton		Net	1/6
Commerce and Accounts			
By Alonza James, F.F.T.Com., F.R.Econ.S.			3/6
Commerce for Commercial and Second Schools	ar	y	·
By A. J. FAVELL, B.Sc. (Econ.), A.C.I.S.	•	•	3/6
Commerce, Stage I			
By A. JAMES, F.F.T.Com., F.R.Econ.S.	•	•	2/6
Commercial Handwriting and Corre-			
spondence. By J. H. and C. KAY .	•	\mathbf{Net}	2/6
Commercial Practice			
By Alfred Schofield, B.Sc. (Econ.)	•	\mathbf{Net}	3/6
How to Succeed in Your Examination			
By W. W. MILLER, B.A. (Lond.)		Net	3/6
How to Study for Examinations			•
By D. Cooper		•	2/-
Manual of Business Training			-
By A. Stephen Noel, F.R.Econ.S		\mathbf{Net}	4/-
Modern Business and Its Methods			•
By W. CAMPBELL, Charlered Secretary .		Net	7/6
Pitman's Popular Guide to Journalism			•,•
By A. Kingston		Net	2/6
Pitman's Practical Journalism	•	2100	2,0
By A. BAKER, M.J.I. Revised by E. A. COPE		Net	3/6
Principles and Practice of Commerce	•	1100	0/0
By James Stephenson, M.A., M.Com., D.Sc.		Net	8/6
Principles of Business			0,0
By JAMES STEPHENSON, M.A., M.Com., D.Sc.			
Part I, Net 2/6; Part II		Net	3/6
Questions and Answers on Commerce.	Ste	ıée I	•
By A. J. FAVELL, B.Sc. (Econ.), A.C.I.S		Net	2/6
Questions and Answers on Commerce. S	ta	ge II	,
By the same Author	•	Net	3/6
Questions and Answers on Business Pr	ac	tice	-,-
By E. J. HAMMOND		Net	5/
Routine of Commerce			-,
By Alfred Schofield, B.Sc. (Econ.) .		Net	4/
Theory and Practice of Commerce			-,
Edited by G. K. BUCKNALL, A.C.I.S. (Hons.)		Net	7/6
Wholesale and Retail Trade	•		•,•
By W. CAMPBELL		Net	5/-

ENGLISH AND COMMERCIAL CORRESPONDENCE

PRICE
3/6
5/-
3/6
1/6
4/-
2/6
3/6
2/-
3/6
2/6
4/6
3/6
2/6
3/6
1/-
3/6
1/-
2/6

English and Commercial Correspondence	-con	td.
		PRICE
Pocket English Dictionary	Net	1/6
Principles and Practice of Commercial Conspondence. By J. STEPHENSON, M.A., M.Com.		7/6
Punctuation as a Means of Expression By A. E. LOVELL, M.A	Net	1/-
Self-Expression in English By John Bennett	Net	2/6
Synonyms and Antonyms, Pitman's Book	of Net	2/6
GEOGRAPHY AND HISTORY		
Commercial Atlas of the World	Net	5/-
Commercial Geography of the World By W. P. RUTTER, M.Com	Net	6/-
Commercial History By J. R. V. MARCHANT, M.A	Net	5/6
Economic Geography By John McFarlane, M.A., M.Com	Net	10/6
Economic Geography, The Principles of By R. N. RUDMOSE BROWN	Net	6/-
Elements of Commercial Geography By C. H. Grant, M.So., F.R.Met.Soc	Net	2/-
Elements of Commercial History By Fred Hall, M.A., B.Com., F.C.I.S.	Net	2/-
Geography of Commerce, The By W. P. RUTTER, M.Com.	Net	5/-
History of Commerce, The By T. G. WILLIAMS, M.A., F.R.Hist.S., F.R.Econ.S.		5/-
Main Currents of Social and Industrial Cha 1870-1924		
By T. G. WILLIAMS, M.A	Net	5/-
Outlines of the Economic History of Englands H. O. Meredith, M.A., M.Com.	and Net	7/6
Principles of Commercial History By J. Stephenson, M.A., M.Com., D.Sc.	Net	7/6
Rise of British Commerce, The By K. G. Lewis, B.A., and N. Branton .		3/6
Statistical Atlas of the World, A By J. STEPHENSON, M.A., M.Com., D.Sc.	Net	7/6

ECONOMICS

Business Economics and Commerce, A Course	PRICE
•	9/
2) 1.1.100mm(dillan, 2.00mm, dillan, 3.00mm, d	3/-
Dictionary of Economic and Banking Terms	E /
By W. J. WESTON, M.A., B.Sc., and A. CREW. Net	5/-
Economics for Business Men	0.0
By W. J. Weston, M.A., B.Sc Net	3/6
Economics of Private Enterprise, The By J. H. Jones, M.A Net	7/6
_ *	7/0
Economics of Production and Exchange	
By James Stephenson, M.A., M.Com., D.Sc.; and N. Branton, B.Com Net	7/6
	1/0
Economics of the Import and Export Trade	۲,
By Hiromu Nagaoka	5/-
Economics of Instalment Trading and Hire	
Purchase. By W. F. CRICK Net	5/-
Economics of the Industrial System	
By H. A. SILVERMAN, B.A Net	7/6
Economics of the Manufacturing Business	
By W. A. STEWART JONES, F.C.W.A., F.S.S	3/6
Economics of the Wholesale and Retail Trade	•
By James Stephenson, M.A., M.Com., D.Sc	5/-
Elements of Political Economy	-,
By H. Hall, B.A Net	2/-
Exercises in Economics	,
By A. Plummer, M.Sc. (Econ.), M.A., LL.D Net	2/-
Guide to Political Economy	~ /
	3/6
	3/0
Industrial Combination in England	10/0
By P Fitzgerald, D.Sc.(Econ.) Net	10/6
International Trade and Tariffs, An	
Introduction to	
By R. A. Hodgson, B.Com. (Lond.) Net	6/-
Introduction to Business Economics	
By J. Stephenson, M.A., M.Com., D.Sc	3/6
Outlines of Central Government	
By John J. Clarke, M.A., F.S.S Net	5/-
Outlines of Local Government of the United	
Kingdom (and the Irish Free State)	
By John J. Clarke, M.A., F.S.S Net	5/-
Substance of Economics, The	-,
By H. A. SILVERMAN, B.A. (Econ.) Net	6/-

BANKING AND FINANCE

Answers to Questions Set at the Everning.	PRICE
Answers to Questions Set at the Examina-	
tions of the Institute of Bankers	
By L. L. M. MINTY, Ph.D., B.Sc., Econ., B.Com.— Foreign Exchange. Part I & Part II Each Net	3/6
	5/-
English Grammar and Composition. Part I Net	3/6
Economics. Part I & Part II Each Net English Grammar and Composition. Part I Net ", " Part II . Net	5/-
Banker as a Lender, The	٠,
By F. E. STEELE Net	5/-
Bankers' Advances	•,
By F. R. STEAD. Revised by C. R. W. Cuckson,	
B.A., LL.B Net	6/-
Bankers' Advances Against Produce	-,
By A. WILLIAMS, A.I.B Net	6/-
Bankers and the Property Statutes of 1925	٠,
and 1926. By R. W Jones Net	6/-
	- •
Bankers' Credits. By W. F. Spalding Net	10/6
Banker's Place in Commerce, The	
By the same Author Net	3/6
Bankers' Securities Against Advances	
By LAWRENCE A. FOGG, Cert. A.I.B Net	6/-
Bankers' Tests. By F. R. STEAD Net	10/6
	10,0
Banking for Advanced Students	P /O
By Percy G. H. Woodruff Net	7/6
Bank Organization, Management, etc.	
By J. F. Davis, M.A., D.Lit., I.L.B. (Lond.) . Net	6/-
Bills of Exchange Act, 1882, The	
By M. H. MEGRAH, B.Com Net	6/
Bills of Exchange Acts, A Practical Exam-	
ination of the. By C. H. FENNELL Net	7/6
Cheques. By C. F. HANNAFORD Net	6/-
Dictionary of Banking. By W. Thomson . Net	30/-
Dictionary of Banking Terms in Three	
Languages, (English-French-German)	
TO T TT M.4	21/-
	~1 /
Dictionary of the World's Currencies and	
Foreign Exchanges	00/
By W. F. Spalding Net	30 /-
Discount Market in London, The	_
By H. W. Greengrass Net	6/
Eastern Exchange, Currency, and Finance	
By W. F. SPALDING Net	15/-

Banking and Finance—contd.

Properties of the Budlish Daulind Contour	PRIO
Economics of the English Banking System By W. J. Weston, M.A., B.Sc Net	E,
	5/-
Elements of Banking. By J. P. GANDY . Net	2/-
English Banking Administration, An Outline o	
By Joseph Sykes, B.A. (Hons.) Net	2/6
English Banking Methods	15/
By L. LE M. MINTY, Ph.D., B.Sc., B.Com. Net	15/-
English Composition and Banking Correspondence	
By L. E. W. O. FULLBROOK-LEGGATT, M.C., B.A. Net	5/-
Foreign Banking Systems	0/-
By H. Parker Willis and B. H. Beckhart . Net	21/-
Foreign Exchange and Foreign Bills in Theory	 /
and in Practice. By W. F. SPALDING . Net	7/6
Foreign Exchange, A Primer of	-,-
By W. F. Spalding Net	3/6
Foreign Exchanges, Arithmetic and Practice	0,0
of the. By A. G. Sugg, Cert. A.I.B Net	3/6
Foreign Trade, The Finance of	9/0
By W. F. Spalding Net	7/6
Functions of Money, The	•,0
By W. F. Spalding Net	7/6
London Money Market, The	-,-
By W. F. SPALDING Net	10/6
Money, Exchange, and Banking	
By H. T. EASTON, A.I.B Net	6/-
Money Machine, The	
By Francis Whitmore, B.Com Net	5/-
Practical Banking, Currency, and Exchange	
By H. E. EVITT, Cert. A.I.B Net	8/6
Principles of Banking, Currency, and Foreign	
Exchange	
By R. H. King, Cert. A.I.B Net	5/-
Securities Clerk in a Branch Bank, The	
By F. J. Lewcock, Cert. A.I.B., A.C.I.S Net	7/6
Theory and Principles of Central Banking, The	10/0
By WILLIAM A. SHAW, Litt.D Net	12/6
Theory and Practice of Finance, The By W. Collin Brooks	10/6
By W. Collin Brooks Net Title Deeds Old and New	TO/O
By Francis R. Stead Net	5/-

INSURANCE

Actuarial Science, The Elements of	PAIOE
By R. E. Underwood, M.B.E., F.I.A No.	et 5 /-
Average Clauses and Fire-Loss Apportion-	·
ments. By E. H. Minnion, F.C.I.I No	et 8/6
Building Construction, Plan Drawing, and	
Surveying in Relation to Fire Insurance	
By D. W. Wood, M.B.E No	et 6 /-
Burglary Risks	100
By E. H. GROUT, B.Sc., A.C.I.I No	et 10/6
Business Man's Guide to Insurance, The	
By A. PHILPOTT No	et 3/6
Casualty Insurance	
By C. J. Crobaugh, M.A., and A. E. Redding, B.S. No.	et 25 /-
Compound Interest, Principles of	
By H. H. Edwards Ne	et 5 /-
Dictionary of Accident Insurance	
Edited by J. B. Welson, LL.M., F.C.I.I., F.C.I.S. Ne	,
Fire Extinguishment and Fire Alarm Systems	8
By R. Northwood Ne	t 7/6
Fire Insurance, Common Hazards of	
By W. G. KUBLER RIDLEY, F.C.I.I Ne	t 5 /-
Fire Insurance, Dictionary of	
Edited by B. C. REMINGTON, F.C.I.I Ne	t 30/-
Fire Insurance, Principles and Practice of	
By F. Godwin Ne	t 5/-
Fire Insurance, The Law of	
By J. ROWLATT, B.A Ne	t 7/6
Fire Policy Drafting and Endorsements	
By W. C. H. DARLEY Ne	t 7/6
Fire Waste. By G. E. KEAY Ne	t 2/6
Guide to Marine Insurance	
By Henry Keate Ne	t 3/6
Insurance	
By T. E. Young, B.A., F.I.A., F.R.A.S Ne	t 10/6
Insurance Office Organization and Routine	,
By J. B. Welson, LL.M., F.C.I.I., F.C.I.S., and F. B	Ĺ.
Sherriff, F.I.A Ne	t 7/6
Insurance of Profits. By A. G. MACKEN . No	t 5/-
Insurance of Public Liability Risks	•
By S. V. Kirkpatrick, F.C.I.I Ne	t 5/-

Insurance-contd.

Law and Drastics as to Eidelity Cyanantees	PRICE
Law and Practice as to Fidelity Guarantees By C. Evans and F. H. Jones Net	6/-
Law of Accident and Contingency Insurance By F. H. Jones Net	7/6
Law of Negligence By J. B. Welson, LL.M., F.C.I.I., F.C.I.S Net	5/-
Law Relating to Insurance Agents and Brokers By J. B. Welson, LL.M., F.C.I.I., F.C.I.S Net	
Life Assurance from Proposal to Policy By H. HOSKING TAYLER, F.I.A., A.C.I.I., and V. W. TYLER, F.I.A.	6/-
Life Assurance, Dictionary of Edited by G. W. RICHMOND, F.I.A., and F. H. SHERRIFF, F.I.A Net	50 /–
Life Assurance, Guide to By S. G. LEIGH, F.I.A Net	5/-
Marine Insurance of Goods, The By F. W. S. POOLE Net	15/-
Pension and Superannuation Funds, Their Formation and Administration Explained By Bernard Robertson, F.I.A., and H. Samuels Net	5/-
Pension, Endowment, Life Assurance, and Other Schemes for Employees By H. DOUGHARTY, F.C.I.I Net	6/-
Personal Accident, Disease, and Sickness Insurance, The Principles and Practice of	9,
By J. B. Welson, LL.M Net Physiology and Anatomy	5/-
By H. GARDINER, M.S., F.R.C.S Net	10/6
Principles and Practice of Accident Insurance By G. E. Banfield, A.C.I.I Net	6/-
Principles of Insurance. By J. Alfred Eke Net	5/-
Successful Insurance Agent, The By J. J. BISGOOD, B.A., F.C.I.S Net	2/6
Talks on Insurance Law By J. A. Watson, B.Sc., LL.B Net	3/6
Workmen's Compensation Insurance By C. E. GOLDING, LL.D., F.C.L., F.S.S. Net.	5/-

SHIPPING

Cons and English Conta	PRICE
Case and Freight Costs By A. W. E. Crosfield Net	2/-
Exporter's Handbook and Glossary, The	e/-
By F. M. Dudeney Net	7/6
How to French Cooks	•
Trans to Turn and Can to	2/-
	2/6
Importer's Handbook, The. By J. A. DUNNAGE Net	10/6
Manual of Exporting	10/0
By J. A. DUNNAGE, F.S.S., F.C.I., A.M.Inst.T Net	10/6
Shipbroking, Introduction to By C. D. MacMurray and M. M. Cree Net	3/6
	9/0
Shipping. By A. Hall, F.I.C.S. and F. Heywood, F.C.I.S Net	2/-
Shipping and Shipbroking	₩,
By C. D. MacMurray and M. M. Cree Net	15/-
Shipping Business Methods	,
By R. B. Paul Net	5/-
Shipping Finance and Accounts	
By R. B. PAUL Net	2/6
Shipping Office Organization, Management,	•
and Accounts. By ALFRED CALVERT Net	6/-
Shipping Practice. By E. F. STEVENS Net	7/6
Shipping Terms and Phrases	•,0
By J. A. DUNNAGE Net	2/6
INCOME TAX	
Income Tax Law, Practice, and Administration	
By F. F. Sharles, F.S.A.A.: R. P. CROOM-JOHNSON.	
LL.B., K.C.; L. C. GRAHAM-DIXON, of the Inner Temple,	
Barrister-at-Law, and W. J. Eccorr, Two Volumes Net	84 /
Dictionary of Income Tax and Sur-Tax Practice	
By W. E. SNELLING Net	25/-
Income Tax, Introduction to	
By E. D. FRYER, A.L.A.A Net	2/6
Income Tax, Notes on	0.10
By W. S. CARRINGTON, Chartered Accountant . Net	3/6
Income Tax, Snelling's Practical	0./0
By C. W. CHIVERS Net	3/6
Income Tax Handbook for Company Secretaries	s 5/-
By C. W. Chivers Net	0/-

SECRETARIAL WORK, ETC.

Chairman's Manual	PRICE
By Gurdon Palin, and Ernest Martin, F.C.I.S. Net	5/-
Company Registrar's Manual, The	9/-
By J. J. Quinlivan Net	10/6
Company Secretarial Routine	10/0
By C. C. Walford, A.S.A.A., A.C.I.S Net	1/-
Company Secretarial Work	- /-
By E. MARTIN, F.C.I.S Net	2/-
Company Secretary's Vade Mecum	~ /-
Edited by P. Tovey. Revised by C. W. Adams,	
A.C.I.S Net	3/6
Dictionary of Secretarial Law and Practice	•
Edited by PHILIP TOVEY, F.C.I.S Net	50/-
Examination Notes on Secretarial Practice	
By C. W. Adams, A.C.I.S Net	2/6
Formation and Management of a Private	
Company. By F. D. HEAD, B.A Net	7/6
Guide for the Company Secretary	•
By ARTHUR COLES. Revised by W. CECIL WOOD,	
A.C.I.S Net	6/-
Guide to Company Secretarial Work	
By O. OLDHAM, A.C.I.S. Revised by G. K. BUCKNALL,	0.40
A.C.I.S. (Hons.) Net Honorary Secretaryship. By W. B. Thorne Net	3/6
Tion to Take Minutes	2/6
How to Take Minutes	0.0
Edited by E. Martin, F.C.I.S Net	2/6
Meetings. By F. D. HEAD, B.A Net	5/
Practical Directorship	
By H. E. Colesworthy, A.C.A., A.S.A.A Net	10/6
Practical Secretarial Work	
By H. I. LEE, A.I.S.A., and W. N. BARR Net	7/6
Practical Share Transfer Work	0.0
By F. W. Lidington Net	3/6
Prospectuses: How to Read and Understand	
Them. By PHILIP TOVEY, F.C.I.S., and H. LAMBERT	E /
SMITH, B.Sc Net Questions and Answers on Secretarial Practice	5/
By E. J. HAMMOND. Revised by G. K. BUCKNALL,	
A.C.I.S. (Hons.) Net	7/6
Secretary's Handbook	•,0
Edited by Sir H. E. Blain, C.B.E Net	5/_
Share Transfer Audits. By R. A. DAVIES, A.C.I.S. Net	3/6
Transfer of Stocks, Shares, and Other	
Marketable Securities. By F. D. HEAD, B.A. Net	7/8

INDUSTRIAL ADMINISTRATION

Distinguity of Industrial Administration	PRICE
Dictionary of Industrial Administration Edited by J. Lee, C.B.E., M.A., M.Com.Sc. Two	
Vols Net	63/-
Business Rationalization	50,
By Charles S. Myers, C.B.E., M.A., Sc.D., F.R.S. Net	3/6
Causes of Accidents, The	0,0
By Eric Farmer, M.A Net	3/6
Engineering Factory Supplies	0,0
By W. J. Hiscox Net	5/-
·	U /
Factory Administration in Practice By W. J. Hiscox Net	0/0
	8/6
Factory Lay-Out, Planning and Progress	P1 /0
By W. J. Hiscox Net	7/6
Factory Organization	
By C. H. NORTHCOTT, M.A., Ph.D., O. SHELDON, B.A., J. W. WARDROPPER, B.Sc., B.Com., A.C.W.A., and	
L. URWICK, M.A Net	7/6
Fair Wage, A. By E. BATTEN Net	2/6
Industrial Organization, The Evolution of	2 /0
By B. F. SHIELDS, M.A Net	10/6
Industrial Psychology in Practice	10/0
By HENRY J. WELCH, and G. H. MILES, D.Sc Net	7/6
Introduction to Industrial Administration, An	1/0
By J. LEE, C.B.E., M.A., M.Com.Sc Net	5/-
Key to Prosperity. By J. R. CRAM Net	2/6
Labour Organization. By J. Cunnison, M.A Net	7/6
Management	
By J. Lee, C.B.E., M.A., M.Com.Sc Net	5/-
Main Cause of Unemployment, A	
By P. C. LOFTUS Net	2/-
Muscular Work, Fatigue, and Recovery	
By G. P. CROWDEN, M.Sc., M.R.C.S., L.R.C.P Net	3/6
New Leadership in Industry, The	
By S. A. Lewisohn Net	7/6
Outlines of Industrial Administration	
By R. O. HERFORD, H. T. HILDAGE, and H. G.	
JENKINS Net	6/-
Philosophy of Management, The	
By OLIVER SHELDON, B.A Net	10/6
Problem of Incentives in Industry, The	
By G. H. Miles, D.Sc Net	3/6

Industrial Administration-contd.

Principles of Industrial Administration, An Introduction to	n	PRICE
By A. P. M. FLEMING, C.B.E., M.Sc., M.I.E.E., H. J. BROCKLEHURST, M.Eng., A.M.I.E.E.	and Net	3/6
Principles of Industrial Welfare		
	Net	5/-
Rationalization	 .	• ,
	Net	1/-
Sharing Profits With Employees	Net	10/6
By J. A. Bowie, M.A., D.Litt	Men	10/0
	Net	5/-
BUSINESS ORGANIZATION ANI		O,
	_	
MANAGEMENT		
Business Management. By Percival White	Net	15/-
Business Organization and Routine		
• • • • • • • • • • • • • • • • • • • •	\mathbf{Net}	1/-
Clubs and Their Management		
	Net	10/6
Colliery Office Organization and Accounts		
	Net	7/6
Commercial Management		
	\mathbf{Net}	10/6
_,	Net	3/6
Flour Milling Industry, Organization and		
Management of the. By E. L. Pearson.	Net	12/6
Hire Purchase. By HAROLD W. ELEY	Net	1/~
Hire Purchase Organization and Manageme	ent	
By V. R. Fox-Smith	\mathbf{Net}	7/6
Hire Purchase Trading		
	\mathbf{Net}	10/6
Hotel Organization, Management, and		
Accountancy		
By G. DE BONI, and F. F. SHARLES, F.S.A.A.,	NT_A	10/0
1.012.01	\mathbf{Net}	10/6
How to Manage a Private Hotel	Net	3/6
D, I, Hobbs		9/0
How to Organize Bazaars, Concerts, Fêtes	5,	
Exhibitions, etc.	Net	6/
By F. Attfield Fawkes	LICU	U/-

Business Organization and Manag	eme	nt-	-con	td.
Madam Office Manadament				PRICE
Modern Office Management			NT.A	P9 /D
By H. W. SIMPSON, F.C.I.S.	•	•	Net	7/6
Multiple Shop Organization By A. E. Hammond			Net	6/-
Office Organization and Manageme	nt,			
Including Secretarial Work	•			
By LAWRENCE R. DICKSEE, M.Com.,	F.C.A	.,,	and	
SIR H. E. BLAIN, C.B.E.	•	•	Net	7/6
Organization of a Small Business,	The			
By W. A. Smith, A.C.W.A	•	•	Net	2/6
Retail Shop, The				
By C. L. T. BEECHING, O.B.E., F.G.I.			\mathbf{Net}	1/-
Self-Organization for Business Mer	1			
By Morley Dainow, B.Sc. (Hons.), Lond.			Net	5/-
Selling by Post				
By HAROLD W. ELEY			Net	1/-
Solicitor's Office Organization, Mar	1agei	me	nt.	,
and Accounts	8			
By E. A. COPE and H. W. H. ROBINS			Net	6/-
Stockbroker's Office, The				
By J. E. DAY			Net	7/6
Stores Accounts and Stores Control	1	-		•,-
By J. H. Burton			Net	5/-
2, 0, 11, 20,000	•	٠	2100	•,
MUNICIPAL WORK	2			
Local Government of the United Kin	- ทธ์สัก	m		
and the Irish Free State, The	uguv		,	
By J. J. CLARKE, M.A., F.S.S.	_	_	Net	12/6
Municipal Accounting Systems	•	•		
By S. WHITEHEAD, A.S.A.A			Net	5/-
Municipal Audit Programmes	•	•		٠,
By the same Author	_	_	Net	5/-
Municipal Book-keeping	•	•	2.00	•,
By J. H. McCall, F.S.A.A.	_	_	Net	7/6
Municipal and Local Government L	sw	•		•,•
By H. E. SMITH, LL.B			Net	10/6
Municipal Organization	-	-		
By M. H. Cox, LL.B			Net	5/-
Municipal Student's Examination 1	Notel	้า		-,
Ry S Whimpuran A S A A			Not.	7/8

Municipal Work-contd.

			PRICE
Municipal Series			
Edited by WILLIAM BATESON, A.C.A., F.S.A.A.		46.	
Describes the Organization and Administration Various Departments of a Municipality.	ш	ице	
Education Department		NT-A	710
By A. E. IKIN, B.Sc., I.L.D.	•	Net	7/6
Electricity Undertaking By C. L. E. Stewart, M.I.E.E.		Net	Q I
Finance Department	•	Net	6/
By W. Bateson, A.C.A., F.S.A.A.		Net	7/6
Gas Undertaking	•	1100	1/0
By E. Upton, F.S.A.A		Net	5/-
Municipal Engineer and Surveyor's	•	1100	U -
Department. By E. J. Elford .		NT-4	18/0
	•	Net	10/6
Public Health Department		Not	Q I
By W. A. LEONARD	•	Net	6/–
Rating Department		NT-4	z ,
By A. H. PEACOCK, M.A., A.S.A.A.	•	Net	5/–
Town Clerk's Department and the			
Justices' Clerk's Department		NT.A	m 10
By A. S. WRIGHT and E. H. SINGLETON	•	Net	7/6
Tramways Department		NT-4	Ω,
By S. B. N. Marsh	•	Net	6/-
Waterworks Undertaking By F. J. Alban, F.S.A.A., F.I.M.T.A., A.C.I.	a	NTak	10/8
Dy F. J. ALBAN, F.S.A.A., F.I.M.I.A., A.U.I.	Э.	Nev	10/6
ADVERTISING AND COMMERCIA	L	ART	•
			•
Advertisement Lay-Out and Copy-Writing	ng	37.4	4 P ,
By A. J. WATKINS	•	Net	15/-
Advertisements, The Lay-out of			
By R. H. W. Cox	•	Net	10/6
Advertising Procedure. By O. KLEPPNER		Net	21/-
Advertising Through the Press			·
By N. HUNTER		Net	5/-
Art in Advertising			-,
By Dorothy E. M. Holdich and Ernest W			
TWINING		Net	25/-
Business Man's Guide to Advertising			
By A. E. Bull		Net	3/6
Craft of Silent Salesmanship			•
By C. MAXWELL TREGURTHA and J. W. FRINGS		Net	5/-

Advertising and Commercial Art—con		
Designs, Book of	PRIC	æ
	Net 16 /	/
Dictionary of Advertising and Printing, The	•	
	Vet 42/	/_
Effective Postal Publicity		
- ,	Vet 7/	6
Hints and Tips for Commercial Artists	. .	
	Vet 5 /	-
Language of Advertising, The By J. B. Opdycke	Net 15 /	,
Law Relating to Advertising, The	Net 15 /	_
	Net 7/	R
	Net 12/	
Lettering, Plain and Ornamental	100 100	٠
	Net 3/	6
Modern Lettering from A to Z	-,	
	Vet 12/	6
Practical Points in Postal Publicity		
	Tet 7/	
	Net 3/	6
Ticket and Showcard Designing		
_, _, _, _ , _ , _ , _ ,	Tet 3/	6
Training in Commercial Art	T-4 01 /	,
_,	Tet 21/	
-, -, -,,,,,,,,	let 2/	b
SALESMANSHIP		
Building Retail Sales. By C. C. KNIGHTS . N	let 5 /-	_
Commercial Travelling. By A. E. Bull . N	Tet 3/	6
Craft of Silent Salesmanship		•
•	Tet 5 /-	_
Direct Mail Advertising for the Retail Trade	r	
•	Tet 7/	6
Mail Order and Instalment Trading		_
	let 7/	6
Mail Order Organization By P. E. Wilson	Tet 3/0	R
Modern Sales Correspondence	100 3 /1	U
	let 5 /-	_
More Sales Through the Window	-,	
	[et 5 /-	_
21		

Salesmanship—contd.

Outline of Calca Manadamant An			PRICE
Outline of Sales Management, An By C. C. Knights, Sales Consultant .		Net	5/-
Personal Salesmanship	•	1460	J/
By R. SIMMAT, M.A		Net	5/
Practical Aids to Retail Selling	•		Ο,
By A. EDWARD HAMMOND		Net	7/6
Practical Salesmanship			.,-
By N. C. Fowler, Junr	•	Net	7/6
Psychology as a Sales Factor			
By A. J. GREENLY	•	\mathbf{Net}	10/6
Retail Distribution, Principles of		~~ .	٠.
By S. A. WILLIAMS, M.A	•	\mathbf{Net}	5/-
Retail Management. By C. L. Bolling.	•	\mathbf{Net}	15/-
Retail Salesmanship. By C. L. Bolling		\mathbf{Net}	7/6
Sales Management. By C. L. Bolling		\mathbf{Net}	10/6
Salesmanship			
By W. A. Corbion and G. E. GRIMSDALE	•	Net	3/6
Salesmanship. By William Maxwell .	•	\mathbf{Net}	5/-
Salesmanship, Technique of			
By C. C. KNIGHTS	•	Net	5/-
Shop Fittings and Display			_
By A. E. HAMMOND	•	Net	5/-
Successful Retailing. By E. N. SIMONS	•	\mathbf{Net}	5/-
Training for More Sales			. .
By C. C. Knights, Sales Consultant .	•	Net	5/-
Training for Travelling Salesmen			
By F. W. Shrubsall	•	Net	2/6
TRANSPORT			
Canals and Inland Waterways			
By George Cadbury and S. P. Dobbs, B.A.	•	Net	7/6
Commercial Air Transport			
By LIEUT-COL. IVO EDWARDS, C.M.G., and F.	Ty:		CH /O
M.C., A.F.R.Ae.S	'h^	Net	7/6
History and Economics of Transport, T By A. W. Kirkaldy, M.A., B.Litt., M.Con	ne	and	
A. D. Evans	٠.,	Net	16/-
How to Make the British Railways Pay			,
By M. F. Farrar		Net	3/6
Industrial Traffic Management			•
By G. B. LISSENDEN		Net	25/-

Transport-contd.

***	PRICE
Modern Dock Operation	
By D. Ross-Johnson, C.B.E., V.D., M.Inst.I Net	6/-
Modern Railway Operation	
By D. R. LAMB, M.Inst.T Net	7/6
Port Economics	•
By B. Cunningham, D.Sc., B.E., F.R.S.E.,	
M.Inst.C.E Net	6/-
Railway Electrification and Traffic Problems	
By P. Burtt, M.Inst.T Net	10/6
Railway Rates: Principles and Problems	
By P. Burtt, M.Inst.T Net	6/-
Railway Statistics: Their Compilation and	•
Use. By A. E. Kirkus, O.B.E., M.Inst.T Net	5/-
Rights and Duties of Transport Undertakings	•
By H. B. DAVIES, M.A Net	5/-
Road Making and Road Using	•
By T. Salkield, M.Inst.C.E., M.Inst.T Net	7/6
Road Transport Operation—Passenger	•
By R. STUART PILCHER, F.R.S.E., M.Inst.T Net	10/6
Traders' Rail Charges Up to Date	•
By J. W. PARKER, A.M.Inst.T Net	3/6
Transport Management, Practical	•
By Andrew Hastie Net	10/6
·	•
LAW	
A. S. J.	
Administration of Estates, The	٠.
By A. H. Cosway Net	5/-
Air and Aviation Law (Civil Aviation)	m .a
By Wm. Marshall Freeman, Barrister-at-Law. Net	7/6
Bankruptcy, Deeds of Arrangement, etc.	10.0
By W. VALENTINE BALL, M.A., Barrister-at-Law Net	12/6
Bills, Cheques, and Notes	
By J. A. SLATER, B.A., LL.B. (Lond.). Revised by	_
L. LE M. MINTY, Ph.D., B.Sc., B.Com., LL.B Net	5 -
Business Tenant, The	
By Edward S. Cox-Sinclair, and T. Hynes . Net	7/6
Commercial Law of England, The	
By J. A. SLATER, B.A., LL.B. (Lond.) . Net	3/6
Companies and Company Law	
By A. C. CONNELL, LL.B. (Lond.). Revised by W. E.	•
WITKINSON LLD Net	R/_

Law-contd.

O	PRIC
Company Law	_
By D. F. DE L'HOSTE RANKING, M.A., LL.D., an	d .
ERNEST EVAN SPICER, F.C.A No	et 10/-
Elements of Commercial Law, The	_
By A. H. Douglas, LL.B. (Lond.) Ne	et 2/-
Elementary Law	
By E. A. COPE. Revised by H. COSWAY . No	t 4/-
Examination Notes on Commercial Law	•
By R. W. HOLLAND, O.B.E., M.A., M.Sc., LL.D Ne	t 2/6
Examination Notes on Company Law	,
By R. W. Holland, O.B.E., M.A., M.Sc., LL.D Ne	t 2/6
Executorship Law and Accounts	υ <i>ω</i> /υ
D- D T pp Litterm Diverse MA II D	
By D. F. DE L'HOSTE RANKING, M.A., LL.D., E. E. SPICER, F.C.A., and E. C. PEGLER, F.C.A. Ne	t 15 /-
Guide to Bankruptcy Law and Winding Up of	"
Companies	
By F. Porter Fausset, M.A., Barrister-at-Law Ne	t 5/-
Guide to Company Law	
By R. W. HOLLAND, O.B.E., M.A., M.Sc., LL.D Ne	t 3/6
Introduction to Commercial Law	
By Norman A. Webb, B.Sc	. 5/-
Law for Journalists	
By Charles Pilley, Barrister-at-Law . Ne	t 5 /
Law for the House-Owner	- •,
By A. H. Cosway Ne	t 2/6
	<i>L</i> /0
Law of Arbitration and Awards	
By H. S. Palmer, M.A. (Oxon) Ne	6/-
Law of Contract, The	
By R. W. HOLLAND, O.B.E., M.A., M.Sc., LL.D. Ne	t 5/-
Law of Gaming and Betting	
By C. F. Shoolbread, B.A., LL.B., Barrister-at-Law Ne	t 10 /6
	0 10/0
Law of Joint Stock Companies	L 19/0
By W. J. WESTON, M.A., B.Sc., Barrister-at-Law . New	t 7/6
Law of Master and Servant	
By F. R. BATT, LL.M Ne	t 10/6
Law of the Sale of Goods	
By C. G. Austin, B.A. (Oxon) Ne	t 5 /-
	• •
Law Relating to Building and Contracts	. 10/0
By W. T. CRESWELL, Barrister-at-Law . New	t 12/6
Law Relating to Industry	
By H. SAMUELS, M.A., Barrister-at-Law New	t 15/-
Law Relating to Restraint of Trade	
By R. YORKE HEDGES, LL.M., Barrister-at-Law Ne	t 7/6

Law-contd.

Legal Terms, Phrases, and Abbreviations By E. A. COPE Net 3/- Liquidator's Index and Summary of the Companies Act and Winding Up Rules, 1929 By John H. Senior, F.C.A., and H. M. Pratt Net 15/- Manual of Company Law and Practice By Leslie Maddock, Barrister-at-Law . Net 10/6
Companies Act and Winding Up Rules, 1929 By John H. Senior, F.C.A., and H. M. Pratt Net 15/ Manual of Company Law and Practice By Leslie Maddock, Barrister-at-Law Net 10/
Manual of Company Law and Practice By Leslie Maddock, Barrister-at-Law Net 10/0
By Leslie Maddock, Barrister-at-Law Net 10/0
Partnership Law and Accounts
By R. W. Holland, O.B.E., M.A., M.Sc., LL.D. Net 6/-
Principles of Marine Law
By Lawrence Duckworth, Revised by W. Marshall Freeman Net 7/0
Questions and Answers on Commercial Law
By R. W. Holland, O.B.E., M.A., M.Sc., LL.D. Net 5/-
Rights and Duties of Liquidators, Trustees, and Receivers, The
By D. F. DE L'HOSTE RANKING, M.A., LL.D., ERNEST E SPICER, F.C.A., and ERNEST C. PEGLER, F.C.A. Net 15/-
Slater's Mercantile Law Revised by R. W. Holland, O.B.E., M.A., M.Sc., LL.D., and R. H. Code Holland, B.A., Barrister-
at-Law Net 7/0
Solicitor's Clerk's Guide By E. A. COPE. Revised by F. G. W. LESTER . Net 4/-
Trade Mark Law and Practice By A. W. GRIFFITHS, B.Sc. (Eng.), Lond Net 10/0
•
Trusts: Law, Administration, and Accounts By C. Kelly and J. Cole-Hamilton Net 15/-
Wills By R. W. Holland, O.B.E., M.A., M.Sc., LL.D. Net 2/6
REFERENCE BOOKS
D. 1. 1. C.M. I Duratura Miles
Bedrock of Modern Business, The By James Stephenson, M.A., M.Com., D.Sc Net . 7/6
Business Charts By T. G. Rose, A.M.I.Mech.E Net 10/6
Business Cycles. The Problem and Its Setting
By W. C. MITCHELL Net 30/-
Business Forecasting and Its Practical Appli-
cation. By W. Wallace, M.Com. (Lond.) . Net 7/6

Reference Books-contd.

Business Man's Encyclopaedia and Diction of Commerce			PRICI
Edited by Frank Heywood, F.C.I.S. Two Vol	s.	Net	30/-
Business Man's Guide, Pitman's .	•	Net	6/-
Business Statistics By R. W. Holland, O.B.E., M.A., M.Sc., LL.I	Э.	Net	3/6
Business Terms, Phrases, etc.		Net	3/6
Buying and Selling a Business By A. H. Cosway		Net	3/6
Commercial Credits and Accounts Colle	ct	ion	-,-
By Cuthbert Greig		Net	10/6
Charting, Manual of		Net	6/-
Charts and Graphs By Karl G. Karsten, B.A. (Oxon)		Net	25/-
Commercial Arbitrations By E. J. Parry, B.Sc., F.I.C., F.C.S.		Net	3/6
Commercial Commodities By F. Matthews, B.Sc., A.I.C., F.C.S.		Net	12/6
Commercial Self-Educator Edited by R. W. Holland, O.B.E., M.A., M.Sc., Three Vols.	LI	L.D. Net	4 5/-
Commodities of Commerce By J. A. SLATER, B.A., LL.B		Net	6/-
Cotton World, The Compiled and Edited by J. A. TODD, M.A., B.L.	•	Net	5/-
Dictionary of the World's Commercial Products			
By J. H. VANSTONE, F.R.G.S		Net	5/-
Discount, Commission, and Brokerage T	'al	bles	
By Ernest Heavingham	•	Net	1/6
Documents of Commerce		37.4	N /0
By F. A. WILLMAN, Cert. A.I.B	•	Net	7/6
Guide to the Improvement of the Memor By the late Rev. J. H. BACON	г у	Net	1/6
Handbook on Wills, A. By A. H. Cosway		Net	2/6
How to Collect Accounts by Letter	-		, 5
By C. HANNEFORD-SMITH		Net	3/6
How to Grant Credit. By CUTHBERT GREIG		Net	3/6

Reference Books-contd.

T 4 1 3 5 1 1779	PRICE
Investor's Manual, The	3/6
By W. W. Wall, F.S.S., F.J.I Net Markets of London. By Cuthbert Maughan . Net	6/-
7. F	,
	1/6
Money and the Stock and Share Markets, The By EMIL DAVIES Net	2/-
Money Making in Stocks and Shares	₩/
By Sydney A. Moseley Net	7/6
Office Desk Book, Pitman's · · · Net	2/6
Poley's Law and Practice of the Stock Exchange By R. H. Code Holland, B.A., of the Middle Temple, Barrister-at-Law, and John N. Werry Net	15/
Raw Materials of Commerce In 2 vols. Edited by J. H. VANSTONE, F.R.G.S. Net	40/-
Report Writing By Carl G. Gaum, M.E., and Harold F. Graves, M.A.	
Romance of World Trade, The	12/6
By A. P. Dennis, Ph.D., LL.D Net	15/-
Root Principles of Investment, The By H. Cope West Net	15/-
Speak in Public, How to	
By C. F. CARR and F. E. STEVENS Net	3/6
Statistics By WILLIAM VERNON LOVITT, Ph.D., and HENRY F. HOLTZCLAW, Ph.D Net	15/-
Statistics and Their Application to Commerce	10/-
By A. L. Boddington Net	12/6
Types of Business Enterprise	•
By M. C. Cross, LL.B., Ph.D Net	21/-
PITMAN'S ECONOMICS SERIES	
General Editor: Professor J. H. Jones, M.A. Professor of Economics and Head of the Commerce Departm University of Leeds	ent,
A Primer of Economic Geography By L. W. LYDE, M.A., F.R.G.S., F.R.S.G.S Net	5/-
British Economists	
By Francis C. Hood, M.A Net	2/6
Business Forecasting By J. H. RICHARDSON, M.A., Ph.D Net	2/6

Pitman's Economic Series—con	td.	
Currency and Banking		PRICE
By D. T. JACK, M.A	. Net	5/-
Economic Functions of the State		 .
By R. H. SOLTAU, M.A	. Net	5/
Finding Capital for Business By DAVID FINNIE, M.A., C.A	. Net	2/6
International Trade By D. T. Jack, M.A	. Net	2/6
Methods of Remuneration By R. Wilson, M.A., B.Sc	. Net	2/6
Overhead Costs By Sir Henry N. Bunbury, K.C.B.	. Net	2/6
Production By Hubert Phillip, M.A. (Oxon)	. Net	5/-
Public Industries	. 1100	0,
By Sir Henry N. Bunbury, K.C.B	Net	2/6
Socialism By Robert Richards	. Net	2/6
Transport and Communications By K. G. Fenelon, M.A., Ph.D.	. Net	2/6
Value and Distribution By Hubert Phillips, M.A. (Oxon)	Net	5/-
PITMAN'S "ART AND LIFE"	,, 	
SERIES		
General Editor: WRIGHT WATTS MILLER, B. (First Class Honours), M.Ed., Mancheste		don
Architecture : A New World		
By RAYMOND McGrath, B.Arch., A.R.I.B.A	\mathbf{Net}	5/-
Art: An Introduction to Appreciation By RAYMOND COXON, A.R.C.A	Net	5/-
Books: An Introduction to Reading By Wright Watts Miller, B.A. (Lond.), M.Ed.		
(Manchester)	Net	5/-
Economics: The Study of Wealth By A. L. Gordon Mackay, M.Litt., M.A., M.Econ.	. Net	5/-
Films: The Way of the Cinema By Andrew Buchanan	Net	5/-
The Playhouse: A Book of the Theatre	Net	5/-

FOREIGN LANGUAGES

FRENCH

Progressive French Grammar		PRICE
	Net	5/6
Commercial French Grammar		
By F. W. M. DRAPER, M.A., L. ès. L.	Net	2/6
French-English and English-French		
Commercial Dictionary		
By F. W. SMITH	Net	7/6
Handbook to French Examinations	37.4	0.40
By E. DONALD NISBET, B.A., Hons. (Lond.) .	Net	2/6
GERMAN		
Commercial German Grammar		
By J. Bithell, M.A	Net	3/6
German-English and English-German		
Commercial Dictionary		
By J. BITHELL, M.A	Net	16/-
Commercial Correspondence in German.	Net	3/6
SPANISH		
Spanish Commercial Grammar		
By C. A. Toledano	Net	4/6
Spanish-English and English-Spanish	1100	4 /U
Commercial Dictionary		
By G. R. MACDONALD	Net	12/6
Manual of Spanish Commercial Correspondent		
By G. R. MACDONALD	Net	4/6
ITALIAN		-, -
Italian Commercial Grammar	37 . 4	
By Luigi Ricci	Net	4/-
Italian-English and English-Italian		
Commercial Dictionary	NT.4	00.
By G. R. Macdonald	Net	30/-
Mercantile Correspondence, English-Italia	III Net	E,
PORTUGUESE	Nev	5/-
Portuguese-English and English-Portugue	200	
Commercial Dictionary	-3C	
By F. W. SMITH	Net	16/-
Mercantile Correspondence, English-Por	·f11-	10/-
guese	Net	3/6
Page	TAGA	9/0

PITMAN'S SHORTHAND

			PRICE
Pitman's Shorthand Instructor .			4/6
Pitman's Shorthand Commercial Cours	e		4/6
Pitman's Shorthand Rapid Course		•	4/6
Shorter Course in Pitman's Shorthand			1/-
Shorthand Dictionary	•	•	7/6
TYPEWRITING			
Pitman's Commercial Typewriting			
By W. and E. Walmsley	•	•	5/-
Pitman's Typewriter Manual			5/-
Business Typewriting			
By F. Heelis	•	•	2/-
Advanced Typewriting			
By the same Author	•	•	3/6
Dictionary of Typewriting			
By H. ETHERIDGE, Revised by MAXWELL CROOK FREDERICK DAWSON	s a	na .	6/-
Typist's Companion, The		•	O,
By Maxwell Crooks, F.Inc.T.T., F.I.P.S.		Net	2/-
Touch Typewriting for Teachers			,
By the same Author		Net	7/6
Book of the Underwood Typewriter, The	е		
By the same Author	•	Net	2/6
Touch Typewriting Exercises			
By T. J. Simons, F.C.T.S., F.I.P.S	•	•	1/6
Pitman's Keyboard Mastery Course			
By MAXWELL CROOKS. The book is prepared with Pitman's Gramophone Course of Keyboa	$_{rd}^{\mathrm{for}}$	$\frac{\text{use}}{In}$	4.0
struction. In large post 4to	• .	•	1/6
Pitman's Gramophone Course of Typev Keyboard Instruction	/ri	ter	
Arranged by the same Author			
Complete, in strong case, together with one construction Book. Comprising twelve 10-in. r	ру eco	oı rds	
(six discs)		Net	35/-

COMMON COMMODITIES AND INDUSTRIES

Each book in crown 8vo, illustrated 3s, net

In each of the handbooks in this series a particular product or industry is treated by an expert writer and practical man of business. Beginning with the life history of the plant, or other natural product, he follows its development until it becomes a commercial commodity, and so on through the various phases of its sale in the market and its purchase by the consumer.

Asbestos. (SUMMERS) Bookbinding Craft and Industry. (HARRISON) Books-From the MS, to the Bookseller. (Young) Boot and Shoe Industry. The. (HARD Bread and Bread Baking (STEWART) Brushmaker. The. (KIDDIER) Butter and Cheese. (TISDALE and JONES) Button Industry, The. (JONES) Carpets (Brinton) Clays and Clay Products. (SEARLE) Clocks and Watches. (OVERTON) Clothing Industry. The. (Poole) Cloths and the Cloth Trade. (HUNTER) Coal. (WILSON) QUILTER) Coal Tar. (WARNES) (SMYTHE) Coffee From Grower to Consumer. (Keable) Cold Storage and Ice Making. (SPRINGETT) Concrete and Reinforced · Concrete. (TWELVETREES) Copper-From the Ore to the Metal. (PICARD) Cordage and Cordage Hemp and Fibres. (WOODHOUSE and KIL GOUR) Corn Trade, The British, (BARKER) (PARRY) Cotton (PEAKE) Cotton Spinning. (WADE) Drugs in Commerce. (HUMPHREY) Dyes. (HALL)

Engraving. (Lascelles) Explosives, Modern (LEVY) Fertilizers. (CAVE) Fishing Industry. The. (GIBBS) Furniture. (BINSTEAD) Furs and the Fur Trade. (SACHS) Gas and Gas Making. (WEBBER) Glass and Glass Making. (WARSON) Gloves and the Glove Trade (ELLIS) Gold. (WHITE) Gums and Resins (PARRY) Iron and Steel. (Hoop) Ironfounding. (WHITELEY) Jute Industry. The. (WOODHOUSE and KILGOUR) Knitted Fabrics. (CHAMBERLAIN and Lead including Lead Pigments Leather. (ADCOCK) Linen. (Moore) Locks and Lock Making. (BUTTER) Match Industry, The. (DIXON) Meat Industry, The. (WOOD) Oils. (MITCHELL) Paints and Varnishes. (Jennings) Paper. (MADDOX) Perfumery. The Raw Materials of. Photography. (Gamble) Platinum Metals. The (SMITH) Potterv. (Noke and PLANT) Rice. (DOUGLAS.)

Common Commodities and Industries-contd.

Rubber. (STEVENS and STEVENS.) Textile Bleaching, (STEVEN.) Salt. (CALVERT.) Timber. (BULLOCK.) Silk. (HOOPER.) Tin and the Tin Industry. (MUNDEY.) SOAD. (SIMMONS.) Tobacco. (TANNER.) (Revised by Sponges. (CRESSWELL.) DREW.) Starch and Starch Products. (AUDEN.) Weaving. (CRANKSHAW.) Stones and Quarries. (Howe.) Wheat and Its Products. (MILLAR.) Sugar. (MARTINEAU.) (Revised by Wine and the Wine Trade. (SIMON.) EASTICK.) Wool. (HUNTER.) Sulphur and Allied Products. (AUDEN.) Worsted Industry, The. (DUMVILLE Tea. (IBBETSON.) and Kershaw.) Telegraphy, Telephony, and Wireless. (Poole.) Zinc and Its Alloys. (Lones.)

Technical Dictionary of Engineering and Industrial Science in Seven Languages: English, French, Spanish, Italian, Portuguese, Russian, and German.

WITH AN INDEX TO EACH LANGUAGE.

In five volumes, each in crown 4to, buckram gilt, 2618 pp., 28 8s. net, complete.

Compiled by ERNEST SLATER, M.I.E.E., M.I.Mech.E., in collaboration with Leading Authorities.

PITMAN'S SHORTHAND

Invaluable to all Business and Professional Men

The following Complete Catalogues will be sent, post free, on application—COMMERCIAL, EDUCATIONAL, TECHNICAL, SHORT-HAND, FOREIGN LANGUAGE, AND ARTS AND CRAFTS.

Sir Isaac Pitman & Sons, Ltd., Parker Street, Kingsway, London, W.C.2